

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





The Cole Nursery Co., Painesville, Ohio

New Hardy Everblooming Cole's Fuchsia riccartoni "Scarlet Beauty"

Patent Applied For

(Propagation Rights Reserved)

Words cannot do justice to this plant, nor can printer's ink depict its countless flaming scarlet blooms. Picture to yourself an upright plant having from twenty to thirty stems which at maturity attain a height of 3 feet, and which, from the middle of June until severe frosts, will bear upward of five thousand flowers 1½ inches long, of rose-red, with corolla of mulberry purple and you will visualize that which is the great, nationwide "Plant Sensation."

Fuchsia "scarlet Beauty" can be used effectively in the front of shrub plantings or to face down large screens. Its foliage is far superior to most plants in the hardy border, retaining its glossy, holly-green appearance from Spring until after frosts. In northern Ohio, it withstands frosts until November 15th on the average.

Fuchsia riccartoni, "Scarlet Beauty" is a herbaceous plant which freezes to the ground each Winter after the manner of Butterfly Bush. In the Spring and early Summer it quickly comes up from eyes which form below the surface of the ground, established plants gaining a height of 2 feet or more by the latter part of June.

Most Desirable in the Hardy Plant Border
Because It Gives a Wealth and Period of Bloom
Impossible to Obtain with Any Other Hardy Plant

FUCHSIA RICCARTONI "Scarlet Beauty"

STOCK LIMITED—RESERVE YOUR ORDER NOW!

Retails 65c Each; 3 for \$1.50

Price	-1	5 Each	25 Each	250 Each
3-inch Pot Plants		. \$0.27	\$0.24	\$0.21

Write for Special Folder telling the interesting story of the development of "Scarlet Beauty"—gives cultural directions, etc.

Ornamental Trees

The size immediately following the description indicates approximate height at maturity.

LARGE B & B SHADE TREES

We are specialists in balling and handling large shade trees up to 8" caliper. Our stock and workmanship is second to none. We would be pleased to quote prices for your special requirements on request or you may refer to Page 79 for charges.

	STATE OF STREET	Sec. 4. 4. 10 100 1	
ACER	1 Each	5 Each	25 Each
campestre. Hedge Maple—25'			
4 to 5'	\$ 1.40	\$ 1.15	\$ 1.00
5 to 6'	1.65	1.40	1.25
		2.00	1.80
6 to 8'	2.20	2.00	1.00
dasycarpum. Silver Maple—60'			40
6 to 8'		.55	.45
8 to 10'		.75	.60
1½ to 1½″	. 1.15	.90	.75
1½ to 1¾"	1.40	1.15	1.00
1 3/4 to 2"	1.80	1.55	1.40
2 to 2½"	2.10	1.85	1.65
2 ½ to 3"	2.50	2.25	2.00
3 to 3½"	3.35	3.00	2.75
3 ½ to 4"	4.25	3.85	3.50
3 72 60 4	5.50	5.00	4.50
4 to 5"	. 5.50	5.00	4.00
5 to 7", Prices on Application			
dasycarpum wieri. Wier Cutleaf Maple—		0.5	
6 to 8'	1.00	.85	.75
8 to 10'	1.40	1.15	1.00
1 ½ to 1 ½ "	1.65	1.40	1.25
1½ to 1¾"	1.90	1.65	1.50
1% to 2"	2.50	2.25	2.00
ginnala. Amur Maple—15'			
5 to 6'	1.10	.85	.75
6 to 8'		1.15	1.00
8 to 10'		1.65	1.50
10 to 12'		2.25	2.00
negundo. Boxelder—60'	2.00	2.20	2.00
1 1/4 to 1 1/2 "	1.25	1.00	.85
1 ½ to 2"		1.25	1.10
2 to 2½"	2.00	1.75	1.60
2½ to 3"	2.75	2.50	
3 to 4"	3.85	3.50	
palmatum atropurpureum. Bloodleaf			
Japanese Maple—8'			
1½ to 2', Grafted (11" Ball)	1.90	1.65	1.50
2 to 2½', Grafted (12" Ball)	2.50	2.25	2.00
2½ to 3', Grafted (13" Ball)	3.00	2.75	2.50
3 to 4', Grafted (15" Ball)		3.60	3.25
4 to 5', Grafted (16" Ball)		4.40	
5 to 6', Grafted (18" Ball)	6.00	5.50	
6 to 7', Grafted (21" Ball)	8.25	7.50	3.00
nanngylvaniaum Steinad Manla 25!	0.20	1.00	
pennsylvanicum. Striped Maple—25'	1.40	1.15	1.00
5 to 6'	1.40		
6 to 8'		1.50	1.35
8 to 10'	2.25	2.00	1.80

ACER—Continued	1 Each	5 Each	25 Each
platanoides. Norway Maple-50'			
6 to 8'	\$ 1.50	\$ 1.25	\$ 1.10
8 to 10'		1.65	1.50
1 1/4 to 1 1/2 "	2.15	1.90	1.75
1½ to 1¾"	$\frac{1}{2.50}$	2.25	2.00
1 3/4 to 2"		2.50	2.25
		2.75	2.50
2 to 2½"	3.00		25.7
2½ to 3″	4.00	3.60	3.25
3 to 3½"		4.75	4.25
3½ to 4"		6.00	5.50
4 to 5"		7.50	7.00
5 to 6"		12.50	11.50
6 to 7"		18.00	
7 to 8"		27.50	
platanoides globosum. Globe Norway			
3 year head, 6' stem	5.00	4.50	
platanoides schwedleri. Purple Norway			
Maple—50' 6 to 8'	1.90	1.65	1.50
8 to 10'		$\frac{1.05}{2.25}$	2.00
	2.50		
1½ to 1¾"		2.75	2.50
1 ¾ to 2"		3.35	3.00
2 to 2½"		4.10	3.75
2½ to 3"	5.75	5.25	4.75
3 to 3½"	8.00	7.25	6.50
3½ to 4"		10.00	9.00
4 to 5"		14.00	13.00
5 to 6"	22.00	20.00	
pseudoplatanus. Sycamore Maple—60'		500	
2 to 2½"	3.60	3.25	
2½ to 3"		4.50	
3 to 4"	7.00	6.50	
rubrum. Red or Scarlet Maple—50'			11.30
5 to 6'	1.25	1.00	.90
6 to 8'	1.50	1.30	1.15
8 to 10'	2.00	1.75	
1½ to 1½"	2.50	2.25	
1½ to 1¾"	3.00	2.75	
1 % to 2"	4.50	4.00	
2 to 2½"	6.00	5.50	
2½ to 3"	8.00	7.50	
3 to 3½"	10.25	9.50	
saccharum. Sugar or Rock Maple—60'			
6 to 8'	1.40	1.15	1.00
8 to 10'	1.65	1.40	1.25
1½ to 1½"	1.90	1.65	1.50
1½ to 1¾"	2.25	2.00	1.80
1 % to 2"	2.75	2.50	2.25
2 to 2½"	3.35	3.00	2.75
2½ to 3″	4.00	3.60	3.25
3 to 3½"	5.50	5.00	4.50
3½ to 4″	7.25	6.50	6.00
4 to 5"	9.25	8.50	7.75
5 to 6"		12.50	
6 to 7"		18.00	
7 to 8"		25.00	

ACER—Continued spicatum. Mountain Maple—25'	1 Each	5 Each	25 Each
3 to 4'	\$.80	\$.60	
4 to 5'		.80	
5 to 6'	1.25	1.00	
tataricum. Tatarian Maple—12'	1.20	1.00	
3 to 4'	.80	.60	\$.50
4 to 5'		.80	.70
5 to 6'		1.00	.10
AESCULUS	1.20	1.00	
carnea. Red Horsechestnut-35'			
3 to 4'	2.00	1.75	
4 to 5'	3.00	2.75	
5 to 6'	3.90	3.50	
glabra. Ohio Buckeye-30'			
5 to 6'	1.50	1.25	1.10
6 to 8'	1.90	1.65	1.50
1½ to 1½"		2.25	2.00
1½ to 2"	3.35	3.00	2.75
2 to 2½"	4.25	3.85	3.50
2½ to 3″		5.00	4.50
3 to 3½"	7.75	7.00	
hippocastanum. European Horse Chest- nut—40'			
4 to 6'	1.10	.85	.75
6 to 8'		1.40	1.25
1 ½ to 2"	2.50	2.25	2.00
2 to 2 ½"	3.25	3.00	2.75
2½ to 3"	5.00	4.50	
3 to 4"		7.00	
	11.00	10.00	
octandra. Yellow Buckeye—30'			
4 to 6'	1.50	1.25	1.10
6 to 8'	1.75	1.50	1.35
1¼ to 1½"	2.25	2.00	
pavia. Red Buckeye-30'			
3 to 4'		2.25	2.00
4 to 5'		3.00	2.75
5 to 6'	4.00	3.75	
6 to 7'AILANTHUS—glandulosa. Tree-of-Heaven—		4.75	
5 to 6'		.85	.75
6 to 8'		1.15	1.00
8 to 10'		1.40	1.25
		1.40	1.20
ALNUS—glutinosa—60' 6 to 8'	1.15	.90	.80
8 to 10'	1.50	1.25	•00
AMYGDALUS	1.00	1.20	
alboplena. Double White Flowering Peac	h_20'		
rubroplena. Double Red Flowering Peach-			
2 to 3'	.30	.22	.18
3 to 4'		.30	
4 to 5'		.40	.35
4 10 9		.40	.0

(See page 79 for Balling (B&B) schedule

10 rate applies to 5 or more of one variety; 100 rate applies to 25 or more of one variety; 1000 rate applies to 250 or more of one variety.

	1 Each	5 Each	25 Each
ARALIA—spinosa. Devils Walking Stick—25	*		
3 to 4'		\$.45	\$.35
4 to 5'		.55	.45
5 to 6'	80	.65	.55
6 to 8'	_ 1.10	.85	.75
8 to 10'		1.15	1.00
10 to 12'	_ 1.75	1.50	1.35
(Clumps, 50% additional)			
BETULA-alba. European White Birch-40'			
5 to 6' (14" Ball Extra)	_ 1.10	.85	.75
6 to 8' (15" Ball Extra)	_ 1.40	1.15	1.00
8 to 10' (16" Ball Extra)	_ 1.75	1.50	1.35
1¼ to 1½" (18" Ball Extra)	_ 2.10	1.85	
alba pendula. European Weeping Birch-	-35'		
5 to 6' (14" Ball Extra)	_ 1.50	1.25	1.10
6 to 8' (15" Ball Extra)	_ 2.00	1.75	1.60
8 to 10' (16" Ball Extra)	$_{-}$ 2.50	2.25	2.00
lenta. Sweet Birch-45'			
5 to 6' (14" Ball Extra)	_ 1.10	.85	.75
6 to 8 ' (15" Ball Extra)		1.15	1.00
8 to 10' (16" Ball Extra)	_ 2.00	1.75	1.60
1½ to 2" (24" Ball Extra)	_ 3.00	2.70	
2 to 2½" (28" Ball Extra)	_ 3.90	3.50	
2½ to 3" (32" Ball Extra)		4.75	
3 to 3½" (38" Ball Extra)	_ 7.25	6.50	
Clumps, 3 to 6 stems			
8 to 10' (22" Ball Extra)	_ 3.35	3.00	
10 to 12' (26" Ball Extra)		4.00	
12 to 14' (30" Ball Extra)	_ 6.50	6.00	
lutea. Yellow Birch—50'			
4 to 6' (14" Ball Extra)	_ 1.25	1.00	
6 to 8' (15" Ball Extra)	_ 1.60	1.35	
8 to 10' (16" Ball Extra)	2.10	1.85	
nigra. River Birch—40'			-13 23 32
2½ to 3" (30" Ball Extra)	5.00	4.50	1 1 1
3 to 4" (36" Ball Extra)		6.50	
4 to 5" (42" Ball Extra)	_ 10.00	9.00	
5 to 9" Prices on Application			
Clumps, 2 to 4 stems			
	_ 5.50	5.00	
12 to 14' (27" Ball Extra) 14 to 16' (30" Ball Extra)		6.50	
16 to 18' (34" Ball Extra)	_ 9.00	8.50	
18 to 20' (38" Ball Extra)	13.00	12.00	
	_ 10.00	12.00	
papyrifera. Canoe Birch—60' 5 to 6' (14" Ball Extra)	_ 1.50	1.25	
6 to 8' (15". Ball Extra)	_ 1.75	1.50	1.35
8 to 10' (16" Ball Extra)	2.00	1.75	1.00
1½ to 1½" (18" Ball Extra)	_ 2.50	2.25	
		2.20	*
populifolia. Gray Birch—40' 6 to 8' (15" Ball Extra)	_ 1.40	1.15	1.00
8 to 10' (16" Ball Extra)		1.15	1.50
	_ 1.00	1.00	1.00
Clumps, 3 to 5 stems	0.55		
5 to 6' (18" Ball Extra)	_ 2.75	2.50	2.25

	77	-	
	Each	5 Each	25 Each
CARPINUS—betulus. European Hornbeam—60		0 1 10	A 10F
2 to 3' (13" Ball Extra)\$		\$ 1.40	\$ 1.25
3 to 4' (14" Ball Extra)	2.25	2.00	1.80
4 to 5' (16" Ball Extra)	2.75	2.50	
5 to 6' (18" Ball Extra)	3.75	3.35	
6 to 8' (20" Ball Extra)		4.00	
caroliniana. (americana) American Hornbe			0.0
2 to 3' (13" Ball Extra)	1.10	.90	.80
3 to 4' (14" Ball Extra) 4 to 5' (16" Ball Extra)	1.50	1.25	1.10
	1.75	1.50	1.35
5 to 6' (18" Ball Extra)		1.75	1.60
6 to 8' (20" Ball Extra)		2.25	
8 to 10' (23" Ball Extra)		3.00	
10 to 12' (26" Ball Extra)	5.00	4,50	
CASTANEA—mollissima. Hairy Chestnut—40'		1 10	1 0=
2 to 3'	1.65	1.40	1.25
5 10 4	2.25	2.00	1.75
CATALPA bignonioides nana. Umbrella Ca	talpa-		
2 year head, 5 to 7' stem	1.20	.95	.85
3 year head, specimens	1.50	1.25	1.10
4 year head, specimens	1.90	1.65	1.50
speciosa. Western Catalpa—35'			
6 to 8'	.70	.50	.40
8 to 10'		.75	.65
1½ to 2"	1.40	1.15	1.00
2 to 2½"	1.85	1.60	1.45
CELTIS—mississippiensis. Sugarberry—60'			
5 to 6'	1.15	.90	.80
6 to 8'	1.60	1.35	1.20
8 to 10'	2.00	1.75	
occidentalis. Hackberry—45'	05	70	00
4 to 5'	.95	.70	.60
5 to 6'		.90	.80
6 to 7'	1.50	1.25	
CERCIDIPHYLLUM—japonicum. Katsura-tre	e—20	0.0	90
3 to 4'		$\frac{.90}{1.25}$.80 1.10
4 to 5'	1.90	1.65	1.50
5 to 6'		$\frac{1.05}{2.25}$	2.00
0 00 0 =====			2.00
CERCIS—canadensis. Judas Tree, American R		-30	00
2 to 3' (12" Ball Extra)		.30	.20
3 to 4' (13" Ball Extra)	.50	.40	.35
4 to 5' (15" Ball Extra)	.85	.70	.60
5 to 6' (15" Ball Extra)	1.10	.90	.80
6 to 8' (18" Ball Extra)	1.40	1.15	1.00
8 to 10' (22" Ball Extra)	2.50	2.25	
10 to 12' (26" Ball Extra)		3.50	
12 to 14' (30" Ball Extra)	5.00	4.60	
CLADRASTIS—lutea. Yellow-wood—35'	4		4.05
4 to 5'	1.75	1.50	1.35
5 to 6'	2.15	1.90	1.75
6 to 8'	2.75	2.50	2.25
8 to 10'	3.35	3.00	2.75 3.25
1½ to 1½"	4.00	3.60	3.25 3.75
1½ to 1¾"	4.50	4.10 5.00	4.50
2 to 2½"	5.50	7.00	4.00
2½ to 3"	7.75	1.00	

	-		
CORNUS—florida. White Flowering Dogwood—2	20'		
11	Each	5 Each	25 Each
2 to 3' (12" Ball)\$		\$.75	\$.65
	1.40	1.15	1.00
	1.85	1.60	1.45
	3.00 4.40	2.75	2.50 3.60
	6.25	4.00 5.75	5.25
	8.75	8.00	7.50
florida rubra. Redflowering Dogwood—20'		0.00	
	1.90	1.65	1.50
	2.50	2.25	2.00
	3.75	3.35	3.00
	4.75 6.00	4.4 0 5.5 0	4.00 5.00
	9.00	8.00	9.00
	3.50	12.00	
florida welchi. Welch Variegated-leaved			
Dogwood—Beautiful new form—20'			
	2.50	2.25	
	4.10	3.75	
	5.50 7.50	5.00 6.75	
	1.50	0.19	
kousa. Kousa Dogwood—18' 4 to 5' (14" Ball Extra)	1.25	1.10	1.00
	2.15	1.90	1.75
	2.75	2.50	2.25
CRATAEGUS			
arnoldiana. Arnold Hawthorn—20'	2 00	1 75	
	2.00 2.50	1.75 2.25	
coccinea. Scarlet-fruited Hawthorn—20'	2.00	2.20	
	1.40	1.15	1.00
	1.65	1.40	1.25
5 to 6' (16" Ball Extra)	1.90	1.65	1.50
6 to 8' (18" Ball Extra)	2.50	2.25	2.00
	3.00	2.75	2.50
	4.00	3.60	3.25
12 to 14' (30" Ball Extra) cordata. Washington Hawthorn—20'	5.50	5.00	4.50
	1.10	.85	.75
	1.40	1.15	1.00
	1.65	1.40	1.25
	2.25	2.00	1.85
crusgalli. Cockspur Thorn—20'			
	1.10	.85	.75
	1.40	1.15	1.00
	1.65	1.40	1.25
	1.90 2.50	$1.65 \\ 2.25$	1.50
	2.00	2.20	2.00
mollis. Downy Hawthorn—18' 2 to 3' (12" Ball Extra)	.90	.70	.60
3 to 4' (13" Ball Extra)	1.10	.85	.75
	1.65	1.40	1.25
5 to 6' (16" Ball Extra)	1.90	1.65	1.50
	2.50	2.25	2.00

CRATAEGUS—Continued nitida	1 Each	5 Each	25 Each
2 to 3' (12" Ball Extra)	\$ 1.10	\$.85	\$.75
3 to 4' (13" Ball Extra)	1.40	1.15	1.00
4 to 5' (15" Ball Extra)		1.40	
5 to 6' (16" Ball Extra)	1.90	1.65	1.50
oxycantha. English Hawthorn—20' 3 to 4' (13" Ball Extra)	1.40	1.15	1.00
3 to 4' (13" Ball Extra) 4 to 5' (15" Ball Extra)			
5 to 6' (16" Ball Extra)			1.50
oxycantha splendens. Paul Double Scarlet			
3 to 4' (13" Ball Extra)	1.40	1.15	1.00
4 to 5' (15" Ball Extra)		1.40	1.25
5 to 6' (16" Ball Extra)			1.50
6 to 8' (18" Ball Extra)			2.00
8 to 10' (21" Ball Extra) 10 to 12' (24" Ball Extra)		$\frac{3.50}{5.00}$	
tomentosa. Pear Hawthorn—15'	0.00	0.00	
4 to 5' (15" Ball Extra)	1.65	1.40	1.25
5 to 6' (16" Ball Extra)		1.65	
6 to 8' (18" Ball Extra)		2.25	
8 to 10' (22" Ball Extra)		2.75	
10 to 12' (26" Ball Extra)	4.00	3.60	3.25
DIOSPYROS—virginiana. Common Persimmon		1 00	
5 to 6' 6 to 8'	$1.25 \\ 1.65$	$1.00 \\ 1.40$	
8 to 10'	2.25	2.00	1.80
1½ to 2"	2.75	2.50	2.25
FAGUS—americana. American Beech—60'			
3 to 4' (14" Ball Extra)			
4 to 5' (16" Ball Extra)	1.90	1.65	1.50
5 to 6' (18" Ball Extra)	2.50	2.25	2.00
6 to 8' (20" Ball Extra) 8 to 10' (24" Ball Extra)		$2.75 \\ 3.85$	$2.50 \\ 3.50$
sylvatica riversi. Rivers Purple Beech—45		0.00	5.90
2 to 3' (12" Ball)		2.75	
3 to 4' (14" Ball)		3.25	
4 to 5' (16" Ball)	4.40	4.00	
5 to 6' (18" Ball)	5.75	5.25	
6 to 7' (20" Ball)		7.00	
7 to 8' (22" Ball)		8.50	
8 to 10' (25" Ball) 10 to 12' (30" Ball)	15.00	$11.00 \\ 14.00$	
FRAXINUS—americana. White Ash—60'	10.00	14.00	
6 to 8'	1.10	.85	.75
1 1/4 to 1 1/2"	1.65	1.40	1.25
1 ½ to 2"	2.50	2.25	2.00
2 to 2½"	3.50	3.25	3.00
2½ to 3″	4.75	4.25	3.90
3 to 3½" 3½ to 4"	6.00	5.50	5.00
GINKGO—biloba. Maiden Hair Tree—50'	8.00	7.25	
4 to 6'	1.75	1.50	1.35
6 to 8'	2.15	1.90	1.75
8 to 10'	2.75	2.50	2.25
1 ½ to 1½"	3.35	3.00	2.75
1½ to 1¾"	4.10	3.75	3 .5 0
1 % to 2"	5.50	5.00	
2 to 2½"	7. 00	6.5 0	

Sto 6'
5 to 6' \$ 1.00 \$.75 \$.65 6 to 8' 1.40 1.15 1.00 8 to 10' 1.90 1.65
6 to 8'
8 to 10'
1½ to 2″
2 to 2½" 3.90 3.50 GYMNOCLADUS—dioica, Kentucky Coffee Tree—40' 1.10 .85 .75 6 to 8'
GYMNOCLADUS—dioica. Kentucky Coffee Tree—40' 3 to 4'
3 to 4'
6 to 8'
HICORIA—laciniosa. Shellbark Hickory—75'
HICORIA—laciniosa. Shellbark Hickory—75' 6 to 8'
6 to 8'
JUGLANS nigra. Black Walnut—80' 3 to 4'
JUGLANS nigra. Black Walnut—80' 3 to 4'
3 to 4'
3 to 4'
6 to 8'
8 to 10'
1½ to 2"
KOELREUTARIA—paniculata. Goldenrain Tree—25' 3 to 4'
KOELREUTARIA—paniculata. Goldenrain Tree—25' 3 to 4'
3 to 4'
3 to 4'
4 to 5'
LARIX—europea. European Larch—45' 10 to 12' (27" Ball) 8.75
10 to 12' (27" Ball) 8.75
10 to 12' (27" Ball) 8.75
12 to 14' (30" Ball) 12.00
16 to 18' (36" Ball) 20.00 18.00 LIQUIDAMBER—styraciflua. Sweet Gum—50' 6 to 8' 2.25 2.00
LIQUIDAMBER—styraciflua. Sweet Gum—50' 6 to 8' 2.25 2.00
6 to 8' 2.25 2.00
6 to 8' 2.25 2.00
8 to 10' 3.00 2.75
1½ to 2" 3.85 3.50
2 to 2½" 5.00 4.60
2½ to 3″ 7.00 6.50
3 to 4" 10.00 9.00 4 to 5" 15.00 14.00
LIRIODENDRON—tulipifera. Tulip Tree—60'
6 to 8' 1.65 1.40
8 to 10' 2.00 1.75
1 ½ to 1½"
1½ to 2"
2½ to 3"
3 to 4"12.00 11.00
4 to 5" 16.50 15.00
MAGNOLIA—acuminata. Cucumber Tree—70'
3 to 4' (13" Ball) 1.50 1.25 1.10
4 to 5' (14" Ball) 2.00 1.75 1.60
5 to 6' (15" Ball) 2.50 2.25 2.00
6 to 8' (16" Ball) 3.25 3.00 2.75
8 to 10' (18" Ball) 4.50 4.00
10 to 12' (20" Ball) 6.50 6.00
1½ to 2" (24" Ball) 8.75 8.00
2 to 2½" (27" Ball) 11.00 10.00

MAGNOLIA—Continued	1 Each	5 Each	25 Each
glauca. Sweet Bay—20'			
2 to 3' (12" Ball)	3 1 40	\$ 1.15	\$ 1.00
3 to 4' (13" Ball)		1.75	1.60
4 to 5' (15" Ball)		2.25	2.00
5 to 6' (16" Ball)		3.00	2.75
6 to 8' (18" Ball)		4.00	3.65
8 to 10' (20" Ball)	6.00	5.50	5.00
soulangeana. Saucer Magnolia—18'			
2 to 3' (12" Ball)	2.15	1.90	1.75
3 to 4' (13" Ball)	3.00	2.75	2.50
4 to 5' (15" Ball)		4.10	$\frac{2.50}{3.75}$
5 + C' (1C" Dell)	6.00		
5 to 6' (16" Ball)	6.00	5.50	
6 to 7' (18" Ball)		7.50	
soulangeana nigra. Purple Lily Magnolia-	-18'		
2 to 3' (12" Ball)	2.50	2.25	2.00
3 to 4' (13" Ball)		3.00	2.75
4 to 5' (15" Ball)	4.75	4.35	4.00
4 00 0 (10 Dan)	6.10		4.00
5 to 6' (16" Ball)	0.50	6.00	
6 to 7' (18" Ball)	8.75	8.00	
tripetala. Umbrella Magnolia—30'			
4 to 5' (15" Ball Extra)	1.40	1.15	1.00
5 to 6' (16" Ball Extra)	1.75	1.50	1.35
6 to 8' (18" Ball Extra)		2.00	1.80
			1.00
8 to 10' (21" Ball Extra)	3.35	3.00	
MALUS arnoldiana. Arnold Crab-10'			
	1 10	05	
4 to 5'	1.10	.85	
5 to 6'	1.40	1.15	
6 to 7'	1.90	1.65	
atrosanguinea. Carmine Crab-12'			
4 to 5'	1.10	.85	
5 to 6'	1.35	1.10	
6 to 7'	1.90	1.65	
baccata. Siberian Crab—25'			
4 to 5'	1.15	.90	
5 to 6'	1.50	1.25	
- 4	2.00	1.75	
8 to 10′	2.75	2.50	
baccata mandshurica. Manchurian Crab—2			a=
3 to 4'	1.00	.75	.65
4 to 5'	1.25	1.00	.90
5 to 6'	1.65	1.40	
coronaria. Wild Sweet Crab. Fragrant			
blush bloom—15'			
3 to 4'	.80	.60	.50
4 to 5'	1.00	.75	.65
5 to 6'	1.25	1.00	.90
6 to 8'	1.90	1.65	.00
	_		
8 to 10'		2.75	
10 to 12'	4.10	3.75	
eleyii. Best red variety—12'			
3 to 4'	.85	.60	.50
4 to 5'	1.00	.75	.65
5 to 6'	1.25	1.00	.90
6 to 8'	1.75	1.50	1.35
8 to 10'	2.50	2.25	
10 to 12'	3.35	3.00	
10 00 12	0.00	9.00	

MALUS—Continued 1 Each	5 Each	25 Each
floribunda. Japanese Flowering Crab—12'	o maon	20 220011
3 to 4'\$.95	\$.70	\$.60
4 to 5' 1.10	.85	.75
5 to 6'1.40	1.15	1.00
6 to 8' 1.90	1.65	1.50
8 to 10' 3.35 10 to 12' 5.00	$\frac{3.00}{4.60}$	2.75 4.20
10 to 12' 5.00 halliana parkmani. Parkman Crab—12'	4.00	4.40
Semi-double, rose-pink		
3 to 4' 1.35	1.10	
4 to 5' 1.65	1.40	
5 to 6' 2.25	2.00	
6 to 7' 3.00	2.75	
hopa. Red Flowering Crab—12'	OE.	75
4 to 5' 1.10 5 to 6' 1.40	.85 1.15	.75 1.00
6 to 8' 1.75	1.50	1.35
8 to 10' 2.50	2.25	1.00
ioensis plena. Bechtel Double Pink Crab-14'		
$1\frac{1}{2}$ to $2'_{}$.60	.50	.40
2 to 3'	.60	.50
3 to 4'	.75	.65
4 to 5' 1.15	1.00	.90
5 to 6' 1.90 6 to 7' 2.50	$\begin{array}{c} 1.65 \\ 2.25 \end{array}$	
niedzwetzkyana. Redvein Crab—12'	4.40	
4 to 5' 1.00	.75	
5 to 6'1.25	1.00	.90
6 to 8' 1.65	1.40	1.25
8 to 10' 2.50	2.25	2.00
10 to 12' 3.35	3.00	
prunifolia rinki. <i>Chinese Apple</i> —15' 4 to 5' 1.10	.85	
5 to 6' 1.40	1.15	
6 to 8' 1.90	1.65	1.50
8 to 10' 2.50	2.25	2.00
10 to 12' 3.60	3.25	
purpurea. Purple Crab—14'		
4 to 5' 1.00	.75	.65
5 to 6' 1.25 6 to 8' 1.65	$1.00 \\ 1.40$.90 1.25
8 to 10' 2.25	$\frac{1.40}{2.00}$	1.20
10 to 12' 3.00	2.75	
12 to 14' 4.00	3.60	
sargenti. Sargent Crab. Dwarf, pure white-6'		
3 to 4' 1.25	1.00	.90
4 to 5' 1.65	1.40	1.25
5 to 6' 2.25	2.00	
scheideckeri. Double rose—12'		
4 to 5' 1.10	.85	.75
5 to 6' 1.40 6 to 8' 1.90	1.15 1.65	1.00
	1.05	
sieboldi. Toringo Crab—15' 4 to 5' 1.10	.85	.75
5 to 6' 1.40	1.15	.10
6 to 8' 1.90	1.65	
8 to 10' 2.50	2.25	

	Each	5 Each	25 Each
spectabilis fl. pl. Double Chinese Flowering	Crab-	—15'	
4 to 5'\$		\$.85	\$.75
5 to 6'	1.40	1.15	
6 to 8'	1.90	1.65	
8 to 10'	3.35	3.00	
10 to 12'		4.60	
sublobata. Yellow Autumn Crab—12'			
6 to 8'	1.90	1.65	1.50
8 to 10'	$\frac{1.50}{2.50}$	$\frac{1.05}{2.25}$	1.00
theifera. Tea Crab—18'	2.00	4.20	
	4 40	0~	
3 to 4'	1.10	.85	
4 to 5'	1.40	1.15	
5 to 6'	1.90	1.65	1.50
6 to 7'	2.50	2.25	2.00
toringoides. Cutleaf Crab—15'			
3 to 4'	1.00	.75	.65
4 to 5'	1.25	1.00	.90
5 to 6'	1.75	1.50	1.35
6 to 8'	2.25	2.00	
zumi. Zumi Crab—12'			
3 to 4'	.90	.70	.60
4 to 5'	1.10	.85	.75
			,
MORUS—alba globosa. Globe Mulberry—10'		. ==	
3 year head, 5 to 7'	3.00	2.75	
alba pendula. Tea's Weeping Mulberry—8'		1 00	
2 year head	2.15	1.90	
3 year head	2.50	2.25	2.00
alba tatarica. Russian Mulberry—30'			
4 to 6'	.65	.40	.30
6 to 8'		.50	.40
8 to 10′	.95	.70	.60
1½ to 2″	1.35	1.10	1.00
2 to 2½"	1.90	1.65	1.50
New American. Large Fruits—40'			
6 to 8'	.85	.60	
8 to 10'	1.25	1.00	
OXYDENDRUM—arboreum. Andromeda,			•
Sourwood, Sorrel Tree—30'			
2 to 3'	.75	.60	.50
3 to 4'	1.00	.75	.65
4 to 5'	1.25	1.00	.90
5 to 6'		1.35	1.20
6 to 8'		2.00	1.80
8 to 10'		3.00	2.75
10 to 12'		4.00	2.10
	4.40	4.00	
PHELLODENDRON—amurense. Amur			
Corktree—50'			
4 to 5'	.80	.60	
5 to 6'		.75	
6 to 8'		.85	.75
8 to 10′	1.50	1.25	1.10
1¼ to 1½″		1.50	1.35
1½ to 1¾"	2.25	2.00	

Truehedge Columnberry prices are greatly reduced. See inside front cover.

	1 Each	5 Each	25 Each
PLATANUS-acerifolia. London Planetree-	-80′		
8 to 10'		\$ 1.50	\$ 1.35
1 1/4 to 1 1/2 "	2.25	2.00	1.80
1½ to 1¾"		2.50	2.25
1 % to 2"	3.35	3.00	2.75
2 to 2½"	4.00	3.60	3.25
2½ to 3"		5.25	4.75
3 to 3½"		8.25	7.50
3½ to 4"	12.00	11.00	
occidentalis. American Planetree	_ 12.00	11.00	
6 to 8'	1.25	1.00	.85
8 to 10'		1.25	1.10
		1.20	1.10
orientalis. European Sycamore or Plane-	_70'		
6 to 8'		1.15	1.00
8 to 10'	_ 1.65	1.40	1.25
1 1/4 to 1 1/2"	_ 2.00	1.80	1.65
1½ to 1¾"	_ 2.60	2.35	2.10
1 3/4 to 2"	_ 3.10	2.85	2.60
2 to 2½"	_ 4.00	3.60	3.25
2 ½ to 3"	5.75	5.25	4.75
3 to 3½"	8.75	8.00	7.25
3 ½ to 4"		10.50	
4 to 4½"		13.00	
$4^{1/2}$ to $5''_{}$		15.00	
		18.50	
5 to 5½″			
5½ to 6" 6 to 6½"		$23.00 \\ 30.00$	
0 00 0 /2	_ 02.00	50.00	
POPULUS	_ 02.00	80.00	
POPULUS	_ 02.00	50.00	
POPULUS alba nivea. Silver Poplar—40'			
POPULUS alba nivea. Silver Poplar—40' 6 to 8'	95	.70	.60
POPULUS alba nivea. Silver Poplar—40' 6 to 8' 8 to 10'	95		
POPULUS alba nivea. Silver Poplar—40' 6 to 8' 8 to 10' bolleana. Bolleana Silver Poplar—50'	95 _ 1.25	.70 1.00	.60 .90
POPULUS alba nivea. Silver Poplar—40' 6 to 8' 8 to 10' bolleana. Bolleana Silver Poplar—50' 5 to 6'	95 _ 1.25 75	.70 1.00	.60 .90
POPULUS alba nivea. Silver Poplar—40' 6 to 8' 8 to 10' bolleana. Bolleana Silver Poplar—50' 5 to 6' 6 to 8'	95 - 1.25 75 85	.70 1.00 .50 .60	.60 .90 .40
POPULUS alba nivea. Silver Poplar—40' 6 to 8' 8 to 10' bolleana. Bolleana Silver Poplar—50' 5 to 6' 6 to 8' 8 to 10'	95 - 1.25 75 85 - 1.10	.70 1.00 .50 .60	.60 .90 .40 .50
POPULUS alba nivea. Silver Poplar—40' 6 to 8' 8 to 10' bolleana. Bolleana Silver Poplar—50' 5 to 6' 6 to 8' 8 to 10' 1 1/4 to 1 1/2"	95 - 1.25 75 85 - 1.10 - 1.40	.70 1.00 .50 .60 .85 1.15	.60 .90 .40 .50 .75
POPULUS alba nivea. Silver Poplar—40' 6 to 8' 8 to 10' bolleana. Bolleana Silver Poplar—50' 5 to 6' 6 to 8' 8 to 10' 1 1/4 to 1 1/2 " 1 1/2 to 1 3/4 "	95 - 1.25 75 85 - 1.10 - 1.40 - 2.25	.70 1.00 .50 .60 .85 1.15 2.00	.60 .90 .40 .50
POPULUS alba nivea. Silver Poplar—40' 6 to 8' 8 to 10' bolleana. Bolleana Silver Poplar—50' 5 to 6' 6 to 8' 8 to 10' 1 1/4 to 1 1/2 " 1 1/2 to 1 3/4 " 1 3/4 to 2"	95 - 1.25 75 85 - 1.10 - 1.40 - 2.25 - 3.00	.70 1.00 .50 .60 .85 1.15	.60 .90 .40 .50 .75
POPULUS alba nivea. Silver Poplar—40' 6 to 8' 8 to 10' bolleana. Bolleana Silver Poplar—50' 5 to 6' 6 to 8' 8 to 10' 1 1/4 to 1 1/2" 1 1/2 to 1 3/4" 2 to 2 1/2"	95 - 1.25 75 85 - 1.10 - 1.40 - 2.25 - 3.00 4.00	.70 1.00 .50 .60 .85 1.15 2.00	.60 .90 .40 .50 .75 1.00 1.75
POPULUS alba nivea. Silver Poplar—40' 6 to 8' 8 to 10' bolleana. Bolleana Silver Poplar—50' 5 to 6' 6 to 8' 8 to 10' 1 1/4 to 1 1/2 " 1 1/2 to 1 3/4 " 2 to 2 1/2 " 2 1/2 to 3"	95 - 1.25 75 85 - 1.10 - 1.40 - 2.25 - 3.00 - 4.00 - 5.50	.70 1.00 .50 .60 .85 1.15 2.00 2.75	.60 .90 .40 .50 .75 1.00 1.75 2.50
POPULUS alba nivea. Silver Poplar—40' 6 to 8' 8 to 10' bolleana. Bolleana Silver Poplar—50' 5 to 6' 6 to 8' 8 to 10' 1 1/4 to 1 1/2 " 1 1/2 to 1 3/4 " 1 3/4 to 2"	95 - 1.25 75 85 - 1.10 - 1.40 - 2.25 - 3.00 - 4.00 - 5.50	.70 1.00 .50 .60 .85 1.15 2.00 2.75 3.60	.60 .90 .40 .50 .75 1.00 1.75 2.50
POPULUS alba nivea. Silver Poplar—40' 6 to 8' 8 to 10' bolleana. Bolleana Silver Poplar—50' 5 to 6' 6 to 8' 8 to 10' 1 1/4 to 1 1/2" 1 1/2 to 1 3/4" 2 to 2 1/2" 2 to 3 1/2" 3 1/2 to 4" 3 1/2 to 4"	95 - 1.25 75 85 - 1.10 - 1.40 - 2.25 - 3.00 - 4.00 - 5.50 - 7.75 - 10.00	.70 1.00 .50 .60 .85 1.15 2.00 2.75 3.60 5.00	.60 .90 .40 .50 .75 1.00 1.75 2.50
POPULUS alba nivea. Silver Poplar—40' 6 to 8' 8 to 10' bolleana. Bolleana Silver Poplar—50' 5 to 6' 6 to 8' 8 to 10' 1 1/4 to 1 1/2" 1 1/2 to 1 3/4" 2 to 2 1/2" 2 to 3 1/2" 3 1/2 to 4" 3 1/2 to 4"	95 - 1.25 75 85 - 1.10 - 1.40 - 2.25 - 3.00 - 4.00 - 5.50 - 7.75 - 10.00	.70 1.00 .50 .60 .85 1.15 2.00 2.75 3.60 5.00 7.00	.60 .90 .40 .50 .75 1.00 1.75 2.50
POPULUS alba nivea. Silver Poplar—40' 6 to 8'	95 - 1.25 75 85 - 1.10 - 1.40 - 2.25 - 3.00 - 4.00 - 5.50 - 7.75 - 10.00 - 13.50	.70 1.00 .50 .60 .85 1.15 2.00 2.75 3.60 5.00 7.00 9.00	.60 .90 .40 .50 .75 1.00 1.75 2.50
POPULUS alba nivea. Silver Poplar—40' 6 to 8'	95 - 1.25 75 85 - 1.10 - 1.40 - 2.25 - 3.00 - 4.00 - 5.50 - 7.75 - 10.00 - 13.50 - 17.00	.70 1.00 .50 .60 .85 1.15 2.00 2.75 3.60 5.00 7.00 9.00 12.00 15.00	.60 .90 .40 .50 .75 1.00 1.75 2.50 3.25
POPULUS alba nivea. Silver Poplar—40' 6 to 8'	95 - 1.25 75 85 - 1.10 - 1.40 - 2.25 - 3.00 - 4.00 - 5.50 - 7.75 - 10.00 - 13.50 - 17.00 - 22.00	.70 1.00 .50 .60 .85 1.15 2.00 2.75 3.60 5.00 7.00 9.00 12.00	.60 .90 .40 .50 .75 1.00 1.75 2.50 3.25
POPULUS alba nivea. Silver Poplar—40' 6 to 8'	95 - 1.25 75 85 - 1.10 - 1.40 - 2.25 - 3.00 - 4.00 - 5.50 - 7.75 - 10.00 - 13.50 - 17.00 - 22.00	.70 1.00 .50 .60 .85 1.15 2.00 2.75 3.60 5.00 7.00 9.00 12.00 15.00 20.00	.60 .90 .40 .50 .75 1.00 1.75 2.50 3.25
POPULUS alba nivea. Silver Poplar—40' 6 to 8'	95 75 85 - 1.10 - 1.40 - 2.25 - 3.00 - 4.00 - 5.50 - 7.75 - 10.00 - 13.50 - 17.00 - 22.00 - 27.50	.70 1.00 .50 .60 .85 1.15 2.00 2.75 3.60 5.00 7.00 9.00 12.00 15.00 20.00 25.00	.60 .90 .40 .50 .75 1.00 1.75 2.50 3.25
POPULUS alba nivea. Silver Poplar—40' 6 to 8'	95 75 85 - 1.10 - 1.40 - 2.25 - 3.00 - 4.00 - 5.50 - 7.75 - 10.00 - 13.50 - 17.00 - 22.00 - 27.50	.70 1.00 .50 .60 .85 1.15 2.00 2.75 3.60 5.00 7.00 9.00 12.00 15.00 20.00 25.00	.60 .90 .40 .50 .75 1.00 1.75 2.50 3.25
POPULUS alba nivea. Silver Poplar—40' 6 to 8'	95 - 1.25 75 85 - 1.10 - 1.40 - 2.25 - 3.00 - 4.00 - 5.50 - 7.75 - 10.00 - 13.50 - 17.00 - 22.00 - 27.50 90	.70 1.00 .50 .60 .85 1.15 2.00 2.75 3.60 5.00 7.00 9.00 12.00 15.00 20.00 25.00	.60 .90 .40 .50 .75 1.00 1.75 2.50 3.25
POPULUS alba nivea. Silver Poplar—40' 6 to 8'	95 75 85 - 1.10 - 1.40 - 2.25 - 3.00 - 4.00 - 5.50 - 7.75 - 10.00 - 13.50 - 17.00 - 22.00 - 27.50 90	.70 1.00 .50 .60 .85 1.15 2.00 2.75 3.60 5.00 7.00 9.00 12.00 15.00 20.00 25.00	.60 .90 .40 .50 .75 1.00 1.75 2.50 3.25
POPULUS alba nivea. Silver Poplar—40' 6 to 8'	95 - 1.25 75 85 - 1.10 - 1.40 - 2.25 - 3.00 - 4.00 - 5.50 - 7.75 - 10.00 - 13.50 - 17.00 - 22.00 - 27.50 90	.70 1.00 .50 .60 .85 1.15 2.00 2.75 3.60 5.00 7.00 9.00 12.00 15.00 20.00 25.00	.60 .90 .40 .50 .75 1.00 1.75 2.50 3.25
POPULUS alba nivea. Silver Poplar—40' 6 to 8'	95 - 1.257585 - 1.10 - 1.40 - 2.25 - 3.00 - 4.00 - 5.50 - 7.75 - 10.00 - 13.50 - 17.00 - 22.00 - 27.506590 - 1.10	.70 1.00 .50 .60 .85 1.15 2.00 2.75 3.60 5.00 7.00 9.00 12.00 15.00 20.00 25.00	.60 .90 .40 .50 .75 1.00 1.75 2.50 3.25
POPULUS alba nivea. Silver Poplar—40' 6 to 8'	95 - 1.257585 - 1.10 - 1.40 - 2.25 - 3.00 - 4.00 - 5.50 - 7.75 - 10.00 - 13.50 - 17.00 - 22.00 - 27.506590 - 1.10 - 2.25	.70 1.00 .50 .60 .85 1.15 2.00 2.75 3.60 5.00 7.00 9.00 12.00 15.00 20.00 25.00 .45 .65 .85	.60 .90 .40 .50 .75 1.00 1.75 2.50 3.25 35 .55 .75

(See page 79 for balling schedule)

POPULUS—Continued	1 Each	5 Each	25 Each
nigra italica. Lombardy Poplar-70'	ф o=	A OF	Φ 40
4 to 6' (\$140 per 1000)	_\$.35	\$.25	\$.18
6 to 8', (\$225.00 per 1000) 8 to 10', (\$325.00 per 1000)	45 65	.35 .50	.275 .375
1¼ to 1½", (\$400.00 per 1000)	80	.60	.50
1½ to 1¾" (\$550 per 1000)	1.00	.75	.65
1 % to 2"	$_{-}$ 1.25	1.00	.90
2 to 2½″		1.40	1.25
2½ to 3″	- 2.50	2.25	2.00
3 to 3½"simoni. Simon Poplar—30'	_ 3.85	3.5 0	
6 to 8'	65	.45	.35
8 to 10'	80	.60	.50
1½ to 1½″ 1½ to 1¾″	_ 1.00	.80	.70
1½ to 1¾"	_ 1.25	1.00	.90
1% to 2"	_ 1.75	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	$\begin{array}{c} 1.35 \\ 1.80 \end{array}$
2 to 2½″		$\frac{2.00}{2.50}$	2.25
PRUNUS—(See Shrubs for other Prunus).	_ 2.10	2.00	2.20
americana. American Plum—20'			
3 to 4'	60	.45	.35
4 to 6'		.55	.45
6 to 8'	_ 1.00	.75	.65
americana Newport. Purple-leaved Ameri			
3 to 4'		.45	.40
4 to 5'		.55	.50
5 to 6'6 to 8'	4 0 =	.80 1.00	.70 .90
cerasifera pissardi blirieana—12'	_ 1.40	1.00	.00
Purple tinted foliage; semi double			
flowers of apple blossom pink.			
4 to 5'	85	.65	.55
cerasifera pissardi nigra. Deepest purple	—12 ′		
3 to 4'		.45	.40
4 to 5'		.65	.55
5 to 6'6 to 7'		$\begin{array}{c} .90 \\ 1.25 \end{array}$.80
	_ 1.50	1.20	
cistina. Hansen's Purpleleaf Plum—6' A semi-dwarf, very hardy variety			
with brilliant foliage.			
3 to 4'	55	.45	.40
4 to 5'		.60	.50
5 to 6'	_ 1.10	.85	.75
Othello. Purpleleaf Plum—12'	60	.45	.40
3 to 4' 4 to 5'		.55	.50
pennsylvanica. Pin Cherry—25'		.00	.00
6 to 8' 8 to 10'	_ 1.00	.80	.70
8 to 10'	_ 1.40	1.15	1.00
serotina. Black Cherry—60'	CF	45	95
3 to 4' 4 to 5'		.45 .55	.35
5 to 6'		.70	
subhirtella. Higan Cherry—30'		• • • •	
5 to 6'		1.50	
6 to 8'	_ 2.50	2.25	

1 Each	5 Each	25 Each
3 1.75	\$ 1.50	\$ 1.35
		1.80
2.20	2.00	1.00
40	325	.25
		.35
		.45
		.60
		.00
1.19	.90	
CHE	DDIES	
CHE	KKIES	
:		
4 4 0	٥٣	55
		.75
		1.00
		1.25
		1.60
dark j	pink.	
	1.75 2.25 .40 .60 .75 .90 1.15 CHEI 3: 1.10 1.40 1.65 2.00 2.75 4.25 Double dark	2.25 2.00 .40 .325 .60 .45 .75 .55 .90 .70 1.15 .90 CHERRIES 1.10 .85 1.40 1.15 1.65 1.40 2.00 1.75 2.75 2.50

JAPANESE FLOWERING CHERRIES

NEWER AND FINER VARIETIES

3 to 4'\$ 1.25 \$ 1.00 \$.90
4 to 5' 1.65 1.35	1.20
5 to 6' 2.00 1.75	

Horinjii—Double pale pink. Hosakowanioi—Semi-double white. Ichiyo. Double pink.

Ojochin-Semi-double pink.

Senriko. Semi-double pale pink.

Shirotae—Mount Fuji—25' Double White.

Shogetsu—Double pink.

Takinioi—Single white.

Ukon-Double tea colored.

WEEPING JAPANESE CHERRIES

subhirtella pendula. Shidare-higan—12'			
1 year head	2.00	1.75	1.50
2 year head	2.50	2.25	2.00
3 year head, specimens	3.00	2.75	2.50
4 year head, specimens	4.35		
double pink weeping—12' Similar to Shida	are-hig	an but v	vith
beautiful double dark pink flowers.			
2 year head, 5 to 7'	3.75	3.35	3.00
3 year head, 5 to 7'	4.50	4.10	3.75
PTELEA—trifoliata. Common Hoptree—25'			
2 to 3'	.60	.40	.30

QUERCUS	1 Each	5 Each	25 Each
coccinea. Scarlet Oak-75'			
4 to 6'	\$ 1.40	\$ 1.15	\$ 1.00
6 to 8'		1.75	Ψ 1.00
8 to 10'	3.25	3.00	
1½ to 2"	4.75	4.25	
2 to 2½"	6.50	6.00	
2½ to 3"	10.00	9.00	
3 to 3½"	14.00	13.00	
3 ½ to 4"	18.00	16.00	
4 to 4½"	23.00	21.00	
macrocarpa. Mossy-cup Oak-75'	20.00	21.00	
8 to 10'	3.00	2.75	2.50
1 ½ to 2"	4.25	3.85	3.50
2 to 2½"	5.50	5.00	4.50
2 ½ to 3"	7.25	6.50	4.00
palustris. Pin Oak—75'	1.20	0.00	
5 to 6'	1.10	.85	.75
6 to 8'	1.40	1.15	1.00
8 to 10'	1.65	1.40	1.25
1¼ to 1½″	1.90	1.65	1.50
1½ to 1¾"	2.50	2.25	-2.00
1 3/4 to 2"	3.25	3.00	2.75
2 to 2½"	4.25	3.85	3.50
2½ to 3"	5.50	5.00	4.50
3 to 3½"	6.75	6.25	5.75
3½ to 4"	9.00	8.25	7.50
4 to 5"		11.00	10.00
5 to 6"		15.00	14.00
6 to 12", Prices on Application			

Quercus robur is an exceptionally desirable variety and should be carefully considered when making planting lists. Our trees are of especially high quality and may be had in large quantities if needed.

maham Emplish Only 70'			
robur. English Oak—70'	0.00		
1½ to 1¾"	3.00	2.75	2.50
1 % to 2"	3.75	3.35	3.00
2 to 2½"		4.25	3.75
2½ to 3"		5.25	4.75
3 to 3½"		6.50	6.00
3½ to 4"		8.00	7. 25
4 to 4½"	11.00	10.00	9.00
4½ to 5"		12.50	11.50
5 to 6"		16.00	
rubra. Red Oak—75'		_0.00	
4 to 6'	1.40	1.15	1.00
6 to 8'		1.65	1.50
8 to 10'		2.35	2.10
1¼ to 1½"	3.35	3.00	
1½ to 1¾"	4.10	3.75	
1 3/4 to 2"		4.25	
2 to 2½"		5.25	
2½ to 3"	7.75	7.00	
3 to 3½"	10.00	9.00	
3½ to 4"		12.00	
4 to 5"		16.00	
		23.00	
5 to 6"	20.00	20.00	

	. Tile als	r Tie ele	Or Fig. als
ROBINIA pseudoacacia. Common Locust—55'	l Each	5 Each	25 Each
6 to 8'\$.80	\$.60	\$.50
8 to 10'	1.10	.85	.75
10 to 12'	1.35	1.15	1.00
1½ to 2″	1.90	$\frac{1.65}{2.35}$	$1.50 \\ 2.10$
2 to 2½"	$\frac{2.60}{3.50}$	$\begin{array}{c} 2.35 \\ 3.15 \end{array}$	2.10
· • · · · · · · · · · · · · · · · · · ·	0.00	0.10	4.00
SALISBURIA—(See Ginkgo)			`
SALIX alba. White Willow—50'	100	.80	.70
6 to 8' 8 to 10'		1.15	1.00
aurantha aurea. New. Gold Bark	0		
5 to 6'	.80	.55	.45
6 to 8'	.95	.70	.60
8 to 10'	1.25	1.00	.90
1½ to 1½"	$\frac{1.60}{2.00}$	1.35 1.75	1.20 1.60
1 ½ to 2"	$\frac{2.00}{2.75}$	2.50	1.00
2 ½ to 3"	3.75	3.35	
babylonica. Babylon Weeping Willow-55'			
5 to 6' (\$350.00 per 1000)	.65	.50	.40
6 to 8' (\$400.00 per 1000)	.80	.60	.50
8 to 10′	$1.00 \\ 1.40$.80 1.15	.70
1 ½ to 1½"	$\begin{array}{c} 1.40 \\ 2.25 \end{array}$	$\frac{1.15}{2.00}$	1.00 1.80
2 to 2½"	3.00	$\frac{2.00}{2.75}$	2.50
2 ½ to 3"	5.00	4.50	
3 to 4"	8.00	7.25	
blanda. Wisconsin Weeping Willow-40'	75		45
5 to 6'6 to 8' (\$450.00 per 1000)	.75 .80	.55	.45 .50
8 to 10' (\$600.00 per 1000)	1.00	.80	.70
1½ to 1½"	1.40	1.15	1.00
1 ½ to 2"	2.25	2.00	1.80
2 to 2½″	3.00	2.75	2.50
2½ to 3″	4.50	4.00	
discolor. Pussy Willow—18' 2 to 3'	.25	.18	.14
3 to 4'	.30	.23	.18
4 to 6'		.32	.27
6 to 8'	.70	.55	.45
gracilistyla. Longstyle Willow		= 0	4.0
2 to 3'	$\begin{array}{c} .75 \\ 1.00 \end{array}$.50	.40 .65
incana. Rosemary Willow—12'	1.00	.10	.00
$1\frac{1}{2}$ to $2'_{}$.30	.22	.17
2 to 3'	.35	.28	.22½
3 to 4'		.35	.30
4 to 5'	.60	.50	.40
matsudana tortuosa. Marcel or Corkscrew	Willow	v22'	
4 to 5'		.75	.65
5 to 6'	1.40	1.15	1.00

Secure a supply of Truehedge Columnberry.

America's Greatest Plant Sensation.

DEEDLE COLLEGE	1 Each	5 Each	25 Each
Niobe. Golden Weeping Willow—50'			
5 to 6'	\$.70	\$.50	\$.40
6 to 8' (\$450.00 per 1000)		.60	.50
8 to 10' (\$650.00 per 1000)	1.10	.85	.75
1 1/4 to 1 1/2"	1.40	1.15	1.00
1½ to 2″	2.50	2.25	2.00
2 to 2 ½ "	3.35	3.00	2.75
2½ to 3″	5.00	4.50	4.00
3 to 3½"	7.00	6.25	5.50
pentandra. Laurel-leaved Willow-25'			
5 to 6'	.75	.55	.45
6 to 8'	1.00	.75	.65
regalis. Royal Willow-Beautiful silver for	liaœ	-35′	
2 to 3', shrub form	.45	.35	.25
3 to 4', shrub form		.45	.35
4 to 6', shrub form		.70	.60
		1.00	
6 to 8', shrub form	1.25	1.00	.90
salamoni. Salamon Weeping Willow-50'			
5 to 6'	.90	.70	.60
6 to 8'	1.10	.90	.80
8 to 10'	1.50	1.25	1.10
vitellina. Golden-barked Willow-40'			
5 to 6' (\$300.00 per 1000)	.65	.45	.35
6 to 8' (\$350.00 per 1000)		.50	.40
8 to 10' (\$650.00 per 1000)		.65	.55
1 ½ to 1½"	1.25	1.00	.90
1½ to 2"		1.40	1.25
2 to 2½"	$\frac{1.05}{2.25}$	2.00	1.20
2 00 272	4.40	2.00	1.00
SORBUS—aucuparia. European Mt. Ash—30'			
6 to 8'	1.40	1.15	1.00
8 to 10'		1.40	1.25
1 1/4 to 1 1/2"		2.25	2.00
1½ to 2″	3.35	3.10	
2 to 2½"	4.50	4.10	
2 ½ to 3"		5.50	
9 +0 91/"	8.75	8.00	
3 to 3½"	19 50		
4 to 5"		12.50	
aucupara pendula. Weeping Mountain-Asi			
3 year head, 5 to 7' stem	2.75	2.50	
4 year head, specimens	4.25	3.75	
TAXODIUM—distichum. Common Baldcypres	s—80'		
10 to 12' (27" Ball)	9.00	8.00	
12 to 14' (30" Ball)		10.00	
14 to 16' (33" Ball)		12.50	
· · · · · · · · · · · · · · · · · · ·	11.00	22.00	
TILIA—americana. American Linden—80'	1.10	.85	.75
6 to 8'		1.10	1.00
8 to 10'			1.50
1½ to 1¾"		1.65	2.00
1 3/4 to 2"		2.25	
2 to 2½"		3.00	2.75
2½ to 3″		3.85	3.50
3 to 3½"		5.50	5.00
3½ to 4"		7.50	
4 to 5"		11.00	
5 to 6"	17.50	16.00	

TILIA—Continued	1 Each	5 Each	25 Each
cordata. Littleleaf European Linden—70'			
6 to 8'		\$ 1.50	\$ 1.35
8 to 10'	2.25	2.00	1.85
1½ to 2"		3.85	
2 to 2½"		5.25	
2½ to 3″	8.50	7.75	
3 to 3½″		11.00	
platyphyllos. Bigleaf European Linden—7	75'		
2 to 2½"	4.75	4.35	4.00
2½ to 3″	6.00	5.50	5.00
3 to 3½"	8.75	8.00	7.25
3 ½ to 4"	12.00	11.00	
4 to 5"	17.50	16.00	
vulgaris. Common European Linden—60'			
5 to 6'		1.15	1.00
6 to 8'		1.40	1.25
8 to 10'	2.15	1.90	1.75
1¼ to 1½″	3.00	2.75	
1½ to 2"	4.00	3.60	
2 to 2½"	5.50	5.00	4.50
2½ to 3″	7.00	6.50	
3 to 3½"	8.75	8.00	
3½ to 4"	12.00	11.00	
4 to 5"	16.50	15.0 0	
5 to 6"	22.50	20.00	
6 to 7"	27.50	25.00	
ULMUS			
americana. White or American Elm—80'			
6 to 8'	80	.60	.50
8 to 10'		.70	.60
1¼ to 1½″,	1.10	.85	.75
1½ to 1¾"	1.25	1.00	.90
1 % to 2"	1.60	1.35	1.20
2 to 2½"	. 2.25	2.00	1.80
2½ to 3″	. 3 . 25	3.00	2.75
0 1 01/11	4.50	4.00	3.60
3 to 3½			
3 to 3½"3½ to 4"	5.50	5.00	4.50
3½ to 4″ 4 to 5″	5.50 7.50	$\begin{array}{c} 5.00 \\ 6.75 \end{array}$	4.50 6.25
3½ to 4″ 4 to 5″ 5 to 6″	5.50 7.50 11.00		
3½ to 4″ 4 to 5″ 5 to 6″ 6 to 7″	5.50 7.50 11.00	6.75	6.25
3½ to 4"	5.50 7.50 11.00 14.50	6.75 10.00	6.25 9.00
$3\frac{1}{2}$ to $4''_{}$ 4 to $5''_{}$ 5 to $6''_{}$ 6 to $7''_{}$ americana—Vase Type—60'	5.50 7.50 11.00 14.50	6.75 10.00	6.25 9.00
$3\frac{1}{2}$ to $4''_{}$ 4 to $5''_{}$ 5 to $6''_{}$ 6 to $7''_{}$ americana—Vase Type—60'	5.50 7.50 11.00 14.50	6.75 10.00 13.00	6.25 9.00 12.00
$3\frac{1}{2}$ to $4''$	5.50 7.50 11.00 14.50	6.75 10.00 13.00	6.25 9.00 12.00
3½ to 4"	5.50 7.50 11.00 14.50 1.25 1.50 1.90 2.50	6.75 10.00 13.00 1.00 1.25	6.25 9.00 12.00 .90 1.10
3½ to 4"	5.50 7.50 11.00 14.50 1.25 1.50 1.90 2.50 3.00	6.75 10.00 13.00 1.00 1.25 1.65	6.25 9.00 12.00 .90 1.10 1.50
$3\frac{1}{2}$ to 4 "	5.50 7.50 11.00 14.50 1.25 1.50 1.90 2.50 3.00 4.50	6.75 10.00 13.00 1.00 1.25 1.65 2.25	6.25 9.00 12.00 .90 1.10 1.50 2.00
3½ to 4″	5.50 7.50 11.00 14.50 1.25 1.50 1.90 2.50 3.00 4.50	6.75 10.00 13.00 1.00 1.25 1.65 2.25 2.75	6.25 9.00 12.00 .90 1.10 1.50 2.00
3½ to 4"	5.50 7.50 11.00 14.50 1.25 1.50 1.90 2.50 3.00 4.50 6.50	6.75 10.00 13.00 1.25 1.65 2.25 2.75 4.00	6.25 9.00 12.00 .90 1.10 1.50 2.00
3½ to 4"	5.50 7.50 11.00 14.50 1.25 1.50 1.90 2.50 3.00 4.50 6.50 8.75	6.75 10.00 13.00 1.00 1.25 1.65 2.25 2.75 4.00 6.00	6.25 9.00 12.00 .90 1.10 1.50 2.00
3 ½ to 4"	5.50 7.50 11.00 14.50 1.25 1.50 1.90 2.50 3.00 4.50 6.50 8.75 13.50	6.75 10.00 13.00 1.25 1.65 2.25 2.75 4.00 6.00 8.00	6.25 9.00 12.00 .90 1.10 1.50 2.00
$3\frac{1}{2}$ to $4''$ 4 to $5''$ 5 to $6''$ 6 to $7''$ 2 americana—Vase Type— $60'$ 2 to $1\frac{1}{2}$ 2 to $1\frac{1}{2}$ 2 to $2\frac{1}{2}$ 2 to $3''$ $2\frac{1}{2}$ to $3''$ $2\frac{1}{2}$ to $3''$ $2\frac{1}{2}$ to $4''$ $2\frac{1}{2}$ $2\frac{1}{2}$ to $3''$	5.50 7.50 11.00 14.50 1.25 1.50 1.90 2.50 3.00 4.50 6.50 8.75 13.50	6.75 10.00 13.00 1.25 1.65 2.25 2.75 4.00 6.00 8.00 12.00	6.25 9.00 12.00 .90 1.10 1.50 2.00 2.50 1.25
$3\frac{1}{2}$ to $4"$ 4 to $5"$ 5 to $6"$ 6 to $7"$ 2 americana—Vase Type—60' 2 to $1\frac{1}{4}$ to $1\frac{1}{2}$ " 2 to $1\frac{3}{4}$ " 2 to $2\frac{1}{2}$ " $2\frac{1}{2}$ to 3 " $2\frac{1}{2}$ to 3 " $2\frac{1}{2}$ to 4 "	5.50 7.50 11.00 14.50 1.25 1.50 1.90 2.50 3.00 4.50 6.50 8.75 13.50	6.75 10.00 13.00 1.00 1.25 1.65 2.25 2.75 4.00 6.00 8.00 12.00 1.40 1.65	6.25 9.00 12.00 .90 1.10 1.50 2.00 2.50 1.25 1.50
3½ to 4"	5.50 7.50 11.00 14.50 1.25 1.50 1.90 2.50 3.00 4.50 6.50 8.75 13.50 1.65 1.90 2.50	6.75 10.00 13.00 1.25 1.65 2.25 2.75 4.00 6.00 8.00 12.00	6.25 9.00 12.00 .90 1.10 1.50 2.00 2.50 1.25

Secure a supply of Truehedge Columnberry.

America's Greatest Plant Sensation.

ULMUS—Continued	1 Each	5 Each	25 Each
americana moline. Moline Elm—90'			
8 to 10'	_\$ 1.20	\$.95	\$.85
1¼ to 1½″	_ 1.50	1.25	1.10
1½ to 1¾"		1.65	1.50
1 % to 2"	_ 2.50	2.25	2.00
2 to 2½"	_ 3.25	3.00	2.75
2½ to 3″	_ 4.25	3.80	3.50
3 to 3½"	_ 5.75	5.25	4.75
3½ to 4″		7.25	6.50
4 to 4½"	_ 10.00	9.25	8.50
glabra camperdowni. Camperdown Elm-			
2 year head, 5 to 7' stem	_ 2.40	2.15	1.90
3 year head, 5 to 7' stem	_ 3.00	2.75	2.50
4 year head, specimens	_ 4.50	4.00	3.60
pumila. Chinese Elm. New-45'			
5 to 6'	90	.65	.55
6 to 8'	_ 1.10	.85	.75
8 to 10'	_ 1.40	1.15	1.00
1¼ to 1½″	_ 2.00	1.75	1.60
1½ to 2"	_ 2.65	2.40	2.15
2 to 2½"	_ 3.75	3.35	3.00
2½ to 3″	_ 5.00	4.50	
3 to 3½"	_ 7.25	6.50	
3½ to 4″	_ 9.25	8.50	
4 to 5"		12.00	
5 to 6"	_ 18.00		
6 to 7"	_ 25.00		
ZANTHOXYLUM—americanum. Prickly As			
2 to 3'	45	.35	.25
3 to 4'	50	.40	.30
4 to 5'		.50	

Deciduous Shrubs

The size immediately following the description indicates approximate height at maturity.

11	Each	5 Each	25 Each
ACANTHOPANAX—pentaphyllum. Five-leaved	Are	alia—8'	
			\$.14
2 to 3'	.25	.22	.18
3 to 4'	.35	.30	.25
4 to 5'	50	.45	
AMELANCHIER—canadensis. Downy Serviceb	erry-	—25 ′	
	.35		.25
2 to 3'	.50	.45	.40
AMORPHA—canescens. Leadplant—3'			
12 to 18"	.35	.30	.25
1½ to 2'	.40	.35	.30
fruiticosa. False Indigo—10'			
2 to 3'	.25	.20	.14
3 to 4'	.30	.22	.17
4 to 5'	.35	.27	.22
5 to 6'	.40	.33	.28
6 to 8'	.50	.45	.40
ALTHEA—(See Hibiscus).			

	Each	5 Each	25 Each
ARONIA—(Pyrus) arbutifolia. Red Chokeberry			
1 ½ to 2'\$		\$.22	\$.18
2 to 3'	.35	.30	.25
3 to 4'	.45	.40	.35
4 to 5'	.75	.65	
atropurpurea. Purple Chokeberry—6'			
1½ to 2'	.30	.26	.22
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
brilliantissima. Brilliant Chokeberry—6'			
1½ to 2'	.30	.26	.22
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
4 to 5'	.80	.70	
melanocarpa. (nigra). Black Chokeberry—	6′		
1½ to 2'	.30	.22	.18
2 to 3'	.35	.30	.25
3 to 4'	.45	.40	.35
AZALEA—(All Azalea B&B)			
amoena. Dark red—4'			
10 to 12"	1.40	1.15	1.00
12 to 15"	1.65	1.40	1.25
amoena coccinea. Scarlet—3'			
10 to 12"	1.65	1.40	1.25
calendulacea. Flame Azalea—Yellow—8'	●.		
1½ to 2'	1.90	1.65	1.50
2 to 3'	2.50	2.25	2.00
3 to 4'		3.00	2.75
canescens roseum. Downy Pinxterbloom—6'			
1½ to 2'	1.90	1.65	1.50
2 to 3'	2.50	2.25	2.00
gandavensis. Ghent Azalea—5'			
1½ to 2′	3.00	2.75	
2 to 2½'	4.00	3.75	
hinodegeri. Carmine Azalea—3'			
10 to 12"	1.40	1.15	1.00
12 to 15"	1.65	1.40	1.25
kaempferi. Torch Azalea—4'			
12 to 15"	1.50	1.25	1.10
15 to 18"	1.90	1.65	1.50
mollis. Chinese Azalea—3'			
9 to 12"	.80	.60	.50
12 to 15"	1.10	.85	.75
15 to 18"	1.65	1.40	1.25
$1 \frac{1}{2}$ to $2'$	2.15	1.90	1.75
2 to 2½'	3.25	3.00	2.75
mucronulatum. Dahurian Azalea—5'			
12 to 18"	1.75	1.50	
1½ to 2′	2.25	2.00	
2 to 2½'	2.75	2.50	
2½ to 3'	3.35	3.00	
nudiflora. Pinxterbloom			
1½ to 2'	1.90	1.65	1.50
2 to 2½'	2.50	2.25	2.00
yodogawa. Deep Lavender—3'			
12 to 15"	1.65	1.40	1.25
15 to 18"	2.00	1.75	1.60
1½ to 2'	2.50	2.25	2.00

	1 Each	5 Each	25 Each
BENZOIN (Lindera), aestivale, Spicebush-		0 110011	= 0 13t0 011
1½ to 2'		\$.25	\$.20
2 to 3'		.30	.25
3 to 4'	45	.40	.35
4 to 5'	70	.60	
BERBERIS			
koreana. Korean Barberry—6'. New			
12 to 18"	.30	.25	20
$1 \frac{1}{2}$ to $2'$	40	.35	.30
2 to 2½'		.45	.40
$2\frac{1}{2}$ to $3'$.60	.50
3 to 4'		.70	.60
4 to 5'	1.15	1.00	
thunbergi. Japanese Barberry-4'	E E1	05 771	050 77- 1
40 . 4 = 9	5 Each		250 Each
12 to 15"		.065	.05
15 to 18"	115	.09	.07
1½ to 2'		.11 .145	.09
2 to $2\frac{1}{2}'$.125
thunbergi atropurpurea. Red Leaved Je	$_{}$.14	.10	.08
12 to 15" 15 to 18"	14	.13	.11
15 to 18		.18	.16
2 to 2½'	30	.25	$.22\frac{1}{2}$
2 to 2 ½	35	.30	.44 72
3 to 4'		.40	
4 to 5'	65	.55	
thunbergi erecta—Price, Inside Back C		.00	
thunbergi minor. Box Barberry—3'	JOVE1.		
9 to 12"	.17	.14	.12
12 to 15"		.20	.18
15 to 18"	33		
1 ½ to 2'	37		
2 to 2½'	42	.37	
2½ to 3'	.5 0	.45	
PEDDEDIC .			
BERBERIS—mentorensis.			4
(The Evergreen Barberry)—4'. U. S	S. Plant P	atent N	o. 99.
New. A fine, hardy, practically evergreen			_
licensed to sell.	NWI NOI I J	***************************************	0 410
	1 Each 5	Each 25	Each
12 to 15"	\$.30 \$.25 \$.18
15 to 18"	.35		.20
1½ to 2'	.45		.25
2 to 2½'	.50	.375	_

BUDDLEIA—alternifolia. 6' A sensational introduction. Unlike all other "Butterfly Bushes" this variety is *Hardy* and does not freeze down in the winter. Charming lilac-purple flowers borne on long arching branches. Profuse in flower in early summer. Beautifully distinct foliage. 1 Each 5 Each 25 Each 1½ to 2'______\$.25 \$.20 \$.16 2 to 3'______\$.30 .25 .20 3 to 4'_______ .35 .30 .25

BUDDLEIA—Butterflybush or Summer Lilac 1	Each	5 E	ach	25 E	ach
farquhari. Deep rose-lilac. Very prolific—5'					
1 year\$.20	\$.	.15	\$.11
2 years (\$130.00 per 1000)	.25		.20		.15
Fortune. Plant Patent No. 206.					
Clear lavender-blue. 5'					
2 years, field grown (\$225 per 1000)	.35		.30		.25
hartwegi. Similar to Fortune.					
2 years, field grown	.27		.23		.18
Ile de France. Dark claret-purple.					
Long spikes: free flowering. Vigorous.					
1 year	.20		.15		.11
2 years	.25		.20		.15
magnifica. Ox-eye Butterflybush—6'					
1 year	.20		.15		.11
2 years (\$140.00 per 1000)	.25		.20		.15
· · · · · · · · · · · · · · · · · · ·					

NEW BUDDLEIAS						
Charming						
New outstanding PINK Buddleia bearing throughout late						
summer and autumn, long sprays of lavender pink flowers.						
We like this variety the best of all and recommend it highly.						
1 Each 5 Each 25 Each 250 Each						
Strong plants\$.30 \$.25 \$.20 \$.18						
2 1/4" Pot Plants20 .16 .12 .10						
Concord. Purplish blue.						
Dubonnet. Reddish purple; fine improvement on Ile de						
France. Nearest true red introduction to date.						
Eleanor. Eleanor blue, orange eye.						
Price of above 3 new introductions—						
1 Each 5 Each 25 Each						
2¼" Pot Plants20 .16 .12						

		4 6	
CALLICARPA—japonica. Japanese Beautyberry	y4'		
		5 Each	25 Each
2 to 3'\$.30	\$.25	\$.20
3 to 4'	.35	.30	.25
purpurea. Chinese Beautyberry—5'		700	, ,20
1½ to 2'	.25	.18	.14
2 to 3'	.30	.23	.18
3 to 4'	.35	.27	.22
	.00	•21 \$	•24
CALYCANTHUS—floridus. Strawberry Shrub.			
Sweetshrub—5'	05	00	
1½ to 2'	.25	.20	.15
2 to 3'	.35	.27	.20
CARAGANA—arborescens. Siberian Pea-tree—1	12'		
1½ to 2'	.20	.15	.11
2 to 3'	.22	.18	.14
3 to 4'	.30	.23	.18
CEANOTHUS—americanus. Jersey-tea—3'			
2 years	.40	.35	.30
CEPHALANTHUS—occidentalis. Buttonbush—		100	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
1½ to 2'	.25	.20	.15
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
	.45	.40	.35
	•#0	.40	.00
CERCIS—See Ornamental Trees.			

	Each	5 Each	25 Each
CHIONANTHUS—virginica. White Fringe—1	5 ′		-0
2 to 3'\$		\$.35	\$.30
3 to 4'	.50	.45	.40
4 to 5'	.80	.70	.60
5 to 6'	1.10	.95	.85
6 to 8'	1.50	1.35	1.20
CLETHRA—alnifolia. Sweet Pepper Bush—5'	.30	.25	.20
12 to 18"	.35	.20	.25
2 to 2½'	.45	.40	.35
2½ to 3'	.60	.50	.45
COLUTEA—arborescens. Common Bladder-senn		•••	• 10
3 to 4'	.35	.30	.25
4 to 5'	.45	.40	.35
5 to 6'	.50	.45	.40
COMPTONIA—asplenifolia. Sweetfern—3'			
1½ to 2'	.45	.40	.35
2 to 2½'	.60	.50	
2½ to 3′	.75	.65	
CORNUS			
alba elegantissima. Silverblotch Dogwood—			
1½ to 2'	.35	.28	.22
2 to 3'	.40	.36	.32
3 to 4'	.50	.45	.40
alba sibirica. Coral Dogwood—8'	90	1 =	10
1½ to 2' 2 to 3'	.20 .20	.15	.10
2 to 3'3 to 4'	.25	.16 .20	.12
4 to 5'	.30	.26	.16 .22
alba spaethi. Golden-leaved Dogwood'—6'	.00	.20	•44
1½ to 2'	.35	.30	.25
2 to 3'	.40	.36	.32
3 to 4'	.50	.45	
alternifolia. Pagoda Dogwood—18'			
1 ½ to 2'	.35	.30	.25
2 to 3'	.45	.40	.35
3 to 4'	.60	.50	.45
amomum (sericea). Silky Dogwood—8'	.22	.18	.14
2 to 3'3 to 4'	.28	.23	.14
4 to 5'	.35	.30	.25
baileyi. Bailey Dogwood—10'	.00	.00	.20
2 to 3'	.27	.22	.17
3 to 4'	.32	.27	.22
florida—See Ornamental Trees.			
kousa—See Ornamental Trees.			
mas. Cornelian-cherry—20'			
18 to 24"	.50	.45	.40
2 to 3'	.65	.55	.50
3 to 4'	.95 1.25	.85 1.10	$\begin{array}{c} .75 \\ 1.00 \end{array}$
4 to 5' 5 to 6'	1.25 1.60	1.10 1.40	1.00
6 to 8'		1.75	
8 to 10'		2.50	
0 00 10 1111111111111111111111111111111	3,,,		

Secure a supply of Truehedge Columnberry.

America's Greatest Plant Sensation.

CORNUS—Continued	1 Each	5 Each	25 Each
paniculata. Gray Dogwood—12'			
1½ to 2'	\$.25	\$.20	\$.15
2 to 3'	30	.23	.18
3 to 4'		.30	.25
4 to 5'	50	.45	.40
5 to 6'	80	.70	.60
6 to 8'		1.00	.90
		2.00	•00
sanguinea. Bloodtwig Dogwood—10'		4.0	4041
2 to 3'	20	.16	$.12\frac{1}{2}$
3 to 4'	25	.20	.16
4 to 5'	.30	.26	.22
5 to 6'		.40	·
	40	.40	
stolonifera. Red-osier Dogwood—10'			
2 to 3'	20	.16	.12
3 to 4'	25	.20	.16
4 to 5'		.27	.22
5 to 6'		.35	.30
• • • • • • • • • • • • • • • • • • • •			
6 to 8'	50	.45	.40
stolonifera flaviramea. Goldentwig Dogwe	ood6'		
		.18	1.1
$\frac{1}{2}$ to $2'_{}$.14
2 to 3'		.23	.18
3 to 4'	35	.30	.25
4 to 5'	45	.38	.32
5 to 6'		.45	.40
0 10 0	00	.40	•40
CORYLUS americana. American Hazelnut-	.19'		
		.30	.25
2 to 3'		.35	.30
3 to 4'		.45	.40
4 to 5'	65	.55	.50
5 to 6'		.75	.65
6 to 8'		1.00	.90
	_ 1.10	1.00	•90
avellana. Filbert—15'			
5 to 6'	90	.80	.70
6 to 8'	_ 1.10	.95	.85
8 to 10'	1.35	1.15	1.00
10 to 12'	1.90	1.65	1.50
10 00 14			
12 to 14'	2.50	2.25	2.00
COMONEACMED			
COTONEASTER			
acutifolia. Peking Cotoneaster—10'			
· 1½ to 2′	35	.27	.22
2 to 3'		.35	.30
	40	.00	.50
adpressa. Creeping Cotoneaster—2'			
9 to 12" (8" Ball)	90	.70	.60
12 to 15" (10" Ball)	_ 1.25	1.00	.90
15 to 18" (11" Ball)	1.65	1.40	•••
11/ +0 0' (11 Dan)	2.00		
1½ to 2' (12" Ball)	_ 2.25	2.00	
dielsiana. Diels Cotoneaster—6'			
2 to 3' (12" Ball)	_ 1.25	1.10	1.00
3 to 4' (13" Ball)	_ 1.65	1.40	1.25
	_ 1.00	1.40	1.20
divaricata. Spreading Cotoneaster—6'			
1½ to 2' (11" Ball)	_ 1.00	.80	.70
2 to 3' (12" Ball)	_ 1.25	1.00	.90
3 to 4' (13" Ball)	_ 1.50	1.25	1.15
4 to 5' (15" Ball)	2.00	1.75	1.65
1 00 0 (10 10011) ==============================		1.10	1.00

COTONEASTER—Continued	1 Each	5 Each	25 Each
horizontalis. Rock Cotoneaster—3'	I Bacil	o Each	20 Each
9 to 12" (8" Ball)	Ф 0F	\$.60	Ф Б О
		•	\$.50
12 to 15" (10" Ball)		.85	.75
15 to 18" (11" Ball)	_ 1.35	1.10	1.00
1½ to 2' (12" Ball)	_ 1.65	1.40	
integerrima. European Cotonester-4'		•	
2 to 3' (12" Ball Extra)	_ 1.25	1.00	.90
3 to 4' (14" Ball Extra)	_ 1.75	1.50	1.35
nitens—5'			
3 to 4' (13" Ball Extra)	_ 1.10	.90	.80
4 to 5' (15" Ball Extra)		1.25	1.10
· · · · · · · · · · · · · · · · · · ·	_ 1.00	1.20	1.10
rogersiana. Rogers Cotoneaster —3'	6 1		
Fine New Variety. Glossy foliage; masse			
10 to 12" (8" Ball)			.85
12 to 15" (10" Ball)	1.50	1.25	1.10
CRATAEGUS—See Ornamental Trees.			
CYDONIA ionomias Isman Ovince 5'			
CYDONIA—japonica. Japan Quince—5'	15	11	00
10 to 12"		.11	.08
1½ to 2'		.18	.14
2 to 2½'	30	.23	.18
2½ to 3′	35	.30	.25
japonica pygmea. Dwarf Japan Quince-	-3 ′		
12 to 18"	25	.21	.17
1 ½ to 2'	30	.26	.22
maulei. Lesser Flowering Quince—5'			
12 to 18"	30	.23	.18
1½ to 2'	35	.30	.25
2 to 2½'	45	.40	
DAPHNE			
mezereum. February Daphne—4'			*
	1.10	.85	.75
12 to 15" (9" Ball) 15 to 18" (10" Ball)	_ 1.35	1.10	1.00
· · · · · · · · · · · · · · · · · · ·	_ 1.59	1.10	1.00
DEUTZIA			
gracilis. Slender Deutzia—3'			
12 to 15"	20	.17	.14
15 to 18"	25	.22	.18
1½ to 2′	30	.26	.22
2 to 2½'	40	.35	.30
gracilis rosea. Rose Panicle Deutzia—4'			
12 to 18"	25	.21	.18
1½ to 2'	30	.26	.22
2 to 2½'		.35	.28
2 ½ to 3'	45	.40	.35
3 to 3½'		.50	.45
	00	.00	•=0
lemoinei. Dwarf White—5'	20	105	105
15 to 18"		.165	
1 ½ to 2'		.20	.16
2 to 2½'	30	.26	.22
2½ to 3'	40	.35	.30
magnifica. Beautiful Double White-7'			
1½ to 2'	20	.15	.11
2 to 3'	20	.17	.13
3 to 4'		.20	.16
4 to 5'		.27	.22
5 to 6'		.35	.30
0 00 0		.00	•00

DEUTZIA—Continued 1	Each	5 Each	25 Each
		o Each	20 134011
scabra candidissima. Snowflake Deutzia—9		Φ 1 Ε	Ф 1 1
1½ to 2'\$.20	\$.15	\$.11
2 to 3'	.20	.17	.13
3 to 4'	.25	.20	.16
4 to 5'	.35	.27	.22
scabra crenata rosea. Scallop-leaf Deutzia-			
1½ to 2'	.20	.15	.11
2 to 3'	.20	.17	.13
3 to 4'	.25	.20	.16
4 to 5'	.35	.27	.22
5 to 6'	.40	.35	.30
scabra. Pride of Rochester. Double Pink—9	*		
1½ to 2'	.20	.15	.11
2 to 3'	.20	.17	.13
3 to 4'	.25	.20	.16
4 to 5'	.35	.27	.22
5 to 6'	.40	.35	.30
0 00 0,	.50	.45	
6 to 7'		.40	.40
DESMODIUM—penduliflorum. (See Lespedeza.))	pr. 9	
DIERVILLA—rivularis. Georgia Bush-honeysu			0.0
2 to 3'	.40	.33	.28
sessilifolia. Southern Bush-honeysuckle—5'			
1½ to 2'	.25	.20	.16
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
ELEAGNUS—angustifolia. Russian Olive—15'			
1½ to 2'	.25	.20	.14
2 to 3'	.30	.23	.18
3 to 4'	.35	.30	.25
~ · · ·			
4 to 5'	.50	.45	.40
5 to 6'	.70	.60	
argentea. Silverberry—12'	۰	0.5	00
1½ to 2'	.35	.27	.22
umbellata. Autumn Eleagnus—12'	4.0	~ w	0.0
2 to 3′	.40	.35	.30
3 to 4'	.55	.45	.40
4 to 5'	.70	.60	
5 to 6'	.90	.80	
6 to 8'	1.25	1.10	
8 to 10'	1.90	1.65	
ELSHOLTZIA—stauntoni			
	.45	.40	.35
2 years			.50
ENKIANTHUS—campanulatus. Redvein Enkia	nthus-		
12 to 18" (9" Ball)	1.00	.85	.75
campanulatus rubus.			
12 to 18" (9" Ball)	1.40	1.25	1.10
EUONYMUS			
alatus. Winged Euonymus—8'			
1 1/2 + 2 9'	.40	.35	.30
1½ to 2' 2 to 3'	.60	.50	.45
3 to 4'	.75	.65	.60
alatus compacta. New. Compact, dwarf—5'	4 ==	40	05
12 to 18"	.45	.40	.35
1½ to 2′	.60	.50	.45
2 to 2½'	.75	.65	
2 ½ to 3'	.95	.85	
3 to 3½'	1.25	1.10	

EUONYMUS—Continued americanus. Brook Euonymus—5'	1 Each	5 Each	25 Each
$1\frac{1}{2}$ to $2'$	\$.30	\$.25	\$.20
2 to 3'		.30	.25
atropurpureus. Wahoo—15'			
1½ to 2'	.30	.25	.20
2 to 3'		.30	.25
3 to 4'		.40	.35
4 to 5'		.55	.50
5 to 6'		.75	.65
6 to 8'	1.25	1.00	
bungeanus. Winterberry Euonymus—12' 2 to 3'	.35	.30	
2 to 3' 3 to 4'		.40	
4 to 5'	.65	.55	
europaeus. Burning Bush—15'	.00	•00	
2 to 3'	.35	.30	.25
3 to 4'	.40	.35	.30
4 to 5'	.55	.45	.40
5 to 6'		.55	.5 0
6 to 8'		.80	.70
8 to 10'	1.25	1.10	
yedoensis. Yeddo Euonymus—10'	0.5	00	٥٣
2 to 3'		.30	.25
3 to 4'		.35	.30
4 to 5' 5 to 6'		.45 .60	.40
• • • • • • • • • • • • • • • • • • •			
For EVERGREEN EUONYMUS see "Evergreen EXOCHORDA—grandiflora. Pearl Bush—10"			20
2 to 3'		.25	.20
3 to 4' 4 to 5'	.35 .45	.30 .40	.25 .35
FONTANESIA—fortunei. Fortune Fontanesia		•40	•00
5 to 6'		.50	.45
6 to 8'		.70	.60
8 to 10'		.85	.75
10 to 12'	1.40	1.15	1.00
FORSYTHIA—intermedia. Border Forsythia-	-7 ′		
2 to 3'	.20	.17	.13
3 to 4'		.20	.16
4 to 5'		.25	.20
5 to 6'	.40	.35	.30
intermedia primulina. Primrose Forsythia-	—გ ^ი	ດດ	10
2 to 3' 3 to 4'		.22 .30	.18 .25
4 to 5'	.45	.40	.35
intermedia spectabilis. Showy Border Fors			.00
2 to 3'		.17	.13
3 to 4'	.25	.20	.16
4 to 5'	.30	.25	.20
5 to 6'	.40	.35	.30
6 to 7 '	.60	.50	
suspensa. Weeping Forsythia—5'			
1½ to 2'		.16	.12
2 to 3'	.25	.20	.15
3 to 4'		.25	.20
4 to 5'	.40	.35	.30
5 to 6' 6 to 8'	.50 .70	.45 .60	.40
6 to 8'	.70	.00	

FORSYTHIA—Continued	1 Each	5 Each	25 Each
suspensa atrocaulis. Purplestem Forsythi	α6'		
3 to 4'\$		\$.35	
4 to 5'	.45	.40	
5 to 6'	.50	.45	
6 to 7'	.65	.55	
suspensa aurea. Goldenleaf Forsythia—7'	90	20	Ф 10
2 to 3' 5 to 6'	.30	.23	\$.18
6 to 8'	.50 .65	.45 .55	.40 .50
	.00	.00	.00
suspensa fortunei. Fortune Forsythia—8'	.20	.17	.13
2 to 3'	.25	.20	.16
4 to 5'	.30	.25	.20
5 to 6'	.40	.35	.30
viridissima. Greenstem Forsythia—8'	• • •	.00	.00
1½ to 2'	.20	.16	.12
2 to 3'	.25	.20	.15
3 to 4'	.35	.30	
			,
HAMAMELIS—japonica. Japanese Witch Ha			
1½ to 2'	.80	.70	.60
2 to 3'	1.00	.90	.80
3 to 4'	1.25	1.15	1.00
virginiana. Witch Hazel—15'	F 0	4 =	40
2 to 3'	.50	.45	.40
3 to 4'	.65 .95	.55 .85	.50 .75
4 to 5' 5 to 6'	1.25	1.10	1.00
6 to 7'	1.60	1.40	1.00
		1.40	
HIBISCUS—syriacus. Althea—Rose of Sharon		.17	.13
2 to 3'3 to 4'	.20 .25		
4 to 5'	.30	.26	
5 to 6'			
6 to 7' (Varieties * only)	.50		
	.00	• 10	•-20
Anemoneflora. Double pink. *Ardens. Double violet purple.			
Banner. Double white; decided crimson str	rines		
Bicolor. Double White; streaked pink.	Tpcs.		
Colestis. Single blue; add 10c each. 2 to 3 a	and 3 t	o 4' only	,
Duchesse de Brabant. Double red.		-	•
*Jeanne d'Arc. Double pure white.			
*Lady Stanley. Mottled pink and white.			
Lucy. Semi-double, clear deep pink.			
Pulcherrima. Double flesh, red center. 2 to 3		3 to 4' or	nly.
Purpurea Semi-plena. Semi-double purple	•		
Rubis. Single red. Add 10c each.			
*Totus Albus. Large single white.	1		
Variegatus. Variegated leaved. Add 15c ea	acn.		

SPECIMEN ALTHEA

We can supply the following varieties: Jeanne d'Arc, Lady Stanley, Lucy.

6	to	8′	\$.90	\$.75
		10′		
10	to	12'	1.75	1.50

	1 The ab	r ml-	0° 771-
HYDRANGEA arborescens grandiflora. Hills	1 Each	5 Each	25 Each
1½ to 2'		\$.17	\$.14
2 to 3'		ψ .11 .23	ψ .14 .18
3 to 4'		.30	.25
Nikko Blue. Hardy Blue Hydrangea—4'	.00	•00	•40
3" Pots	.65	.55	.50
4" Pots	1.00	.85	.75
paniculata (type). Panicle Hydrangea—1	2'		
3 to 4'	.45	.40	.35
paniculata grandiflora. Peegee—7'			
12 to 18"		.16	.13
1½ to 2'		.20	.15
2 to 3'	.30	.25	.20
3 to 4'	.40	.35	.30
quercifolia. Oakleaf Hydrangea—4'	50	4 11	40
1½ to 2' 2 to 2½'	.50 .65	.45 .55	.40
·-	.00	.00	.50
HYPERICUM			
arnoldianum. Arnold St. Johnswort—3'	.35	20	.25
1½ to 2' 2 to 2½'	.39 .45	.30 .40	.∠ə .35
aureum. Golden St. Johnswort—4'	.40	.40	.00
1½ to 2'	.30	.26	.22
2 to 2½'		.35	.30
densiflorum. St. Johnswort—4'	• 10	•00	•00
1½ to 2'	.30	.26	.22
2 to 2½'	4.0	.35	.30
kalmianum. Kalm Hypericum—3'			
12 to 18"	.30	.25	.20
1½ to 2′	.35	.30	.25
lobocarpum. Gattinger Hypericum—4'	~ ~		
1½ to 2′	.35	.30	
2 to 2½'		.40	
2½ to 3′	.60	.50	
patulum henryi. Henry Hypericum—3'	.30	.23	.18
2 years	•90	.40	•10
ILEX	CI		
verticillata. Black Alder or Winterberry—		95	20
2 to 3'		.35 .45	.30 .40
3 to 4' 4 to 5'		.65	.40
5 to 6'		1.00	
	1.10	1.00	
KERRIA—japonica fl. pl. Double Kerria—5'	4 -	4.0	
1½ to 2'	.45	.40	.35
2 to 3'	.55	.50	.45
KOLKWITZIA—amabilis. Beauty Bush—6'			
1½ to 2'	.30	.25	.20
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
4 to 5'		.70	.60
5 to 6'	1.15	1.00	
LABURNUM—vulgare. Goldenchain—20'			
3 to 4'	1.00	.90	.80
4 to 5'	1.25	1.10	1.00
5 to 6'	1.50	1.35	1.25
6 to 8'	2.25	2.00	1.80

30 THE COLE NURSERY CO., PAINSEVI	LLE, OHIO)	
LESPEDEZA—formosa (Desmodium)	1 Each 5	Each 28	Each
Purple Bushclover—4'			
2 years	\$.30 \$.20
3 years, clumps		.35	.30
4 years, heavy clumps	.55	.45	.40
LIGUSTRUM			
amurense. Amur River Privet—12'	5 Each .25		
12 to 18", 3 canes and up			$3.02\frac{1}{2}$
$1\frac{1}{2}$ to 2', 3 canes and up		.04 1/4	. / ==
2 to 3', 4 canes and up3 to 4', 5 canes and up	.08 .11	.06	.05
ibolium. Hardy California Privet—10'	•11	.09	.08
12 to 18"	.05	.03 1/4	$.02\frac{1}{2}$
$1\frac{1}{2}$ to $2'$, 3 canes and up			$.03\frac{1}{2}$
2 to 3', 4 canes and up	.081/2	,	
3 to 4', 5 canes and up	.11	.09	.08
ibota. Chinese Privet—8'			
12 to 18"	.09	.07	.06
1½ to 2'	.11	.09	.08
2 to 3'	.15	.13	.12
3 to 4'	.22	.18 _	
ibota regelianum. Regel Privet—6'	10	10	٦ ٣
12 to 18"	.18 .25	.16 $.22$.15
1 ½ to 2'	.25	.22 $.32$.20 $.30$
2 to 2 ½	.55	.50	.45
nanum compactum. Lodense Privet—2½'	.00	.00	.40
9 to 12"	.15	.12	
12 to 15"	.20		
15 to 18"	.27	00	
1½ to 2′	.35	.30	
2 to 2½'	.45	.40 _	
ovalifolium. California Privet—10'			
12 to 18", 2 canes and up			
$1\frac{1}{2}$ to 2', 3 canes and up			
2 to 3', 4 canes and up	.06		$.04\frac{1}{2}$
3 to 4', 4 canes and up	.08½		
ovalifolium variegatum. Golden California	.20	-ө .16	.14
12 to 18"	.25	.20	.18
2 to 3'		.25 _	•10
vulgare. English Privet—10'	•00	.20 -	
12 to 18"	.11	$.08\frac{1}{2}$	$.07\frac{1}{2}$
1½ to 2'	.14	.11	
2 to 3'	.20	.17	.15
3 to 4'	.25	$.22\frac{1}{2}$ _	
4 to 5'	.35	.30 _	
U		Each 2	5 Each
bella albida. White Belle Honeysuckle—8	3'	45 0	4.0
2 to 3'	\$.20 \$.17 \$	
3 to 4' 4 to 5'		.21	.17
5 to 6'	.35 .45	.27 .40	.22 .35
6 to 8'	.45 .70	.60	.50 .50
bella rosea. Pink Belle Honeysuckle—8'	.10	.00	.00
2 to 3'	.20	.17	.13
3 to 4'	.25	.21	.17
4 to 5'	.35	.30	.25
5 to 6'	.45	.40	.35

ONICERA—Continued	1 Each	5 Each	25 Each
fragrantissima. Winter Honeysuckle—8'			
2 to 3'	\$.25	\$.20	\$.15
3 to 4'		.30	.25
korolkowi floribunda. Broad Blueleaf Hon	eysuckl		20
2 to 3'		.35	.30
	50	.45	.40
maacki. Amur Honeysuckle—10'	4.0	0 =	2.0
2 to 3'	40	.35	.30
3 to 4'	.55	.45	.40
4 to 5' 5 to 6'	70 85	.60 .75	
6 to 8'		1.00	
	. 1.10	1.00	
morrowi. Morrow Honeysuckle—8'	90	1.0	10
$1\frac{1}{2}$ to $2'$.16	.12
2 to 3'		.20	.15
3 to 4'		.25	.20
4 to 5'		.35	.30
ruprechtiana. Manchurian Honeysuckle—:		4.0	- 4
2 to 3'	.25	.18	.14
ruprechtiana xanthocarpa. Golden Fruite Manchurian Honeysuckle—10'	d		
2 to 3'	.35	.30	.25
3 to 4'	45	.40	.35
syringantha wolfi. Wolf Lilac Honeysuck	lo 1'		
12 to 18"	50	.45	.40
1½ to 2'	65	.55	.50
2 to 3'		.75	.65
tatarica alba. White Tatarian Honeysuch		1.77	10
2 to 3'		.17	.13
3 to 4' 4 to 5'		.21	.17
4 to 5'		0.0	
		.30	.25
5 to 6'	.45	.30 .40	
5 to 6'tatarica rosea grandiflora. Pink Tatarian	.45		.25
tatarica rosea grandiflora. Pink Tatarian Honeysuckle—10'	.45	.40	.25
5 to 6'tatarica rosea grandiflora. Pink Tatarian Honeysuckle—10' 2 to 3'	.45	.17	.13
5 to 6'	.45	.40 .17 .21	.25 .35
5 to 6'	.45 	.40 .17 .21 .30	.25 .35 .13 .17 .25
5 to 6' tatarica rosea grandiflora. Pink Tatarian Honeysuckle—10' 2 to 3' 3 to 4' 4 to 5' 5 to 6'	.45 .20 .25 .35 .45	.40 .17 .21 .30 .40	.25 .35 .13 .17 .25 .35
5 to 6'	.45 	.40 .17 .21 .30 .40	.25 .35 .13 .17 .25 .35
5 to 6' tatarica rosea grandiflora. Pink Tatarian Honeysuckle—10' 2 to 3' 3 to 4' 4 to 5' 5 to 6' tatarica sibirica (rubra). Red Tatarian F 2 to 3'	.45 20 25 35 45 Honeysu 25	.40 $.17$ $.21$ $.30$ $.40$ $ckle$ — $10'$.25 .35 .13 .17 .25 .35
5 to 6'	.45 20 25 35 45 45 25 30	$.40$ $.17$ $.21$ $.30$ $.40$ $ckle$ — 10^{\prime} $.20$.25 .35 .13 .17 .25 .35
5 to 6'	.45 20 25 35 45 45 25 30 40	.40 $.17$ $.21$ $.30$ $.40$ $ckle$ — 10 $.20$ $.25$.25 .35 .13 .17 .25 .35 .15 .20
5 to 6'	.45 20 25 35 45 45 25 30 40	.40 $.17$ $.21$ $.30$ $.40$ $ckle$ — 10 $.20$ $.25$.25 .35 .13 .17 .25 .35 .15 .20
5 to 6'	.45 20 25 35 45 45 25 30 40	.40 $.17$ $.21$ $.30$ $.40$ $ckle$ $-10'$ $.20$ $.25$ $.35$.25 .35 .13 .17 .25 .35 .15 .20 .30
5 to 6'	.45 .20 .25 .35 .45 .40 .25 .30 .40	.40 $.17$ $.21$ $.30$ $.40$ $ckle$ — 10 $.20$ $.25$ $.35$.25 .35 .13 .17 .25 .35 .15 .20 .30
tatarica rosea grandiflora. Pink Tatarian Honeysuckle—10' 2 to 3'	.45 20 25 35 45 45 25 30 40 25 30	.40 $.17$ $.21$ $.30$ $.40$ $ckle$ — $10'$ $.20$ $.25$ $.35$ $.20$ $.25$.25 .35 .35 .17 .25 .35 .15 .20 .30 .16 .20
tatarica rosea grandiflora. Pink Tatarian Honeysuckle—10' 2 to 3'	.45 .20 .25 .35 .45 .40 .25 .30 .40 .30 .40 .50 .40	$.40$ $.17$ $.21$ $.30$ $.40$ $ckle$ — 10^{\prime} $.20$ $.25$ $.35$ $.20$ $.25$.25 .35 .13 .17 .25 .35 .15 .20 .30
tatarica rosea grandiflora. Pink Tatarian Honeysuckle—10' 2 to 3'	.45 .20 .25 .35 .45 .40 .25 .30 .40 .30 .40 .50 .40	.40 $.17$ $.21$ $.30$ $.40$ $ckle$ — $10'$ $.20$ $.25$ $.35$ $.20$ $.25$.25 .35 .35 .17 .25 .35 .15 .20 .30 .16 .20
tatarica rosea grandiflora. Pink Tatarian Honeysuckle—10' 2 to 3' 3 to 4' 5 to 6' tatarica sibirica (rubra). Red Tatarian F 2 to 3' 3 to 4' 4 to 5' xylosteum. European Fly Honeysuckle—8 1½ to 2' 2 to 3'	.45 20 25 35 45 40 25 30 40 25 30 40 	$.40$ $.17$ $.21$ $.30$ $.40$ $ckle$ — 10^{\prime} $.20$ $.25$ $.35$ $.20$ $.25$.25 .35 .13 .17 .25 .35 .15 .20 .30
tatarica rosea grandiflora. Pink Tatarian Honeysuckle—10' 2 to 3' 3 to 4' 5 to 6' tatarica sibirica (rubra). Red Tatarian F 2 to 3' 3 to 4' 4 to 5' xylosteum. European Fly Honeysuckle—8 1½ to 2' 2 to 3'	.45 20 25 35 45 30 30 40 30 30 30 30 30	.40 $.17$ $.21$ $.30$ $.40$ $ckle$ — 10 $.20$ $.25$ $.35$ $.20$ $.25$ $.65$.25 .35 .35 .17 .25 .35 .35 .15 .20 .30 .16 .20
tatarica rosea grandiflora. Pink Tatarian Honeysuckle—10' 2 to 3'	.452025354545304030303030303030	.40 $.17$ $.21$ $.30$ $.40$ $ckle$ — $10'$ $.25$ $.35$ $.20$ $.25$ $.35$ $.25$.25 .35 .35 .17 .25 .35 .15 .20 .30 .16 .20
tatarica rosea grandiflora. Pink Tatarian Honeysuckle—10' 2 to 3'	.45 .20 .25 .35 .45 .40 .25 .30 .40 .75 .30 .30 .30 .30	$.40$ $.17$ $.21$ $.30$ $.40$ $ckle$ — 10^{\prime} $.20$ $.25$ $.35$ $.20$ $.25$ $.35$ $.65$.25 .35 .35 .13 .17 .25 .35 .35 .20 .30 .16 .20 .30
tatarica rosea grandiflora. Pink Tatarian Honeysuckle—10' 2 to 3'	.45 20 25 35 45 40 25 30 40 35 30 75	.40 $.17$ $.21$ $.30$ $.40$ $ckle$ — $10'$ $.25$ $.35$ $.20$ $.25$ $.35$ $.25$.25 .35 .35 .17 .25 .35 .15 .20 .30 .16 .20

I IIIIIII IIII II OO OOMMAAA			25 Each
Bouquet Blanc. Profuse, semi-double pure	white-	8 ′	
1½ to 2'\$.30	\$.23	\$.18
2 to 3'	.35	.30	.25
3 to 4'	.45	.40	.35
4 to 5'	.55	.50	

A GLORIOUS NEW SHRUB Cole's 1940 Introduction. Not Patented.

Cole's Glorious. Glorious Mockorange—8'
(Virginale X Rosace). A Cole origination of great merit.
Mammoth flowers of snowy white; large glossy rich green foliage of leathery texture densley set on the shrub. Strong upright neat growing compact shrub, profuse in bloom. A most prominent hybridist and horticulturist who has personally done a great deal of work on Mockorange proclaims Cole's Glorious to be the finest of all.

2 to 3'	.50	.45	.40
3 to 4'	.70	.60	.55
coronarius. Sweet Scented Syringa—9'			
2 to 3'	.20	.17	.13
3 to 4'	.25	.21	.17
4 to 5'	.35	.28	.22
5 to 6'	.45	.40	.35
coronarius aureus. Golden-leaved Mockorang	~~ E'	.40	.00
12 to 15"	.30	.26	.22
12 to 15" 15 to 18"	.40	.35	•44
falconeri. Star Mockorange—8'	.40	.00	
2 to 3'	.25	.21	.17
3 to 4'	.30	.26	.22
4 to 5'	.40	.35	.30
Girandole. New. Large white. Strong	.40	•99	.50
upright; excellent foliage—8'			
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
4 to 5'	.45	.40	.35
gordonianus. Strong, upright—10'	.40	.40	.00
2 to 3'	.25	.20	.15
3 to 4'	.30	.25	.20
4 to 5'	.35	.30	.25
5 to 6'	.30	.35	.40
• • • • • • • • • • • • • • • • • • • •	.55	.50	
6 to 8' 8 to 10'	.90	.80	
grandiflora. Big Scentless Mockorange—12		.00	
	.20	.17	.13
	.25	.21	.17
		.28	.22
4 to 5'	.35		
6 to 8'	.50	.45	.40
lemoinei. Semi-dwarf5' 1½ to 2'	or.	90	
	.25	.20	
	.30	.25	
Norma. Mammoth single flowers; fine			
foliage. Bushy and symmetrical—7'	0.0	25	90
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
4 to 5'	.40	.35	.30
5 to 6'	.45	.40	.35
6 to 8'	.55	.50	.45

Rosace. Semi-dwarf, large flowers—5'	l Each	5 Each	25 Each
2 to 3'\$ 3 to 4'\$.35	\$.30	\$.25
3 to 4'	.45	.40	
Virginal. Splendid double—8'			
1½ to 2'	.30	.23	.18
2 to 3'	.35	.30	.25
3 to 4'	.45	.40	.35
4 to 5'	.60	.50	.45
5 to 6'	.75	.65	.55
DIIVOOOADDIIO	, .,		
PHYSOCARPUS—monogynus. Dwarf Ninebar		4.0	
1 ½ to 2'	.25	.18	.14
2 to 3'	.30	.23	.18
3 to 4'	.35	.28	.22
opulifolia. Ninebark—10'			
2 to 3'	.22	.18	.14
3 to 4'	.30	.23	.18
4 to 5'	.35	.30	.25
opulifolia lutens. Goldleaf Ninebark—10'			
2 to 3'	.22	.18	.14
3 to 4'	.30	.23	.18
4 to 5'	.35	.30	.25
	• 7		
POTENTILLA—fruticosa. Shrubby Cinquefor			
12 to 18"	.25	.20	.16
1½ to 2′	.30	.25	.20
fruticosa veitchi. Veitch Cinquefoil—3'			
12 to 18"	.30	.25	.20
1½ to 2'	.35	.30	
PRUNUS—(See Shade for other Prunus). besseyi. Bessey Cherry—7'	-		
2 to 3'	.35	.30	.25
3 to 4'	.40	.35	.30
glandulosa. Double pink-flowering Almond	<u>5'</u>		
glandulosa. Double white-flowering Almo			
1½ to 2'	.25	.22	.18
2 to 3'	.35	.30	.25
3 to 4'	.45	.40	.35
(Own Root Almonds at 5c each a			,00
japonica. Chinese Bush Cherry—8'	a aroror.		
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
pumila. Sand Cherry—5'	•00	.40	.10
2 to 3'	.40	.35	.30
3 to 4'	.50		.40
	.50	• 40	.40
tomentosa. Nanking Cherry—10'	40	กะ	20
2 to 3'	.40	.35	.30
3 to 4'		.45	.40
4 to 5'		.55	.50
5 to 6'		.70	.60
triloba plena. Double pink-flowering Plun	n—9'		
1½ to 2'		.30	.25
2 to 3'		.35	.30
3 to 4'		.45	.40
4 to 5'			.50
5 to 6'			.60
4 to 5' Tree Shape			
3 to 0 Tice purhorization	1.00	ال) فيد ه نف	

	1 Each	5 Each	25 Each
PYRACANTHA—coccinea lalandi. Laland F	rirethorn	2—6'	
12 to 15", B&B		\$.85	\$.75
15 to 18", B&B		1.15	1.00
1 ½ to 2', B&B	_ 1.60	1.40	1.25
2 to 2½', B&B		1.65	1.50
2½ to 3′, B&B	_ 2.50	2.25	2.00
3 to 3½', B&B		3.00	2.75
Our Pyracantha have been symmetr			
cally trimmed and root pruned yearly	y.		
RHAMNUS—cathartica. Buckthorn—12'	20	.16	.12
2 to 3'		.20	.12
3 to 4'	30	.23	.18
4 to 5'	40	.35	.30
chadwicki. Chadwick Buckthorn—10'	_ •40	.00	.00
A grand new soort with lovely shing	v foliage	e.	
2 to 3'		.30	.25
3 to 4'		.35	.30
frangula. Glossy Buckthorn—10'			
1½ to 2′		.20	.15
2 to 3'		.25	.20
3 to 4'		.30	.25
4 to 5'		.35	.30
5 to 6'		.45	.40
6 to 7'	80	.70	.60
RHODOTYPOS—kerrioides. Jetbead—6'	0.0	or	00
1 ½ to 2' 2 to 3'	30	.25	.20
2 to 3' 3 to 4'		.30 .35	.25 .30
RHUS—canadensis. Fragrant Sumac—5'	40	.00	.00
$1\frac{1}{2}$ to $2'$	35	.30	.25
2 to 3'		.35	.30
3 to 4'		.45	.40
4 to 5'	75	.65	
copallina. Shining Sumac—12'			
2 to 3'	40	.35	.30
3 to 4'		.45	.40
4 to 5'	65	.55	.50
5 to 6	75	.65	.60
6 to 8'		1.00	
cotinus. Smoketree or Purple Fringe—12 $1\frac{1}{2}$ to $2'$.45	.40
2 to 3'		.55	.50
3 to 4'	95	.85	.00
4 to 5'	1.15	1.00	
5 to 6'		1.25	
glabra. Smooth Sumac—10'			
2 to 3'		.18	.14
3 to 4'		.23	.18
4 to 5'		.30	.25
5 to 6'		.40	.35
6 to 8'typhing loginists Shoulded Sames 15'	60	.50	.45
typhina laciniata. Shredded Sumac—15' 2 to 3'	30.	.25	.20
2 to 3' 3 to 4'		.20	.25
4 to 5'		.40	.35
5 to 6'		.45	.40
6 to 8'		.60	.50

RHUS—Continued	1 Each	5 Each	25 Each
typhina. Staghorn Sumac—15'	@ 05	Φ 40	0 14
2 to 3'	_\$.25 30	\$.18 .23	\$.14 .18
4 to 5'		.23	.16
5 to 6'	.40	.35	.30
6 to 8'	.50	.45	
8 to 10'	.80	.70	.60
RIBES odoratum. Golden Currant—10'			
3 to 4'sanguineum. Winter Currant—8'	40	.33	.28
sanguineum. Winter Currant—8	.50	.45	.40
3 to 4'4 to 5'	65	.55	.50
ROBINIA hispida. Rose Acacia, Flowering L	ocust		.00
2 to 3'	40	.35	.30
3 to 4'	.50	.45	.40
viscosa. Clammy Locust—8'	4.0	0.5	
2 to 3'		.35	.30
3 to 4' 4 to 5'		.45 .55	.40 .50
	00	.00	.50
ROSA—See Pages 63-64.			1
RUBUS—odoratus. Flowering Raspberry—6'	20	or.	20
1 to 2'SAMBUCUS canadensis. Common Elder—1	.30	.25	.20
2 to 3'	20	.17	.13
3 to 4'		.22	.17
4 to 5'		.30	.25
5 to 6'	45	.40	.35
canadensis acutiloba. Cutleaf Elder—8'	0.5	0.0	4.4
2 to 3'		.20	.14
3 to 4' 4 to 5'	_ , , ,	.23	.18 .25
5 to 6'		.35	.30
6 to 7'		.45	.40
nigra aurea. Golden European Elder—10'			
1½ to 2'	20	.15	.11
2 to 3'		.18	.14
3 to 4'		.22	.18
4 to 5'	35	.30	.25
racemosa. European Red Elder—10'	45	.40	.35
SHEPHERDIA—argentea. Silver Buffalober		•=0	.00
2 to 3'		.30	.25
3 to 4'	40	.35	.30
4 to 5'	50	.45	.40
SORBARIA—aitchisoni. Kashmir False-spir		05	0.0
3 to 4' 4 to 5'	40 50	.35 .45	.30
5 to 6'		.60	
6 to 7'		.75	
arborea. Tree-Spirea—6'		• • • • • • • • • • • • • • • • • • • •	
1½ to 2′	35	.30	.25
2 to 3'	40	.35	.30
3 to 4'	45	.40	.35
sorbifolia. Ural False-spirea—5'	25	20	ຄະ
2 to 3' 3 to 4'		.30	.25 $.30$
4 to 5'		.45	.40
			,_,

	/)		
SPIRAEA	1 Each	5 Each	25 Each
Anthony Waterer. Dwarf pinkflowering— 15 to 18" 1½ to 2' 2 to 2½'	\$.20	\$.16 .20 .25	\$.12 .16 .20
arguta. Garland Spirea—7' 2 to 3' 3 to 4' 4 to 5' 5 to 6' 6 to 7'	30 35 45	.18 .25 .30 .40	.14 .20 .25 .35
billiardi. <i>Pink Flowering</i> —5' 1½ to 2' 2 to 3' 3 to 4' 4 to 5'	18 20 25	.13 .16 .20 .25	.09 .12 .16 .20
douglasi. Rosy Red flowers—6' 1½ to 2' 2 to 3' 3 to 4' 4 to 5' froebeli. Dwarf pink—4'	30	.15 .18 .23 .30	.11 .14 .18 .25
15 to 18"	20 25 30	.12 .16 .20 .25	.08 .12 .16 .20
Japanese Spirea—3' 15 to 18"	.30	.19 .23 .30 .35	.14 .18 .25 .30
macrothyrsa. Improved Billardi. A new and free-flowering and with better foliages 1 1½ to 2′\$.2 2 to 3′3 3 to 4′3 4 to 5′4 6 to 10″ L. O. SPer 100 \$5.00 10 to 15″ L. O. SPer 100 6.00	Each 5 5 \$.2 0 .2 5 .3 5 .4 Per 10	Each 25 0 \$.16 5 .26 0 .28 0 .38	Each 0 0 5 5
multiflora. Snowgarland—6' 2 to 3' 3 to 4' 4 to 5' 5 to 6' nipponica rotundifolia. Big Nippon Spire	35 40 50	\$.23 .27 .35 .45	\$.18 .22 .30 .40
—White, June. Beautiful foliage—9 1½ to 2′ 2 to 3′ 3 to 4′ 4 to 5′ 5 to 6′ opulifolia—(See Physocarpus.)	35 40 45 60	.27 .33 .40 .50 .70	.22 .28 .35 .45
prunifolia plena. Double Bridalwreath—3 1½ to 2' 2 to 3'	30	.25 .30	.20 .25

N	Each	5 Each	25 Each
thunbergi. Early single white flowering—5'			
1½ to 2'\$.25	\$.18	\$.14
2 to 2½'	.30	.23	.18
2½ to 3′	.35	.30	.25
3 to 4'	.45	.40	.35
4 to 5'	.60	.50	.45
5 to 6'	.75	.65	.5 5
tomentosa. Hardhack—4'			
2 to 3'	30	.23	.18
3 to 4'	.35	.30	.25
tricocarpa. Korean Bridalwreath. New-5'	.00	.50	.20
	20	4.0	4.0
1½ to 2'	.20	.16	.12
2 to 3'	.25	.20	.16
3 to 4'	.30	.25	.20
4 to 5'	.35	.30	.25
vanhouttei. Single white flowering—10'	• • • • • • • • • • • • • • • • • • • •	• • • •	
	.15	.11	.08
1½ to 2'			
2 to 3'	.20	.15	.11
3 to 4'	.22	.18	.14
4 to 5'	.30	.28	.18
5 to 6'	.35	.30	.25
6 to 7'	.45	.40	.35
			.50
STEPHANANDRA—flexuosa. Cutleaf Stephan	andra	<u>6'</u>	
1½ to 2'	.25	.20	.15
2 to 3'	.30	.25	.20
			.20
SYMPHORICARPOS mollis. Spreading Snowb			-1.0
1½ to 2'	.20	.15	.10
2 to 3'	.22	.18	.14
3 to 4'	.25	.22	.18
4 to 5'	.35	.30	.25
racemosus. Snowberry or Waxberry—6'			
1½ to 2', (\$75.00 per 1000)	.17	.13	.09
2 to 3', (\$100.00 per 1000)	.20	.16	.12
3 to 4', (\$140.00 per 1000)	.25	.20	.16
4 to 5'	.35	.30	.25
vulgaris. Coralberry or Indian Current—4	Į'		
1½ to 2', (\$75.00 per 1000)	.17	.13	.09
2 to 3', (\$100.00 per 1000)	.20	.16	.12
3 to 4', (\$140.00 per 1000)	.25	.20	.16
5 to 4, (\$140.00 per 1000)		.20	.10
vulgaris chenaulti. Improved Coralberry-		10	0.0
1½ to 2', (\$75.00 per 1000)	.16	.12	.09
2 to 3', (\$100.00 per 1000)	.20	.16	.12
3 to 4', (\$140.00 per 1000)	.25	.20	.16
SYMPLOCOS—paniculata. Asiatic Sweetleaf-	-10	F 0	45
2 to 3'	.60	.50	.45
3 to 4'	.75	.65	.55
4 to 5'	1.00	.80	.70
5 to 6'	1.75	1.50	
SYRINGA—Lilac	10/		
chinensis (rothomagensis.) Red flowering-	-10	0.0	~~
1½ to 2'	.35	.30	.25
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
4 to 5'	.65	.55	
	.00	.00	
emodi. Himalayan Lilac—8'	OF.	7F	er.
3 to 4'	.85		.65
4 to 5'	1.00	.90	

- THE COLE HORSENT CO., TAINES	TELL, O	1110	
SYRINGA—Continued	1 Each	5 Each	25 Each
		<u> </u>	20 234011
dilatata. (New). Korean Lilac—12'	Φ 00	A FA	Δ 4×
2 to 3'		\$.50	\$.45
3 to 4'	80	.70	.60
4 to 5'	1.00	.90	.80
5 to 6'		1.25	1.10
	_ 1.40	1.20	1.10
henryi lutece. Pale violet-purple—8'	a-		~ ^
1½ to 2'	65	.55	.50
2 to 3'	90	.80	.70
3 to 4'	1.15	1.00	.90
japonica. Japanese Tree Lilac-20'		1.00	•••
	F0	4 -	40
3 to 4'		.45	.40
4 to 5'		.70	.60
5 to 6'	. 1.00	.90	
josikaea. Hungarian Lilac—10'			
2 to 3'	.35	.30	.25
• • • • • • • • • • • • • • • • • • •		.40	.35
palibiniana. (New) Broadleaf Korean Lil	ac—12′		
3 to 4'	65	.55	.50
4 to 5'		.80	.70
5 to 6'		1.00	.90
6 to 7'	1.40	1.25	1.15
persica. Persian Lilac—10'			
1½ to 2'	.35	.30	.25
2 to 3'	.40	.35	.30
3 to 4'		.45	.40
			•40
4 to 5'	70	.60	
villosa. Late Lilac—8'			
1½ to 2′	.25	.20	.16
2 to 3'		.26	.22
3 to 4'		.40	•
0 W 4 D	. ,40	.40	
vulgaris. Common Purple Lilac-12'			
Specimen Clumps, Double Price			
2 to 3'	25	.20	.16
3 to 4'	30	.26	.22
4 to 5'		.35	.30
5 to 6'			
6 to 7'	85	.75	
vulgaris alba. Common White Lilac-12'			
2 to 3'	35	.30	
3 to 4'		.40	
4 to 5'		.50	
vulgaris. Hybrids—Following Named Sor	ts-10'		
1½ to 2'		.40	.35
2 to 3'		.50	.45
3 to 4'			
	80	.70	
Belle de Nancy. Double satiny pink.			
Congo. Single red.			
Gloire de Lorraine. Heavenly blue. D	ouble.		
La Tour d'Auvergne. Double Red.	0 4 2 2 0 1		
Ludwig Spaeth. Single red.			
Marie Le Graye. Single white.			
Michael Buchner. Double mauve.			
Mme. Abel Chatenay. Double white.			
Mme. Lemoinei. Single white.			
President Grevy. Double blue.			
Single Pink Hybrid. A lovely sort.			
2 to 3'	.45	.40	.35
3 to 4'		.50	.45
0 W 1	.00	•00	.40

·			
SYRINGA—Continued	1 Each	5 Each	25 Each
NEWER AND BETTER VARIETIE	SOF	LILACS	
Claude Bernard. Semi-double mauve.			
1½ to 2'		\$.70	\$.60
2 to 3'	95	.85	.75
3 to 4' Descartes. Single mauve pink.	1.25	1.10	•
Descartes. Single madve pink. $1\frac{1}{2}$ to $2'$.80	.70	.60
2 to 3'	95	.85	.75
Gaudichaud. Deep lilac. Especially fine.			
15 to 18"	65	.55	.50
1½ to 2'		.70	.60
2 to 3'	95 . 1.25	$\begin{array}{c} .85 \\ 1.10 \end{array}$.75
hyacinthiflora. $Hyacinth$ -flowered $Lilac$. 1.20	1.10	
Lamartine. Mammoth trusses of	beauti	ful	
pale pink. 1 $\frac{1}{2}$ to $\frac{2}{2}$.80	.70	.60
2 to 3'	95	.85	.75
3 to 4'		1.10	1.00
Jan Van Tol. Purest of all whites. Mamn	noth		
trusses. Single.			
$1\frac{1}{2}$ to $2'$.70	.60
2 to 3'	.95	.85	.75
M. Van Aerschot. Single pale mauve. Land 1½ to 2′		.70	.60
2 to 3'			.75
3 to 4'		1.10	1.00
Paul Hariot. Double deep purplish red.			
15 to 18"	65	.55	.50
1½ to 2′	.80	.70	.60
Ruhm von Horstenstein. Single reddish v		.70	.60
2 to 3'	95	.85	.75
TAMARIX africana. Early, light pink—12'	- 100	,,,,	****
1 ½ to 2'	.20	.15	.11
2 to 3'	.22	.18	.14
3 to 4'	.25	.22	.18
amurensis. Amur Tamarix—Deep pink.			
Bluish-green foliage. July—8'	2.0		4.0
$1\frac{1}{2}$ to $2'_{}$.17	.13
2 to 3'3 to 4'	.25	.20 .26	$.16 \\ .22$
4 to 5'		.35	.30
5 to 6'		.45	.40
gallica. French Tamarix—Deep 'pink.		,	1
Bluish-green foliage. July-8'			
2 to 3'	25		.14
3 to 4'hispida aestivalis rubra. Summer Glow		.23	.18
New. Bright wine red blossoms	1 amarı	<i>x</i> 0	
throughout the summer.			
2 year year plants	.50	.40	.35
odessana. Late pink — Bluish-green folia	age—8'		
2 to 3'	25	.20	.16
3 to 4'		.26	.22
4 to 5'	40	.35	.30

TAMARIX—Continued	Each	5 Each	25 Each
121M211V11			
pentandra (Hispida aestivalis). Fivestame			ф 1 0
1½ to 2'\$		\$.17	\$.13
2 to 3'	.25	.20	.16
3 to 4'	.30	.26	.22
4 to 5'	.40	.35	.30
5 to 6'	.50	.45	.40
tetandra. (purpurea). Fourstamen Tamara			, _ ,
Deep green foliage—10'			
11/ +0 9'	.20	.17	.13
1½ to 2'			
2 to 3'	.25	20	.16
3 to 4'	.30	.26	.22
4 to 5'	.40	.35	
5 to 6'	.50	.45	
VIBURNUM—acerifolium. Mapleleaf Viburnu	m— $5'$		
1½ to 2'	.40	.35	.30
1½ to 2'americanum (oxyoccos). American Cranbe	rru h	ush—8'	.00
1½ to 2'	.30	.26	.22
2 to 3'	.40	.33	.28
3 to 4'	.45	.40	
4 to 5'	.55	.50	
burkwoodi. Fragrant Evergreen Viburnum-	4'		
Beautiful clusters of blush-white, gar-			
denia scented blossoms.			
18" bushy from 8" Pots	1.35	1.10	1.00
2 1/4" pot plants for Lining Out		.20	.15
cassinoides. Withe Rod—6'			
1½ to 2′	.45	.40	.35
2 to 3'	.60	.50	.45
3 to 4'	.75	.65	.55
dentatum. Arrowwood—12'			
1½ to 2'	.25	.20	.16
2 to 3'	.30	.26	.22
· · · · · · · · · · · · · · · · · · ·	.40	.35	.30
4 to 5'	.50	.45	.40
5 to 6'	.65	.55	.50
6 to 7'	.80	.70	.60
7 to 8', Heavy Clumps	1.25	1.00	.90
dilatatum. Linden Viburnum—8'			
1½ to 2′	.35	.30	.25
2 to 3'	.45	.40	.35
2 0 0			
3 to 4'	.75	.65	.55
4 to 5'	.90	.80	.70
5 to 6'	1.10	.95	.85
lantana. Wayfaring Tree-15'			
1½ to 2'	.30	.25	.20
2 to 3'	.35	.30	.25
3 to 4'	.40	.35	.30
4 to 5'	.50	.45	.40
5 to 6'	.70	.60	.50
lentago. Sheepberry—20'			
2 to 3'	.65	.55	.50
3 to 4'	.80	.70	.60
4 to 5'	.95	.85	.75
5 to 6'	1.15	1.10	
6 to 7'	1.60	1.40	
mollo Kontualni Vihamaan 10'	1.00	1,20	
molle. Kentucky Viburnum—10'	40	.35	.30
3 to 4'	.40		
4 to 5'	.50	.45	.40

VIBURNUM—Continued	1 Each	5 Each	25 Each
nudum. Smooth Withe-rod—8'			
2 to 3'		\$.45	
3 to 4'	.65	.55	
opulus. European Cranberrybush—10'	0.0	2.0	Φ 00
1½ to 2' 2 to 3'	30	.26	\$.22
3 to 4'		.32 .40	.28 .35
4 to 5'		.50	.45
5 to 6'	.75	.65	.55
6 to 8'	1.00	.85	.75
8 to 10'	1.25	1.10	1.00
opulus nanum. Very dwarf—2'	40	٥٣	0.0
9 to 12"	.40	.35 $.45$.30 $.40$
opulus sterile. Common Snowball—12'	.00	.40	.40
1½ to 2'	30	.25	.20
2 to 3'		.32	.28
3 to 4'		.40	.35
4 to 5'		.50	.45
5 to 6'	75	.65	.55
prunifolium. Blackhaw—12'	0.5	بو <u>س</u> و	= 0
1½ to 2' 2 to 2½'		. 5 5 .70	.50
2 to 3'		.85	.60 .75
3 to 4'		1.10	1.00
4 to 5'	1.50	1.35	1.25
pubescens. Downy Viburnum-6'			
2 to 3'	.50	.45	
rhytidophyllum. Leather Leaf Viburnum-	6'		
2 to 2½' (13" Ball)	1.75	1.50	
2½ to 3′ (14″ Ball)	2.25	2.00	
sieboldi. Siebold Viburnum—10'	4.0	0.5	0.0
2 to 3' 3 to 4'		.35	.30
4 to 5'		.45 $.60$.40
5 to 6'		.80	
tomentosum. Doublefile Viburnum—8'		•••	
2 to 3'	.40	.35	.30
3 to 4'	.50	.45	.40
4 to 5'	.65	.55	.50
5 to 6' 6 to 8'		.75 1.00	.65 .90
		1.00	.90
tomentosum plicatum. Japan Snowball—8)' 9.5	9.0	0.5
1 ½ to 2'	.35		.25 .35
3 to 4'		.50	.45
4 to 5'		.60	.55
5 to 6'		.85	.75
6 to 7'	1.25	1.15	1.00
tomentosum rotundifolium. Early Double	file Vil	ournum-	-8'
Prolific in fruit, very showy.			
2 to 3'		.45	.40
3 to 4'		.60	.50
4 to 5'	85	.75	.65

VITEX—agnus-castus. Lilac Chaste-Shrub4'1 2 years\$	Each .30	5 Each \$.25	25 Each \$.20
negundo incisa. Cutleaf Chaste-Shrub—4'	.30	.25	.20
macrophylla. Big-leaf Chaste Shrub. 2 years	.35	.30	.25
WEIGELA Abel Carriere. Beautiful rose color—		•••	0
2 to 3'	.20	.17	.14
3 to 4' 4 to 5'	.25 .35	.22	.18
4 to $5'$ amabilis. Rose Weigela—8'	.59	.50	.40
2 to 3'	.25	.20	.15
3 to 4'	.30	.25	.20
4 to 5'candida. Snow Weigela—10'	.35	.30	
2 to 3'	.20	.17	.14
3 to 4'	.25	.22	.18
4 to 5' 5 to 6'	.35 .45	.30 .40	.25
6 to 7'	.60	.50	.45
Eva Rathke. Crimson flowering—5'			
12 to 18"	.25	.20	.16
1½ to 2'	.30 .35	.25 .30	.20
3 to 4'	.45	.40	.35
floribunda. Crimson Weigela—8'			
1½ to 2'	.25	.20	.15
2 to 3'	.30 .35	.23	.18
4 to 5'	.45	.40	.35
hendersoni. Henderson Weigela—10'			
3 to 4' 4 to 5'	.30 .35	.25	.20
4 to 5' 5 to 6'	.33	.30	.25
6 to 8'	.50	.45	
rosea. Pink Weigela—8'			
1½ to 2'	.20	.15	.11
2 to 3'	$.20 \\ .25$.17	.13
4 to 5'	.35	.30	.25
rosea folius purpureis. Purple foliage—5'			
15 to 18"	.25	.20	.16
rosea nana variegata. Variegated-leaved W			
1½ to 2'	.20 .25	.17	.14
3 to 4'	.25	.30	.25
steltzneri. Steltzner Weigela—8'			
2 to 3'	.30	.25	.20
3 to 4'	.35	.30	.25
4 to 5' 5 to 6'	.40	.35 .45	.30
vaniceki. Vanicek's Red Weigela—6'	•00	•30	•30
Fine new variety. Strong and symmet	rical,		
prolific and colorful. 1½ to 2'	.30	.26	.22
2 to 3'	.40	.33	.28
3 to 4'	.45	40	.35

Evergreens

Prices include balling and burlapping roots.

A TOTAL AND			
ABIES concolor. White Fir—50'	1 Each	5 Each	25 Each
3 to 4' (16" Ball)	\$ 3.00	\$ 2.75	\$ 2.50
4 to 5' (17" Ball)	4.00	3.60	3.25
5 to 6' (19" Ball)	4.75	4.40	4.00
6 to 7' (21"Ball)		5. 50	5.00
7 to 8' (24" Ball) :	8.5 0	7.75	7.0 0
8 to 9' (26" Ball)	_ 12.00	11.00	
9 to 10' (29" Ball)	15.00	14.00	
10 to 11' (31" Ball)	17.00	16.00	
10 to 11 (of Dall)	22.00		
11 to 12' (33" Ball)	_ 22.00	20.00	
12 to 14' (36" Ball)	~ 27.50	25. 00	
14 to 16' (39" Ball)		32.50	
16 to 18' (42" Ball)		40.00	
•			
CHAMAECYPARIS lawsoniana. Lawson C		·50′	
$1\frac{1}{2}$ to 2' $(12'' \text{ Ball})$	_ 1.80	1.65	1.5 0
2 to 2½' (14" Ball)		2.25	2.00
nootkatensis glauca. Blue Nootka Cypro		2.20	2.00
		0.55	
3 to 4' (15" Ball)	_ 2.50	2.25	
4 to 5' (16" Ball)	3.6 0	3.25	
5 to 6' (17" Ball)		4.50	
6 to 7' (18" Ball)		5.50	
		0.00	
For other Chamaecyparis, see Retinospo			
JUNIPERUS chinensis albovariegata. Whit	eleaf		
Chinese Juniper—12'			
1½ to 2' (12" Ball)	1.80	1.65	1.50
		2.25	2.00
2 to 2½' (14" Ball)			
6 to 7' (20" Ball)		8.50	
7 to 8' (23" Ball)	_ 12.00	11.00	
8 to 9' (26" Ball)		14.00	
chinensis columnaris glauca. Silver Col			
	anor		
Chinese Juniper—20'	0.50	2.25	0.00
2 to 3' (12" Ball)		2.25	
3 to 4' (13" Ball)	3. 00	2.75	2.50
4 to 5' (14" Ball)		3.35	3.00
5 to 6' (16" Ball)		4.35	4.00
0 to 0 (10 Dan)	C 00	5.50	
6 to 7' (17" Ball)	_ 0.00		5.00
7 to 8' (19" Ball)	7.75	7.00	6.25
8 to 9' (20" Ball)	_ 10.00	9.00	
9 to 10' (22" Ball)	_ 12.00	11.00	
10 to 11' (23" Ball)	15.00	14.00	
10 to 11 (20 Dail)	17.00		
11 to 12' (25" Ball)	_ 17.00	16.00	
12 to 14' (27" Ball)	19.5 0	18.00	
chinensis pfitzeriana. Pfitzer Juniper-	-6'		
15 to 18" spread (11" Ball)	1.75	1.50	1.35
11/ to 0' appeal (12" Rall)	2.15	1.90	1.75
1½ to 2' spread (12" Ball) 2 to 2½' spread (13" Ball)	2.75	2.50	$\overline{2.25}$
2 to 2½ spread (13 Ball)	2.10		
2½ to 3' spread (15" Ball)	3.35	3.00	2.75
3 to 4' upright type (17" Ball)	_ 4.25	3.85	3.5 0
3 to 4' spread (17" Ball)	_ 4.25	3.85	3.5 0
4 to 5' wight type (20" Roll)		4.65	4.25
4 to 5' upright type (20" Ball)	5.00	4.65	4.25
4 to 5' spread (20" Ball)	_ 5.00		
5 to 6' upright type (23" Ball)	6.00	5.50	
5 to 6' spread (23" Ball)	6.00	5.5 0	
6 to 7' spread (26" Ball)	7.75	7.00	
0 W 1 Spicau (20 Daii) ======			

JUNIPERUS—Continued	1 Each	5 Each	25 Each
chinensis mascula—10'			
2 to 3' (13" Ball)	3.50	\$ 2.25	\$ 2.00
3 to 4' (14" Ball)	3.00	2.75	2.50
4 to 5' (15" Ball)	3.75	3.35	3.00
5 to 6' (16" Ball)	4.75	4.35	4.00
6 to 7' (18" Ball)	6.00	5.50	5.00
7 to 0' (20" Doll)	7.75	7.00	3. 00
7 to 8' (20" Ball)	1.10	7.00	
chinensis procumbens—7'	3.35	3.00	2.75
2 to 2½′ (13″ Ball)	0.00		
2½ to 3′ (15″ Ball)	4.00	3.65	
3 to 3½' (16" Ball)	4.75	4.25	
6 to 7' (26" Ball)	10.00	9.00	
chinensis sargenti. Sargent Juniper—2'			
15 to 18" spread (11" Ball)	1.90	1.65	1.50
1½ to 2' spread (12" Ball)	2.50	2.25	2.00
2 to 2½' spread (13" Ball)	3.60	3.25	
communis depressa. Prostrate Juniper—3	7		4
2 to 2½'		1.75	·
2 ½ to 3'	2.50	2.25	
, <u> </u>			
communis depressa plumosa. Purple Spr	eaaing		
12 to 18" spread (11" Ball)	1.50	1.25	1.10
1 ½ to 2' spread (12" Ball)	1.75	1.50	1.35
2 to 2½' spread (13" Ball)	2.25	2.00	1.85
communis hibernica. Irish Juniper—8'			
1½ to 2' (10" Ball)	1.00	.80	.70
2 to 2½' (11" Ball)		1.15	1.00
2 ½ to 3' (12" Ball)	1.75	1.50	
· · · · · · · · · · · · · · · · · · ·	1.70	1.00	1.35
communis suecica. Swedish Juniper—8'	4 4 0	O#	
1½ to 2' (10" Ball)	1.10	.85	.75
2 to 2½' (11" Ball)	1.40	1,15	1.00
2½ to 3' (12" Ball)	1.75	1.50	1.35
3 to 3½' (13" Ball)	2.15	1.90	1.75
excelsa stricta. Spiny Greek Juniper—4'			
12 to 15" (10" Ball)	1.25	1.00	.90
15 to 18" (11" Ball)	1.50	1.25	1.10
11/ +0 0' (10" Doll)	1.00		
1½ to 2' (12" Ball)	1.90	1.65	1.50
2 to 2½' (14" Ball)	2.50	2.25	2.00
2½ to 3′ (15″ Ball)	3.00	2.75	
3 to 3½' (17" Ball)	3.85	3.50	
horizontalis. Trailing Juniper—1½'			
12 to 18" spread (11" Ball)	1.35	1.10	1.00
1½ to 2' spread (12" Ball)	1.65	1.40	1.25
2 to 2½' spread (12" Ball)	1.90	1.65	1.50
2½ to 3' spread (15" Ball)	2.75	2.50	
3 to 4' spread (17" Ball)	3.60	3.25	
		0.20	
horizontalis douglasi. Waukegan Junipe	1 65	1.40	1.05
1½ to 2' spread (12" Ball)	1.65	1.40	1.25
2 to 2½' spread (13" Ball)	1.90	1.65	1.50
2½ to 3' spread (15" Ball)	2.75	2.50	
3 to 3½' spread (17" Ball)	3.60	3.25	
japonica. Japanese Juniper—8'			
2½ to 3' spread (15" Ball)	3.35	3.00	2.75
3 to 3½" spread (17" Ball)	4.00	3.65	3.25
5 00 0 /2 Sproud (11 Duir) ======		3,00	

JUNIPERUS—Continued	1 Each	5 Each	25 Each
prostrata venusta. Excellent new creeping			
type. Bright bluish foliage. Very dwa			
and slow-growing. Best for rockery—	10"		
15 to 18" spread (11" Ball)	\$ 2.15	\$ 1.90	\$ 1.75
18 to 21" spread (12" Ball)	2.75	2.50	
sabina. Savin Juniper—6'			
15 to 18" spread (11" Ball)	1.35	1.10	1.00
1½ to 2' spread (12" Ball)	1.65	1.40	1.25
2 to 2½' spread (13" Ball)		1.65	1.50
2½ to 3' spread (15" Ball)	2.50	2.25	2.00
3 to 4' spread (17" Ball)	3.35	3.00	
sabina horizontalis. Bar Harbor Juniper-			
12 to 18" spread (11" Ball)		1.10	1.00
$1\frac{1}{2}$ to $2'$ spread $(12'')$ Ball $(12'')$		1.40	1.25
$2 \text{ to } 2\frac{1}{2}$ spread (12 Ball)	2.00	1.75	1.25 1.60
	2.00	1.70	1.00
scopulorum. Colorado Juniper—25'	0.0=	2.00	~ = -
3 to 4' (14" Ball)		3.00	2.75
4 to 5' (15" Ball)	4.25	3.85	
5 to 6' (16" Ball)	5.50	5.00	
6 to 7' (18" Ball)	7.75	7.00	
7 to 8' (20" Ball)		8.50	
scopulorum Chandlers Silver. New, intens	e blue-	-18'	
2½ to 3' (13" Ball)	3.00	2.75	2.50
3 to 4' (14" Ball)	4.00	3.60	3.25
4 to 5' (15" Ball)	5.00	4.50	
squamata meyeri. Meyer Juniper—4'			•
1½ to 2' (12" Ball)	1.90	1.65	1.50
virginiana. Redcedar—25'			
3 to 4' (14" Ball)	2.15	1.90	1.65
4 to 5' (15" Ball)	2.75	2.50	2.25
5 to 6' (16" Ball)		3.60	
6 to 7' (18" Ball)		5.00	
7 to 8' (20" Ball)		6.50	
8 to 9' (21" Ball)		8.00	
9 to 10' (23" Ball)		10.00	
10 to 11' (24" Ball)		12.50	
11 to 12' (26" Ball)	17.50	16.00	
12 to 14' (28" Ball)		20.00	
virginiana cannarti. Cannart Redcedar-			
2 to 3' (13" Ball)		2.25	2.00
3 to 4' (14" Ball)		3.00	$\frac{2.75}{2.75}$
4 to 5' (15" Ball)		3.85	3.50
5 to 6' (17" Ball)		5.00	4.50
6 to 7' (18" Ball)		7.00	1.00
virginiana elegantissima. Goldtip Redceda			
		2.00	1.85
2 to 2½' (12" Ball) 2½ to 3' (13" Ball)		2.4v	2.15
2 to 4' (14" Poll)	2.00	3.00	2.75
3 to 4' (14" Ball) 4 to 5' (15" Ball)		3.8 5	2.10
4 to 5' (15" Ball) 5 to 6' (17" Ball)		5.00	
			ot their
Customers are usually pleasantly surpr	iseu to	mid th	at their

plants are much larger and stronger than they expected.

We reserve the privilege of making an additional charge for trees of special grade or quality personally selected by purchaser. to keep them in dense, symmetrical, salable condition.

	5 Each	25 Each
virginiana glauca. Silver Redcedar—20'		
2 to 3' (13" Ball)\$ 2.50	\$ 2.25	\$ 2.00
3 to 4' (14" Ball) 3.00	2.75	2.50
4 to 5' (15" Ball) 3.75	3.35	3.00
5 to 6' (16" Ball) 4.50	4.10	3.75
6 to 7' (18" Ball) 5.50	5.00	4.65
7 to 8' (20" Ball) 7.25	6.75	6.25
8 to 9' (21" Ball) 10.00	9.25	0.20
9 to 10' (23" Ball) 13.50	12.50	
9 to 10 (20 Ball) = 10.00		
10 to 11' (24" Ball) 16.00	15.00	
11 to 12' (26" Ball) 20.00	18.00	
12 to 13' (28" Ball) 24.00	22.00	
virginiana keteleeri. Keteleer Redcedar—15'		
2 to 3' (12" Ball) 2.50	2.25	2.00
3 to 4' (14" Ball) 3.35	3.00	2.75
4 to 5' (15" Ball) 4.25	3.85	3.50
5 to 6' (16" Ball) 5.50	5.00	4.50
6 to 7' (18" Ball) 7.75	7.00	
7 to 8' (20" Ball) 9.75	9.00	
	9.00	
virginiana kosteri. Koster Redcedar—4'	1 50	1.05
15 to 18" spread (11" Ball) 1.75	1.50	1.35
1½ to 2' spread (12" Ball) 2.15	1.90	
2 to 2½' spread (13" Ball) 2.75	2.50	2.25
2½ to 3' spread (15" Ball) 3.35	3.00	2.75
3 to 3½' spread (17" Ball) 4.10	3.75	
virginiana pyramidiformia. Dundee Juniper-18	•	
2 to 2½' (12" Ball) 2.25	2.00	1.80
2½ to 3' (13" Ball) 2.75	2.50	
3 to 4' (14" Ball) 3.35		2.75
	3.85	
4 to 5' (15" Ball) 4.25		
5 to 6' (16" Ball) 5.50	5.00	
6 to 7' (18" Ball) 7.75	7.00	
PICEA canadensis (alba). White Spruce—50'		4 00
3 to 4' (15" Ball) 2.40	2.15	1.90
4 to 5' (16" Ball) 3.00	2.75	2.50
5 to 6' (18" Ball) 4.25	3.85	3.50
6 to 7' (20" Ball) 6.00	5.50	5.00
7 to 8' (23" Ball) 7.75	7.00	6.50
8 to 10' (26" Ball) 10.75	9.75	9.00
canadensis albertiana. Black Hills Spruce—50'	0.10	3.00
	การ	1.90
3 to 4' (15" Ball) 2.35	2.15	
4 to 5' (17" Ball) 3.35	3.00	2.75
5 to 6' (19" Ball) 4.50	4.10	3.75
6 to 7' (21" Ball) 6.50	5.75	5.25
7 to 8' (24" Ball) 8.25	7.50	6.75
8 to 10' (28" Ball) 11.00	10.00	9.25
excelsa. Norway Spruce—80'		
2 to 3' (13" Ball) 1.15	.90	.80
3 to 4' (15" Ball) 1.50	1.25	1.10
4 to 5' (16" Ball) 2.25	2.00	1.80
5 to 6' (18" Ball) 3.00	2.75	2.50
6 to 7' (20" Ball) 4.25	3.85	3.50
7 to 8' (23" Ball) 5.25	4.85	4.50
excelsa maxwelli. Maxwell Spruce—60'		
15 to 18" (12" Ball) 3.50	3.25	
1 ½ to 2' (13" Ball) 4.75	4.50	

(Ball sizes are only approximate)

PICEA—Continued	1 Each	5 Each	25 Each
excelsa nidiformis. A new, very dwarf,			
spreading type. Very compact—2'			
1½ to 2' (13" Ball)	$_{-}$ \$ 4.40		
2 to 2½' (15" Ball)	_ 5.50	5.00	
excelsa pygmea. Pygmy Norway Spruce-	-8 ′		
1½ to 2' (13" Ball)		4.00	
2 to 3' (15" Ball)	_ 6.00	5.50	
3 to 4' (17" Ball)	_ 8.25	7.50	
polita. Tigertail Spruce—70'			
1 ½ to 2' (12" Ball)	_ 1.75	1.50	\$ 1.35
2 to 2½ ' (13" Ball)	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$\frac{1.50}{2.00}$	1.80
2 ½ to 3' (14" Ball)		$\frac{2.50}{2.50}$	1.00
3 to 3½'(15" Ball)		$\frac{2.50}{3.50}$	
	_ 0.00	0.00	
pungens. Colorado Green Spruce—60'			
3 to 4' (15" Ball)	$_{-}$ 2.25	2.00	1.80
4 to 5' (17" Ball)	_ 3.00	2.75	2.50
5 to 6' (19" Ball)		3.85	3.50
6 to 7' (21" Ball)	_ 5.75	5.25	4.75
7 to 8' (24" Ball)	$_{-}$ 7.25	6.50	6.00
8 to 10' (27" Ball)	_ 10.00	9.00	8.25
10 to 12' (31" Ball)	_ 13.00	12.00	11.00
12 to 14' (35" Ball)	_ 19.00	17.00	
			~
pungens glauca. Colorado Blue Spruce—4 to 5' (17" Ball)	-60 - 4.75	4.35	
5 to 6' (19" Ball)		5.50	5.00
6 to 7' (21" Ball)		6.50	
7 to 8' (24" Ball)		8.25	6.00
0 +0 10' (97" Doll)	19.00		7.50
8 to 10' (27" Ball) 10 to 12' (31" Ball)	16.50	$11.00 \\ 15.00$	$10.00 \\ 14.00$
10 to 12 (31 Ball) 12 to 14' (35" Ball)	_ 10.00		
· · · · · · · · · · · · · · · · · · ·		20.00	18.00
pungens glauca kosteri. Koster's Blue S		55'	
1½ to 2' (12" Ball)		2.25	2.00
2 to 2½′ (13″ Ball)		2.75	2.50
2½ to 3' (14" Ball)	_ 3.75	3.35	3.00
3 to 3½′ (15" Ball)		3.85	3.50
3½ to 4′ (16″ Ball)	_ 5.25	4.85	4.50
4 to 5' (17" Ball)	_ 6.75	6.25	5.75
5 to 6' (19" Ball)	_ 8.75	8.00	7.50
6 to 7' (21" Ball)	_ 12.00	11.00	10.00
7 to 8' (24" Ball)		15.00	14.00
8 to 9' (26" Ball)	$_{-}$ 22.50	20.00	18.00
9 to 10' (29" Ball)		27.50	25.00
10 to 11' (31" Ball)		35.00	30.00
11 to 12' (33" Ball)		42.50	
12 to 13' (35" Ball)			
pungens moerheimi. Moerheim Blue Sp		,	
1½ to 2' (12" Ball)		2.25	2.00
2 to 2½' (13" Ball)	3 25	$\frac{2.25}{3.00}$	2.75
2 to 2 72 (13 Ball) 2 ½ to 3' (14" Ball)		3.65	3.25
3 to 3½' (15" Ball)		$\frac{3.03}{4.10}$	3.75
3 ½ to 4' (16" Ball)		5.10	4.75
4 to 5' (17" Ball)		6.75	6.25
4 00 0 (11 Dan)	_ 1.00	0.10	0,20

We have sheared practically all of our evergreens where it is necessary to keep them in dense, symmetrical, salable condition.

PINTIC doviding Limbon Ding 90'	1 Each	5 Each	25 Each
= = = = = = = = = = = = = = = = = = = =		\$ 6.00	\$ 5.50
6 to 7' (21" Ball) 7 to 8' (23" Ball)	ο.ου	φ 0.00 8.25	ъ 5.50 7.50
8 to 9' (26" Ball)	11 00	10.00	9.00
0 + 10' (20'') Pall	14.00		11.50
9 to 10' (29" Ball)	14.00		
10 to 12' (32" Ball)	17.50	16.00	
12 to 14' (36" Ball)	22.50	20.00	
montana. Swiss Mountain Pine—15'			
1½ to 2′ (12″ Ball)	1.65	1.40	1.25
2 to 2½' (13" Ball)	-2.00	1.75	1.60
2½ to 3′ (15″ Ball)	-2.50	2.25	
3 to 4' (17" Ball)	3.35	3.00	
4 to 5' (20" Ball)		4.35	4.00
montana mughus. Dwarf Mountain Pine		4.00	
12 to 15" spread (10" Ball)		1.20	1.10
15 to 18" spread (11" Ball)		1.50	1.35
1½ to 2' spread (12" Ball)		2.00	1.75
2 to 2½' spread (13" Ball)	2.65	2.40	2.15
2½ to 3' spread (15" Ball)		2.85	2.60
3 to 3½' spread (16" Ball)		3.65	
3½ to 4' spread (18" Ball)		4.35	
4 to 5' spread (20" Ball)	6.25	5.75	5.25
nigra. Austrian Pine—60'			
5 to 6' (20" Ball)		4.75	4.25
6 to 7' (22" Ball)		6.50	6.00
7 to 8' (24" Ball)	9.50	8.75	
8 to 10' (28" Ball)	13.00	12.00	
10 to 12' (32" Ball)	18.00	16.50	15.00
strobus. White Pine—80'	4	4.0	
5 to 6' (19" Ball)			
6 to 7' (21" Ball)		6.00	5.50
7 to 8' (23" Ball)		8.25	7.50
8 to 9' (26" Ball)		10.00	9.50
9 to 10' (29" Ball)		12.50	
10 to 12' (31" Ball)		16.00	
12 to 14' (35" Ball)		20.00	
14 to 16' (39" Ball)		27.50	
16 to 18' (42" Ball)			
18 to 20' (46" Ball)			
20 to 22' (50" Ball)			
22 to 25' (54" Ball)	70.00		
PSEUDOTSUGA douglasi Douglas Fir—7		4 00	0.0
2 to 3' (13" Ball)		1.00	.90
3 to 4' (15" Ball)		1.40	1.25
4 to 5' (16" Ball)	2.50	2.25	2.00
5 to 6' (18" Ball)	3.75	3.35	3.00
6 to 7' (20" Ball)		4.35	4.00
7 to 8' (23" Ball)		6.00	5.50
8 to 10' (26" Ball)		8.25	7.50
10 to 12' (30" Ball)	13.50	12.50	
12 to 14' (33" Ball)	20.00	17.50	
14 to 16' (36" Ball)	Z7.00	24.00	
During these lean years one has bee important duties. Root-pruning of Ever	n apt to	megiect	many

important duties. Root-pruning of Evergreens is most necessary yet not immediately apparent if neglected.

Cole has a regular schedule for Root-pruning — In fact, the majority of our Evergreens are Root-pruned at least every two years.

DEMINIOCDODA	1 Each	5 Each	25 Floob
			25 Each
$egin{array}{lll} ext{filifera.} & \textit{Thread-branched} & \textit{Japanese} & \textit{Cypre} \ & 12 & ext{to} & 18 & ext{(11" Ball)}_{} \end{array}$		\$ 1.00	
4 to 5' (16" Ball)	2 25	$\frac{9}{3.50}$	
5 to 6' (18" Ball)	4.75	4.25	
6 to 7' (23" Ball)		5.25	
7 to 8' (25" Ball)		7.50	
· · · · · · · · · · · · · · · · · · ·			_7′
filifera aurea. Golden thread-branched Jap 12 to 18" (11" Ball)		0ypress-1.40	(
1½ to 2' (12" Ball)		2.00	
2 to 2½' (13" Ball)		2.50	
2½ to 3′ (14″ Ball)	3.35	3.00	
3 to 3½' (15" Ball)		3.75	
3½ to 4′ (16″ Ball)		4.50	
4 to 4½' (17" Ball)		5.50	
4½ to 5′ (18″ Ball)		7.00	
5 to 5½' (20" Ball)	10.00	9.00	
obtusa gracilis. Slender Hinoki Cypress-	-10'		
3 to 4' (15" Ball)		3.35	
pisifera. Pea-fruited Japan Cypress—San	vara R	etinospor	ra—25'
1½ to 2′ (11″ Ball)		1.00	\$.85
2 to 2½' (12" Ball)	1.40	1.15	1.00
2½ to 3′(13″ Ball)	1.65	1.40	1.25
3 to 4' (15" Ball)		2.10	1.90
4 to 5' (16" Ball)	3.00	2.75	
5 to 6' (18" Ball)	4.40	4.00	
7 to 8' (23" Ball) 8 to 9' (25" Ball)	0.50 8 50	6.00 7.75	7.00
9 to 10' (27" Ball)	11 00	10.00	9.00
10 to 11' (29" Ball)	15.50	14.00	2.00
11 to 12' (31" Ball)	19.00		
pisifera aurea. Golden Pea-fruited Japan			
Sizes and prices same as "pisi		88—20	
plumosa. Plume Cypress—20'	1014.		
1½ to 2' (11" Ball)	1.25	1.00	.85
2 to 2½' (12" Ball)		1.25	1.10
2½ to 3' (13" Ball)	1.75	1.50	1.35
3 to 4' (15" Ball)	2.35	2.10	1.90
4 to 5' (16" Ball)	3.00	2.75	2.50
5 to 6' (18" Ball)	3.85	3.50	
6 to 7' (20" Ball)	5.00	4.50	
7 to 8' (23" Ball)		6.00	
plumosa aurea. Goldenplume Cypress—18	22 1	>	
(Sizes and prices same as "plumos			,
plumosa compacta aurea. Dwarf Goldenpla			1.35
1½ to 2' (12" Ball) 2 to 2½' (13" Ball)	2 25	2.00	
$2 \text{ to } 2\frac{1}{2}$ (15 Ball)	2.75	$\frac{2.00}{2.50}$	$\frac{1.15}{2.25}$
squarrosa. Silver Cypress—20'	2.10	2.00	
squarrosa. Silver Cypress—20 $1\frac{1}{2}$ to 2' $(11'')$ Ball)	1.25	1.00	.85
2 to 2½' (12" Ball)		1.25	
2½ to 3′ (13″ Ball)		1.50	1.35
3 to 4' (15" Ball)	2.35	2.10	1.90
4 to 5' (16" Ball)	3.00	2.75	
5 to 6' (18" Ball)	4.00	3.60	

Depression spoiled evergreens in huge quantities are available throughout the country at the buyer's price. NONE are available at Coles. Ours are dense and shapely, they are root pruned, and they are properly spaced to give light and air on all sides. We will be happy to have you visit us and inspect our plant.

TAXUS baccata repandens. Spreading English			
Yew—2'	Each	5 Each	25 Each
15 to 18" spread (11" Ball)\$	1.90	\$ 1.65	\$ 1.50
1½ to 2' spread (12" Ball)	2.50	2.25	2.00
2 to 2½' spread (13" Ball)	3.25	3.00	2.75
2½ to 3' spread (15" Ball)	4.50	4.00	
cuspidata. Japanese Yew-6'			
12 to 15" spread (10" Ball)	1.25	1.00	.90
15 to 18" spread (11" Ball)	1.60	1.35	1.20
1½ to 2' spread (12" Ball)	2.15	1.90	1.65
2 to 2½' spread (13" Ball)	2.75	2.50	2.25
2½ to 3' spread (15" Ball)	3.75	3.35	3.00
3 to 3½' spread (16" Ball)	5.50	5.00	4.50
3½ to 4' spread (17" Ball)	7.00	6.50	6.00
4 to 4½' spread (19" Ball)	9.50	8.75	8.00
	12.50	11.50	
	17.50	16.00	
cuspidata capitata. Upright Japanese Yew-	<u> 8′ </u>		
15 to 18" (10" Ball)	1.50	1.25	1.10
1½ to 2' (11" Ball)	1.90	1.65	1.45
2 to 2½' (12" Ball)	2.50	2.25	2.00
2½ to 3′ (13″ Ball)	3.65	3.30	3.00
3 to 3½' (14" Ball)	4.75	4.35	4.00
3½ to 4′ (15″ Ball)	6.00	5.50	5.00
4 to 4½' (16" Ball)	7.00	6.50	6.00
4½ to 5′ (18″ Ball)	9.00	8.25	
cuspidata nana (brevifolia)—Dwarf Japan			
9 to 12" (9" Ball)	1.40	1.15	1.00
12 to 15" (10" Ball)	1.65	1.40	1.25
15 to 18" (11" Ball)	2.15	1.90	1.75
1½ to 2' (12" Ball)	3.00	2.75	2.50
2 to 2½' (14" Ball)	4.00	3.60	3.25
2½ to 3' (16" Ball)	6.00	5.50	
media. Semi-Upright—6'			
2 to 2½' (13" Ball)	3.00	2.75	
2½ to 3′ (15″ Ball)	4.00	3.65	
3 to 3½' (16" Ball)	5.50	5.00	
3½ to 4′ (18″ Ball)	7.00	6.50	
media hatfieldi. Hatfield Yew-8'			
1½ to 2' (11" Ball)	2.50	2.25	2.00
2 to 2½' (12" Ball)			2.75
2½ to 3' (13" Ball)	4.40	4.00	3.65
media hicksi. <i>Hicks Yew</i> —10'			
15 to 18" (10" Ball)	1.40	1.15	1.00
1½ to 2' (11" Ball)	1.65		1.25
2 to 2½' (12" Ball)			1.75
2½ to 3′ (13″ Ball)	3.35		2.75
3 to 3½' (14" Ball)	5.50		
3½ to 4′ (16″ Ball)			

We make a ball of sufficient size for successful transplanting.

ROSES

We add a number of thoroughly tested roses to our collection each year and at the same time eliminate a few of the least worth-while.

We endeavor to always have a very high class collection to meet all needs. (See Pages 58 to 63).

	l Each	5 Each	25 Each
THUJA occidentalis. American Arborvitae—		J Each	29 Each
2 to 3' (12" Ball)\$		\$.90	\$.80
3 to 4' (14" Ball)		4.15	1.00
4 to 5' (15" Ball)		1.65	1.50
5 to 6' (16" Ball)		2.00	1.80
6 to 7' (18" Ball)		2.75	2.50
7 to 8' (20" Ball)		3.60	3.25
8 to 9' (21" Ball)	5.25	4.75	4.25
9 to 10' (23" Ball)	6.25	5.75	5.25
10 to 11' (24" Ball)		7.25	6.50
11 to 12' (26" Ball)		9.25	8.50
12 to 13' (27" Ball)		11.00	10.00
· · · · · · · · · · · · · · · · · · ·	15.00	13.50	
occidentalis caucasica. Large Globe—5'	4 00		
12 to 15" (10" Ball)		.75	.65
15 to 18" (11" Ball)		.90	.80
1½ to 2′ (12″ Ball)		1.25	1.10
2 to 2½′ (13″ Ball)		1.50	1.35
2½ to 3′ (15″ Ball)		2.00	1.80
3 to 4' (17" Ball)		$\frac{3.00}{4.50}$	
4 to 5' (20" Ball)		4.00	
occidentalis Columbia. Columbia Arborvita		1 00	
2 to 3' (12" Ball)		1.00	
3 to 4' (14" Ball) occidentalis compacta. Parson's Arborvitae		1.50	
15 to 18" (11" Ball)		.90	.80
1½ to 2' (12" Ball)		1.25	1.10
2 to 2½' (13" Ball)		1.50	1.35
2 ½ to 3' (15" Ball)		1.75	1.60
3 to 3½' (16" Ball)		2.50	
occidentalis douglasi aurea. Douglas Golde			-12'
3 to 4' (14" Ball)		1.40	1.25
4 to 5' (15" Ball)	2.15	1.90	1.75
5 to 6' (16" Ball)		2.50	2.25
6 to 7' (18" Ball)		3.35	
7 to 8' (20" Ball)		4.25	3.90
8 to 9' (21" Ball)			
9 to 10' (23" Ball)		6.75	
occidentalis globosa. Globe Arborvitae—4'	4 00		05
12 to 15" (10" Ball)	1.00	.75	.65
15 to 18" (11" Ball)		.85	.75
1½ to 2′ (12″ Ball)		1.15 1.40	$1.00 \\ 1.25$
2 to 2½′ (13″ Ball)	1.65	1.40	1.25
2½ to 3′ (15″ Ball)		$\begin{array}{c} 1.90 \\ 2.50 \end{array}$	2.25
3 to 3½' (16" Ball) 3½ to 4' (18" Ball)		3.35	3.00
4 to 5' (20" Ball)		4.50	
(Ball sizes are only approximately approximately (Ball sizes are only approximately ap		1.00	
(Dall sizes are only approximately	macc)		

THUJA—Continued	1 Each	5 Each	25 Each
occidentalis elegantissima. Golden Arbor	vitae	20 ′	
2 to 2½' (12" Ball)			\$.80
2½ to 3' (13" Ball)		1.15	1.00
3 to 4' (14" Ball)		1.65	1.50
4 to 5' (15" Ball)		2.25	
5 to 6' (17" Ball)		2.90	
6 to 7' (19" Ball)		3.65	
7 to 8' (21" Ball)		4.35	4.00
8 to 9' (22" Ball)		5.50	5.00
9 to 10' (24" Ball)		7.00	6.50
10 to 11' (25" Ball)		8.75	8.00
11 to 12' (27" Ball)		12.00	
12 to 13' (28" Ball)		15.00	
occidentalis ellwangeriana. Tom Thumb			
15 to 18" (11" Ball)		.85	
1½ to 2' (12" Ball)		1.15	1.00
2 to 3' (13" Ball)	1.90		1.50
occidentalis hoveyi. Hovey Arborvitae-6'			
15 to 18" (11" Ball)	1.10	.85	.75
1½ to 2' (12" Ball)		1.15	1.00
2 to 2½' (13" Ball)	1.65	1.40	1.25
2½ to 3' (15" Ball)		2.00	1.75
3 to 3½' (16" Ball)		2.50	
occidentalis lutea. George Peabody—Gold		orvitae_	-12'
3 to 4' (14" Ball)		1.85	1.60
4 to 5' (15" Ball)		2.75	2.50
5 to 6' (16" Ball)			
6 to 7' (18" Ball)			3.60
7 to 8' (20" Ball)			4.25
8 to 9' (21" Ball)			5.25
9 to 10' (23" Ball)	7.75		
occidentalis plicata. Moss Arborvitae—15			
1½ to 2' (10" Ball)		.90	.80
2 to 2½' (11" Ball)		1.15	1.00
2½ to 3′ (12″ Ball)		1.40	1.25
3 to 4' (13" Ball)	2.00	1.80	1.60
4 to 5' (14" Ball)		2.35	2.10
5 to 6' (16" Ball)		3.00	$\frac{2.75}{2.75}$
6 to 7' (17" Ball)		4.00	
7 to 8' (19" Ball)		5.50	
occidentalis pyramidalis. Pyramidal Arbon			
2 to 2½' (11" Ball)		1.15	1.00
2½ to 3' (12" Ball)		1.40	1.25
3 to 4' (13" Ball)		1.90	$\frac{1.25}{1.75}$
4 to 5' (14" Ball)		2.50	2.25
5 to 6' (16" Ball)		3.30	3.00
6 to 7' (17" Ball)		3.85	3.50
7 to 8' (19" Ball)		5.00	4.50
8 to 9' (20" Ball)		6. 50	1.00
9 to 10' (22" Ball)		8.00	
10 to 11' (23" Ball)		11.00	
11 to 12' (25" Ball)		13.50	
occidentalis reidi. Reid Arborvitae—5'		20,00	
3 to 3½' (16" Ball)	2.75	2.50	2.25
3½ to 4′ (18″ Ball)			
4 to 5' (20" Ball)		4.35	

MILLIA OLI I	1 Deal	E Die ek	05 771-
THUJA—Continued	1 Each	5 Each	25 Each
occidentalis umbraculifera. <i>Umbrella</i> 15 to 18" (11" Ball)			\$.75
1½ to 2' (12" Ball)			φ .73 1.00
$\frac{1}{2}$ to $\frac{2}{6}$ (12 Ball) = 2 to $\frac{2}{6}$ (13" Ball)	1. 4 0	1.50	1.35
2 to 2½' (13" Ball) 3½ to 4' (17" Ball)	3.60	3.25	1.00
occidentalis vervaeneana. Vervaene Ar			
-			0.0
2 to 3' (12" Ball) 3 to 4' (14" Ball)		1.00 1.40	.90
3 to 4' (14" Ball) 4 to 5' (15" Ball)		2.00	$1.25 \\ 1.75$
5 to 6' (17" Ball)		2.50	2.25
6 to 7' (19" Ball)	3.75	3.35	2.20
7 to 8' (21" Ball)		4.50	
8 to 9' (22" Ball)	6.00	5.50	
9 to 10' (24" Ball)	7.75	7.00	
10 to 11' (26" Ball)	10.00	9.00	
11 to 12' (27" Ball)	13.00	11.50	
occidentalis wareana. Ware or Siberia	n Arborvit	tae—12'	
1½ to 2' (11" Ball)	1.00	.80	.70
2 to 2½' (12" Ball)	1.25	1.00	.90
2½ to 3' (13" Ball)	1.65	1.40	1.25
3 to 3½' (14" Ball)		1.75	1.60
3½ to 4′ (15″ Ball)			
4 to 5' (16" Ball)	3.35	3.00	
occidentalis wareana lutescens. Golden Same prices as wareana.			
occidentalis woodwardi. Woodward Gle			
12 to 15" (10" Ball)			.65
15 to 18" (11" Ball)		.85 1.15	
· · · · · · · · · · · · · · · · · · ·	1.10	1.10	1.00
orientalis. Oriental Arborvitae—20'	1.05	1 40	
3 to 4' (13" Ball) 4 to 5' (14" Ball)		$\begin{array}{c} 1.40 \\ 2.00 \end{array}$	1.80
5 to 6' (16" Ball)	2.25	$\frac{2.00}{3.00}$	$\frac{1.00}{2.75}$
6 to 7' (17" Ball)	4.00	3.65	2.10
7 to 8' (19" Ball)	5.00	4.50	
orientalis aurea. Golden Oriental Arbor		du Tune	<u></u> 8′
2 to 3' (12" Ball)		1.65	1.50
3 to 4' (14" Ball)		2.25	
4 to 5' (15" Ball)		3.35	
5 to 6' (16" Ball)		4.40	
6 to 7' (18" Ball)		5.50	1.00
			, , ,
orientalis aurea nana. Berckman's Gol			
9 to 12" (9" Ball)		.90	.80
12 to 15" (10" Ball)			
15 to 18" (11" Ball)	1.80	1.55	1.40
orientalis pyramidalis. Oriental Pyram	idal Arbon	vitae—1	5'
3 to 4' (13" Ball)	1.90	1.65	
4 to 5 '(15" Ball)		2.25	
5 to 6' (17" Ball)			
(2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2			

	·		
TSUGA—canadensis. Hemlock Spruce—75'	1 Each	5 Each	25 Each
1½ to 2' (11" Ball)	¢ 1 25	\$ 1.00	\$.90
2 to 2½' (12" Ball)	-29 1.20 -1.60	$\frac{\varphi}{1.35}$	$\frac{\phi}{1.20}$
2 10 272 (12 Dall) = 211	-2.10	1.85	1.65
2½ to 3′ (14″ Ball)	2.10		
3 to 4' (15" Ball)	2.65	2.40	2.15
4 to 4½' (16" Ball)	3.25	3.00	2.75
4½ to 5' (17" Ball)	-4.25	3.85	3.50
5 to 6' (18" Ball)	5.40	4.90	4.50
6 to 7' (20" Ball)	6.50	6.00	5.50
7 to 8' (23" Ball)		7.50	7.00
8 to 9' (25" Ball)		9.50	8.75
9 to 10' (28" Ball)	1950	12.00	11.00
10 to 11' (30" Ball)	16.00	14.50	
11 to 12' (32" Ball)	19.00	17.00	
12 to 14' (35" Ball)	25.00	22.50	
caroliniana. Carolina Hemlock—50'			
2½ to 3' (14" Ball)	2.50	2.25	2.00
3 to 4' (16" Ball)		3.00	2.75
4 to 5' (17" Ball)	175	4.40	2.16
4 10 0 (11 Dall)	4.10		
5 to 6' (19" Ball)	0.75	6.25	
6 to 7' (21" Ball)	8.25	7.50	6.75
7 to 8' (24" Ball)	10.50	9.50	8.75
8 to 9' (26" Ball)	14.00	12.50	11.50
9 to 10' (29" Ball)		16.00	
10 to 11' (32" Ball)		20.00	
Evergreen Sl	RELL	05	
			25 13a ob
ARCTOSTAPHYLOS—uva-ursi. Bearberry		o Each	25 Each
One of our best ground cover plants—1		Φ 00	A =0
12 to 15" spread (9" Ball)	\$.85		
15 to 18" spread (11" Ball)	1.10	.85	.70
APHNE—cneorum. Garland Flower—18"			
6 to 9" (7" Ball)	50	.40	.35
9 to 12 (8" Ball)	60	.50	.45
12 to 15" (9" Ball)		.75	.65
15 to 18" 10" Ball)	1.15	1.00	.90
mezereum. See Deciduous Shrubs	1.10	1.00	•90
EUONYMUS For other EUONYMUS	noo "Dooi	J., 0112 C1	haraha !!
patens (sieboldi). Spreading Euonymus		idous Si	irubs.
		.35	20
12 to 18"	• 4 0	_	.30
1½ to 2'	55	.45	.40
2 to 2½'	75	.65	.55
radicans. Wintercreeper—Trailing			
9 to 12"	30	.23	.18
12 to 15" _	35	.27	.22
15 to 18"	40	.35	.30
1½ to 2'	50	.45	.40
radicans acutus. Sharpleaf Wintercree		.40	.40
19 + 15"	<i>per</i> 1	25	20
12 to 15"	30	.25	.20
15 to 18"	35	.30	.25
1½ to 2'	45	.40	.35
2 to 2½'	.60	.50	.45
radicans argenteo-marginatus (Variega	ted)		
Silveredge Wintercreeper—2'	,		
9 to 12"	.25	.22	.18
12 to 15"	20		
14 00 10	*241	4.97.	00
15 +0 10"	30	.26	.22
15 to 18"	30 40	.26 .3 5	.22 .30

EUONYMUS—Continued radicans carrierei. Glossy Wintercreeper	1 Eacl r—3'	5 Each	25 Each
9 to 12"	\$.30	\$.25	\$.20
12 to 15"	35	.30	.25
15 to 18"	40	.35	.30
$rac{1}{2}$ to 2 radicans colorata. Red -leaved $Wintercre$.50	.45	.40
12 to 15"		.25	.20
15 to 18"	35	.30	.25
$1\frac{1}{2}$ to $2'_{}$	45	.40	.35
radicans erecta. Upright Wintercreeper	—3'		
12 to 15"	30	.25	.20
15 to 18" 1½ to 2'	40 55	.35	.30
2 to 2½'		.45 .55	.40 .50
radicans vegetus. Bigleaf Wintercreeper	·—4'	.00	.00
9 to 12"		.26	.22
12 to 15'	.40	.35	.30
15 to 18"		.40	.35
1½ to 2′(15″, P. II)		.50	.45
3 to 4', Tree Shape, (15" Ball) 4 to 5', Tree Shape, (17" Ball)	2.75 3.75	2.50 3.50	
ILEX crenata convexa (bullata) Box-leaved			 '—4'
12 to 18" (11" Ball)	$\begin{array}{ccc} i & Jupane \\ -2.00 \end{array}$	$\frac{se}{1.75}$	
18 to 21" (12" Ball)		2.50	
21 to 24" (13" Ball)		3.00	
We consider this to be the headingt of the	o lonon	aga Halla	70
We consider this to be the hardiest of the crenata latifolia. Bigleaf Japanese Holly 1 1½ to 2' (12" Ball)\$ 2 to 2½' (13" Ball)\$ 2½ to 3' (14" Ball) 3 to 3½' (15" Ball)	Each 5 1.90 \$ 2.50 3.00	Each 25	5 Each
crenata latifolia. Bigleaf Japanese Holly 1½ to 2' (12" Ball)\$ 2 to 2½' (13" Ball) 2½ to 3' (14" Ball) 3 to 3½' (15" Ball) glabra. Inkberry—5'	Each 5 1.90 \$ 2.50 3.00 3.85	Each 25 1.65 \$ 2.25 2.75 3.50 5 Each	5 Each 1.50 2.00 2.50 3.25
crenata latifolia. Bigleaf Japanese Holly 1½ to 2' (12" Ball)	Each 5 1.90 \$ 2.50 3.00 3.85 1 Each -\$ 1.35	Each 25 1.65 \$ 2.25 2.75 3.50 5 Each \$ 1.10	5 Each 1.50 2.00 2.50 3.25 25 Each \$ 1.00
crenata latifolia. Bigleaf Japanese Holly 1½ to 2' (12" Ball)\$ 2 to 2½' (13" Ball) 2½ to 3' (14" Ball) 3 to 3½' (15" Ball) glabra. Inkberry—5' 12 to 15" (10" Ball) 15 to 18" (11" Ball)	Each 5 1.90 \$ 2.50 3.00 3.85 1 Each -\$ 1.35 - 1.65	Each 25 1.65 \$ 2.25 2.75 3.50 5 Each \$ 1.10 1.40	Each 1.50 2.00 2.50 3.25 25 Each \$ 1.00 1.25
crenata latifolia. Bigleaf Japanese Holly 1½ to 2' (12" Ball)\$ 2 to 2½' (13" Ball) 2½ to 3' (14" Ball) 3 to 3½' (15" Ball) glabra. Inkberry—5' 12 to 15" (10" Ball) 15 to 18" (11" Ball) 1½ to 2' (12" Ball)	Each 5 1.90 \$ 2.50 3.00 3.85 1 Each -\$ 1.35 -\$ 1.65 -\$ 2.25	Each 25 1.65 \$ 2.25 2.75 3.50 5 Each \$ 1.10 1.40 2.00	5 Each 1.50 2.00 2.50 3.25 25 Each \$ 1.00
crenata latifolia. Bigleaf Japanese Holly 1½ to 2' (12" Ball)\$ 2 to 2½' (13" Ball)\$ 2½ to 3' (14" Ball) 3 to 3½' (15" Ball) glabra. Inkberry—5' 12 to 15" (10" Ball) 15 to 18" (11" Ball) 2 to 2½' (12" Ball)	Each 5 1.90 \$ 2.50 3.00 3.85 1 Each -\$ 1.35 -\$ 1.65 -\$ 2.25	Each 25 1.65 \$ 2.25 2.75 3.50 5 Each \$ 1.10 1.40	Each 1.50 2.00 2.50 3.25 25 Each \$ 1.00 1.25
crenata latifolia. Bigleaf Japanese Holly 1½ to 2' (12" Ball)	Each 5 1.90 \$ 2.50 3.00 3.85 1 Each -\$ 1.35 - 1.65 - 2.25 - 2.75	Each 25 1.65 \$ 2.25 2.75 3.50 5 Each \$ 1.10 1.40 2.00	Each 1.50 2.00 2.50 3.25 25 Each \$ 1.00 1.25
crenata latifolia. Bigleaf Japanese Holly 1½ to 2' (12" Ball)	Each 5 1.90 \$ 2.50 3.00 3.85 1 Each -\$ 1.35 - 1.65 - 2.25 - 2.75	Each 25 1.65 \$ 2.25 2.75 3.50 5 Each \$ 1.10 1.40 2.00 2.50	Each 1.50 2.00 2.50 3.25 25 Each \$ 1.00 1.25 1.75
crenata latifolia. Bigleaf Japanese Holly 1½ to 2' (12" Ball) \$ 2 to 2½' (13" Ball) \$ 2½ to 3' (14" Ball) \$ 3 to 3½' (15" Ball) \$ glabra. Inkberry—5' \$ 12 to 15" (10" Ball) \$ 1½ to 2' (12" Ball) \$ 2 to 2½' (13" Ball) \$ opaca. American Holly—20' \$ 2 to 3' (14" Ball) \$ 3 to 4' (16" Ball) \$ KALMIA—angustifolia. Lambkill—6' \$ 1½ to 2' (12" Ball) \$ KALMIA—angustifolia. Lambkill—6'	1.90 \$ 2.50 3.00 3.85 1 Each -\$ 1.35 - 2.25 - 2.75 - 2.50 - 3.75	Each 25 1.65 \$ 2.25 2.75 3.50 5 Each \$ 1.10 1.40 2.00 2.50 2.25	Each 1.50 2.00 2.50 3.25 25 Each \$ 1.00 1.25 1.75
crenata latifolia. Bigleaf Japanese Holly 1½ to 2' (12" Ball)\$ 2 to 2½' (13" Ball) 2½ to 3' (14" Ball) 3 to 3½' (15" Ball) glabra. Inkberry—5' 12 to 15" (10" Ball) 15 to 18" (11" Ball) 2 to 2½' (12" Ball) 2 to 2½' (13" Ball) 2 to 3' (14" Ball) 3 to 4' (16" Ball) KALMIA—angustifolia. Lambkill—6' 1½ to 2' (12" Ball) latifolia. Mountain-laurel—7'	Each 5 1.90 \$ 2.50 3.00 3.85 1 Each -\$ 1.35 - 1.65 - 2.25 - 2.75 - 2.50 - 3.75	Each 28 1.65 \$ 2.25 2.75 3.50 5 Each \$ 1.10	5 Each 1.50 2.00 2.50 3.25 25 Each \$ 1.00 1.25 1.75
crenata latifolia. Bigleaf Japanese Holly 1 ½ to 2' (12" Ball)\$ 2 to 2½' (13" Ball) 2½ to 3' (14" Ball) 3 to 3½' (15" Ball) glabra. Inkberry—5' 12 to 15" (10" Ball) 15 to 18" (11" Ball) 2 to 2½' (12" Ball) copaca. American Holly—20' 2 to 3' (14" Ball) 3 to 4' (16" Ball) KALMIA—angustifolia. Lambkill—6' 1½ to 2' (12" Ball) latifolia. Mountain-laurel—7' 1½ to 2' (12" Ball) 2 to 2½' (13" Ball)	Each 5 1.90 \$ 2.50 3.00 3.85 1 Each -\$ 1.35 - 1.65 - 2.25 - 2.75 - 2.50 - 3.75 - 2.50 - 3.75	Each 25 1.65 \$ 2.25 2.75 3.50 5 Each \$ 1.10 1.40 2.00 2.50 2.25 3.35	5 Each 1.50 2.00 2.50 3.25 25 Each \$ 1.00 1.25 1.75 1.50
crenata latifolia. Bigleaf Japanese Holly 1 ½ to 2' (12" Ball)	1.90 \$ 2.50 3.00 3.85 1 Each -\$ 1.35 - 1.65 - 2.25 - 2.75 - 2.50 - 3.75 - 2.50 - 3.75	Each 28 1.65 \$ 2.25 2.75 3.50 5 Each \$ 1.10 1.40 2.00 2.50 2.25 3.35 1.75 1.65 2.25 3.00	5 Each 1.50 2.00 2.50 3.25 25 Each \$ 1.00 1.25 1.75 1.50 2.00 2.70
crenata latifolia. Bigleaf Japanese Holly 1 1½ to 2' (12" Ball)	Each 5 1.90 \$ 2.50 3.00 3.85 1 Each -\$ 1.35 - 1.65 - 2.25 - 2.75 - 2.50 - 3.75 - 2.50 - 3.75 - 4.50	Each 28 1.65 \$ 2.25 2.75 3.50 5 Each \$ 1.10 1.40 2.00 2.50 2.25 3.35 1.75 1.65 2.25	5 Each 1.50 2.00 2.50 3.25 25 Each \$ 1.00 1.25 1.75 1.50 2.00
crenata latifolia. Bigleaf Japanese Holly 1 1½ to 2' (12" Ball)	1.90 \$ 2.50 3.00 3.85 1 Each -\$ 1.35 - 1.65 - 2.25 - 2.75 - 2.50 - 3.75 - 2.50 - 3.75 - 4.50 hoe—6'	Each 28 1.65 \$ 2.25 2.75 3.50 5 Each \$ 1.10 1.40 2.00 2.50 2.25 3.35 1.75 1.65 2.25 3.00 4.00	5 Each 1.50 2.00 2.50 3.25 25 Each \$ 1.00 1.25 1.75 1.50 2.00 2.70
crenata latifolia. Bigleaf Japanese Holly 1 1½ to 2' (12" Ball)	1.90 \$ 2.50 3.00 3.85 1 Each -\$ 1.35 - 1.65 - 2.25 - 2.75 - 2.50 - 3.75 - 2.00 - 1.90 - 2.50 - 3.35 - 4.50 hoe—6' - 1.35	Each 28 1.65 \$ 2.25 2.75 3.50 5 Each \$ 1.10 1.40 2.00 2.50 2.25 3.35 1.75 1.65 2.25 3.00 4.00 1.10	5 Each 1.50 2.00 2.50 3.25 25 Each \$ 1.00 1.25 1.75 1.50 2.00 2.70 1.00
crenata latifolia. Bigleaf Japanese Holly 1 ½ to 2' (12" Ball)	1.90 \$ 2.50 3.00 3.85 1 Each -\$ 1.35 - 1.65 - 2.25 - 2.75 - 2.50 - 3.75 - 2.50 - 3.75 - 1.90 - 2.50 - 3.35 - 4.50 hoe—6' - 1.35 - 1.65	Each 28 1.65 \$ 2.25 2.75 3.50 5 Each \$ 1.10 1.40 2.00 2.50 2.25 3.35 1.75 1.65 2.25 3.00 4.00 1.10 1.40	5 Each 1.50 2.00 2.50 3.25 25 Each \$ 1.00 1.25 1.75 1.50 2.00 2.70 1.00 1.25
crenata latifolia. Bigleaf Japanese Holly 1 1½ to 2' (12" Ball)	1.90 \$ 2.50 3.00 3.85 1 Each -\$ 1.35 - 1.65 - 2.25 - 2.75 - 2.50 - 3.75 - 2.00 - 1.90 - 2.50 - 3.35 - 4.50 hoe—6' - 1.35 - 1.65 - 2.15	Each 28 1.65 \$ 2.25 2.75 3.50 5 Each \$ 1.10 1.40 2.00 2.50 2.25 3.35 1.75 1.65 2.25 3.00 4.00 1.10	5 Each 1.50 2.00 2.50 3.25 25 Each \$ 1.00 1.25 1.75 1.50 2.00 2.70 1.00

MAHONIA—aquifolium. Oregon Hollygrape—5' 1 Ea	ch 5 Each 25	Each
12 to 15" (10" Ball)\$ 1.10) \$.85 \$.75
15 to 18" (11" Ball) 1.38		1.00
PACHYSTIMA—canbyi. Canby Pachystima—10".		
box with tiny evergreen foliage; excellent for g	round cover, r	cock-
ery or wall crevices; likes moisture.		~~
2½" Pot plants3	.30	.25
PACHYSANDRA—terminalis. Japanese		
Spurge—Evergreen ground cover—10"	2 .08	06
1 year (\$50.00 per 1000)12 2 years (\$70.00 per 1000)12		.06
$2 \frac{1}{4}$ Pot Plants (\$50.00 per 1000)13		.06
PIERIS—floribunda. (Andromeda floribunda).	.00	.00
-Mountain Andromeda-3'		
15 to 18" (11" Ball) 1.90	1.65	1.50
1½ to 2' (12" Ball) 2.50		2.00
2 to 2½' (13" Ball) 3.00		
japonica. Japanese Andromeda-4'		
15 to 18" (11" Ball) 1.9	1.65	1.50
1½ to 2' (12" Ball) 2.50	2.20	2.00
2 to 2½' (13" Ball) 2.7	5 2.50	2.25
2½ to 3′ (15″ Ball) 3.3	3.00	2.75
RHODODENDRON carolinianum. Carolina Rhodod	lendron—6'	
12 to 18" (11" Ball) 1.9		1.50
1½ to 2' (12" Ball) 2.5		
2 to 2½′ (13″ Ball) 3.3	5 3.00	
catawbiense. Lavender Pink-6'		. ~ 0
12 to 18" (11" Ball) 1.9		1.50
1½ to 2′ (12″ Ball) 2.5		2.00
2 to 3' (13" Ball) 3.1	2.85	2.60
hybridum. (Named Colors).	0.75	0.50
1½ to 2′ (11″ Ball) 3.0		2.50
2 to $2\frac{1}{2}$ ' (13" Ball) 4.1 maximum. Rosebay Rhododendron—8'	3.75	3.40
12 to 18" (11" Ball) 1.6	5 1.40	1.25
1½ to 2' (12" Ball) 2.0		1.60
	2.35	2.10
3 to 4' (15" Ball) 3.5		2.90
	0.20	2.00
Vines		
ACTINIDIA—arguta. Bower Actinidia 1 Eac	h 5 Each 25	Each
2 years\$.3		.25
3 years4		.30
AKEBIA—quinata. Fiveleaf Akebia		.00
2 years3	0 .25	.20
3 years3		.25
AMPELOPSIS— heterophylla. Porcelain Ampelops		
		.25
2 years3 het. amurensis maximowiczi4	.4 0	.35
quinquefolia. Virginia Creeper		
1 year (\$70.00 per 1000)1		.06
2 years (\$90.00 per 1000)2	.13	.09
3 years2	5 .18	.14
quinquefolia engelmanni		0.0
	5 .10	.06
	0 .13	.09
3 years2	5 .18	.14

AMPELOPSIS—Continued	1 Each	5 Each	25 Each
tricuspidata (veitchi.) Boston Ivy			
2 years, medium (\$90.00 per 1000)\$.18	\$.14	\$.11
2 years (\$130.00 per 1000)		•	
	.20	.17	.14
3 years (\$180.00 per 1000)	.30	.25	.20
tricuspidata lowi. Geranium Ivy			
Pot Plants	.45	.40	.35
ARISTOLOCHIA sipho. Dutchmans-pipe		• • •	•00
12 to 18"	.40	.35	20
1½ to 2'		_	.30
	.45	.40	.35
BIGNONIA grandiflora. Chinese Trumpetcreep	er		
2 years	.50	.40	.35
radicans. Trumpetcreeper			
2 years, medium (\$65.00 per 1000)	.15	.11	.08
2 years (\$ 80.00 per 1000)			
	.20	.14	.10
3 years (\$125.00 per 1000)	.25	.20	.15
CELASTRUS—			
orbiculatus. Oriental Bittersweet			
2 years, medium (\$70.00 per 1000)	.15	.11	.08
2 years (\$100.00 per 1000)	.20	.16	.12
3 years	.30	.23	.18
scandens. American Bittersweet			
2 years medium (\$70.00 per 1000)	.15	.11	.08
2 years (\$100.00 per 1000)	.20	.16	.12
3 years	.30	.23	.18
CLEMATIS paniculata. Sweet Autumn Clemat		.20	.10
		20	4.0
2 years	.25	.20	.16
hybrid Crimson King. New mammoth			
vinous red. June to September	.75	.65	.60
hybrid Duchess of Edinburg	.45	.40	.35
hybrid Edouard Andre. Single bright red	.45	.40	.35
hybrid henryi. Single white			
	.45	.40	.35
hybrid jackmani. Single purple	.45	.40	.35
lawsoniana. Blue flushed mauve. June to			
September	.75	.65	.60
texensis syn. coccinea. Scarlet Clematis	.45	.40	.35
HEDERA helix—English Ivy	• • •	• • •	.00
	20	.25	20
2 years (\$160.00 per 1000)	.30	.20	.20
HYDRANGEA petiolaris. Climbing Hydranged			
3" Pots, 12 to 18" 3" Pots, 18 to 24"	.45	.40	.35
3" Pots, 18 to 24"	.50	.45	.40
LONICERA			
aureoreticulata. Yellownet Japanese Honey	ienchlo		
			15
2 years	.25	.20	.15
3 years	.30	.25	.20
Goldflame Honeysuckle. (Trade Mark).			
Flame-coral trumpets lined with gold.			
Blooms abundantly from May until			
frost. 2 years (25c ea., in 250 lot)	.40	.35	.30
11050. 2 years (200 ea., III 200 100)	•**	.00	.00
halleana. Hall Japanese Honeysuckle			
	20	15	10
2 years (\$80.00 per 1000)	.20	.15	.10
henryi. Henry Honeysuckle			~~
2 years	.45	.40	.35

Secure a supply of Truehedge Columnberry

America's greatest plant sensation.

LONICERA—Continued	1 Each	5 Each	25 Each
periclymenum belgica. Dutch Woodbine			
2 years	\$.25	\$.20	\$.16
3 years	.30	.25	.20
sempervirens. Scarlet Trumpet Honeysuc	kle		
2 years	25	.20	.15
3 years	30	.25	.20
LYCIUM—chinense. Chinese Matrimonyvine			
2 years	20	.15	.10
POLYGONUM—auberti. China Fleecevine			
2 years, medium	.25	.20	.15
2 years		.23	.18
SCHIZOPHRAGMA—hydrangeoides. Japanes			
Hydrangea-vine			
3" Pots, 12 to 18"	45	.40	.35
3" Pots, 12 to 18"	50	.45	.40
VINCA—minor. Periwinkle or Myrtle			
Strong plants (\$45.00 per 1000)	12	.087	. 06
minor Bowles Variety.			
1 year (\$70.00 per 1000)	.15	.10	.08
VITIS aestivalis. Summer Grape			
2 years	35	.30	.25
coignetiae. Gloryvine			
2 years	40	.35	.30
cordifolia. Frost or Winter Grape			
2 years	35	.30	.25
rotundifolia. Muscadine Grape			
2 years	40	.35	.30
WISTERIA floribunda rosea. Rosy Weeping			
2 yearsfrutescens magnifica. Yelloweye Wisteria	65	.55	.50
frutescens magnifica. Yelloweye Wisteria	-Blue	2.0	4.0
2 years	.30	.23	.18
sinensis. Chinese Purple Wisteria	٥.	0.0	25
2 years (Grafted)		.30	.25
3 years (Grafted)	45	.40	.35
sinensis alba. Chinese White Wisteria	05	9.0	25
2 years (Grafted) 2 years (Grafted) 2 years (Grafted) 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	35		.25 .35
0 (() () 1)			

Roses-Hybrid Tea

Prices are for Strong 2 yrs. No. 1 grade. 2 yrs. No. 1½ medium grade deduct 30%. Patented varieties in No. 1 grade only

ALEZANE. Plant Patent No. 116.	Each	5 Each	25 Each
(Retails \$1.25 each; \$12.50 per dozen).			
Sorrel to rich apricot\$.75	\$.70	\$.60
AMELIA EARHART. Plant Patent No. 63.			
(Retails \$1.25 each; \$12.50 per dozen).			
New Deep yellow to cream with blush			
overtone	.75	.70	.60
Ami Quinard. Crimson on maroon	.30	.26	.22
ANGELS MATEU. Plant Patent No. 175.			
(Retails \$1.25 each; \$12.50 per dozen).			
Old Rose flushed orange	.90	.75	.60
Autumn. Burnt orange and red	.30	.25	.20
Betty Uprichard. Salmon pink	.30	.25	.20

ROSES—Hybrid Tea—Continued			
•	Each	5 Each	25 Each
(Retails 85c each; \$8.50 per dozen).			
Long pointed orange-scarlet bud			
opening to coral-flame\$.50	\$.45	\$.40
Catherine Kordes. Glowing scarlet	.35	.30	.25
Christopher Stone. Vivid scarlet-crimson	.45	.40	.35
Condesa de Sastago. Copper and yellow	.30	.26	-
COUNTESS VANDAL. Plant Patent No. 3			•22
(Retails \$1.00 each; \$10.00 per dozen)			
New. Blended copper, salmon and gold	.60	.55	.50
CRIMSON GLORY. Plant Patent No. 105.		•00	.00
(Retails \$1.25 each; \$12.50 per dozen).			
Velvety crimson shaded with deep red	.75	.70	.60
Dainty Bess. Single, ruflled, soft pink	.35	.30	.25
Dame Edith Helen. Pure pink	.30	.26	.22
Director Rubio. Rosepink; large	.40	.32	.27
Duquesa de Peneranda. Early flowers rich	• 20	.02	.21
coppery apricot. Autumn flowers			
beautiful cinnamon peach	.40	.35	.30
ECLIPSE. Plant Patent No. 172.	•40	.00	•00
(Retails \$1.25 each; \$12.50 per dozen).			
Rich golden yellow	.75	.70	.60
Edel. White, shaded ivory	.35	.30	.25
Edith Nellie Perkins. Rich salmon pink_	.30	.26	.25
Editor McFarland. New. Brilliant pink	.30	.25	.22
E. G. Hill. Massive blooms of deep ma-	.00	.20	.44
	.30	.25	20
roon. Very fragrant	.50	.20	.20
Etoile de Hollande. Finest velvety crim-	.30	95	90
Son		.25	•
Frederico Cazas. Coppery pink and orange	.40	.35	.30
GLOAMING. Plant Patent No. 137.			
(Retails \$1.00 each; \$10.00 per dozen)	•		
Of unusual coloring, fawn-orange			
in bud; full blooms-pink overlaid sal-	CO	77	50
mon	.60	.55	.50
Golden Dawn. Sunflower yellow	.30	.25	.20
GOLDEN MAIN. Plant Patent No. 254.			
(Retails \$1.25 each; \$12.50 per dozen).		70	0.0
Pure dandelion yellow	.75	.70	.60
GOLDEN SASTAGO. New. Clear buttercu	_		0.0
Deliciously fragrant	.75	.70	.60
GOLDEN STATE. Plant Patent No. 303.			
(Retails \$1.50 each, \$15.00 per dozen).	4 0 =	1 00	
Buds buff-yellow opening to orange	1.25	1.00	.75
Grenoble. Pure scarlet	.30	.25	.20
Gruss an Teplitz. Brilliant crimson	.30	.25	.20
Heinrick Wendland. Golden yellow and			
nasturtium red	.35	.30	.25
Imperial Potentate. Dark rose-pink	.35	.30	.25
Joanna Hill. Indian yellow center,			
surrounded by bold cream petals	.30	.25	.20
Joyous Cavalier. Red. Very free bloomer	.35	.30	.25
Kardinal Piffl. Glorious orange pink	.40	.35	.30
K. A. Viktoria. Pure white. Double	.30		.2 2
Konigin Carola. Silver-pink	.35	.30	.25
Lady Margaret Stewart. Yellow veined			
copper	.35	.30	.25

ROSES—HYBRID TEA—Continued	1 Each	5 Each	25 Each
Leonard Barron. Mammoth salmon-rose			
with amber glow\$.35	\$.30	\$.25
Luna. Moonlight yellow	.40	.35	.30
Margaret McGredy. Brilliant red petals			
on hinges of deep gold	.30	.25	.20
McGredy's Scarlet. Velvety scarlet	.30	.25	.20
McGREDY'S SUNSET. Plant Patent No.	317.		
Buttercup yellow tipped orange on the			
outside, chrome yellow flushed scarlet			
on the inside	1.00	.90	.75
Mevrouw G. A. Van Rossem. Brownish			
yellow, shaded apricot pink	.30	.25	.20
Miss Rowena Thom. Satiny pink. shaded			
orange-flame at the center	.30	.25	.20
MME. COCHET-COCHET. Plant Patent N		9.	
(Retails \$1.00 each; \$10.00 per dozen)	•		
Salmon pink with silvery sheen	.70	.60	.50
MME. HENRI GUILLOT. Plant Patent No	. 337		
Watermelon pink	1.00	.90	.75
Mme. Joseph Perraud. Buff, flushed shell-			
pink	.50	.40	.35
Mme. Jules Bouche. White with primrose			
center	.30	.25	.20
Mrs. E. P. Thom. Deep golden yellow	.30	.25	.20
Mrs. Henry Morse. Bright pink with sil-			
very shading	.30	.26	.22
Mrs. Pierre S. DuPont. Golden yellow	.30	.25	.20
Mrs. Sam McGredy. Coppery scarlet-or-			
ange	.40	.35	.30
National Flower Guild. Rich crimson	.35	.30	.25
Nuntius Pacelli. Fragrant white	.40	.35	.30
President Herbert Hoover. Beautiful suf-	9.0	0.5	20
fusion of maroon, orange, and gold	.30	.25	.20
President Plumecocq. soft coppery yellow	27	.32	.27
and salmon	.37	.04	.41

NORTHERN GROWN ROSES

Our trade recognizes the uniform quality, hardiness, and "trueness to name" of Cole's Painesville Grown roses. We have guarded this reputation zealously and have gone to no end of labor to see that we had an ample crop for our regular customers in the face, many times, of adverse economic, trade, and weather conditions.

We hope you will bear in mind the conditions herein mentioned when selecting your source of supply.

1	Each	5 Each	25 Each
Radiance. Rosy carmine\$.30		
RADIO. Plant Patent No. 197.			1 1-0
Yellow striped and marked carmine	.70	.60	.50
RAMON BACH. Plant Patent No. 366.			
Apricot buff. Vigorous	1.00	.90	.75
Red Radiance. Rose red	.30	.25	.20

ROSES—HYBRID TEA—Continued REX ANDERSON. Plant Patent No. 335. (Retails \$1.50 each, \$15.00 per dozen). Mammoth. Cream turning to pure	Each	5 Each	25 Each
white\$ 1 R. M. S. QUEEN MARY. Plant Patent No. (Retails \$1.50 each, \$15.00 per dozen). A blending of rich, glowing salmon with exquisite pure pink, orange base.	00 249.	\$.90	\$.75
Full flowers, delicately perfumed, free- ly produced on vigorous plants 1 Rouge Mallerin. Rich velvety scarlet. One	.00	.90	.75
of most striking of the newer roses Schwabenland. Rose-pink SIGNORA. Plant Patent No. 201. (Retails \$1.25 each; \$12.50 per dozen).	.40 .35	.35 .30	.30 .25
Senora Gari. Buff apricot	.75 .40	.70 .35	.60 .30
Soeur Therese. Chrome yellow	.40	.35	.30
Vaterland. Rich scarlet-maroon	.35 .35 .35	.30 .30 .30	.25 .25 .25
OUR ARE A ROLL A	.65 98.	.55	.50
orous plants	.60 .30	.55 .25	.50 .22
Druschki Rubra. Bright crimson\$	ach .40 .30	5 Each \$.35 .25	25 Each \$.30
General Jacqueminot. Crimson red Henry Nevard. New. Crimson scarlet	.30 .35 .30	.25 .30 .25	.20 .20 .25 .22
M. P. Wilder. Dark red Mrs. John Laing. Soft pink	.30 .30	.25 $.25$.20 .20
Pres Briand. Bright pink POLYANTHA	.30 .3 5	.30	.20 .2 5
(Retails \$.75 each; \$7.50 per dozen).	Each		25 Each
	.45 .50	\$.40 .45	\$.35 .40
pink Cole's Pink Lafayette. A light pink	.35	.30	.25
Eblouissant. Deep red	.35 .35 .30	.30 .30 .25	.25 .25 .20
Golden Salmon. Bright orange-salmon. A most worth-while novelty	.30	.25	.20
Joseph Guy. (Lafayette). Striking cherry- crimson. Large flowers; free bloomer	.30	.25	.20

ROSES—POLYANTHA—Continued	1 Each	5 Each	25 Each
Kirsten Poulsen. Single, bright scarlet\$		\$.25	
LAFAYETTE IMPROVED.		,	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Glowing red suffused crimson	.40	.35	.30
Marie Pavie. White with rose-center	.35	.30	.25
ORANGE TRIUMPH.			
Clusters of double orange scarlet	40	25	20
flowersPERMANENT WAVE. Plant Patent No. 1	.40	.35	.30
(Retails \$75 each \$7.50 per dozen).			
Rose pink with waved edges	.45	.40	.35
Pink Gruss an Aachen. Deep salmon-rose	.35	.30	.25
SNOWBANK. Plant Patent No. 279.			
(Retails \$ 85 each; \$8.50 per dozen).			
Blush white turning to pure white	.50	.45	.40
Climbing and Rambler	Ro	ses	
	Each	5 Each	25 Each
American Pillar. Large, single rosy pink_\$.28	\$.23	\$.18
BLAZE. New Everblooming Pauls Scar-		7 123	Ψ 120
let. Plant Patent No. 10.			
(Retails \$1.00 each; \$10.00 per dozen)		.5 5	.50
Climbing American Beauty. Large pink	.30	.25	.20
Doctor Van Fleet. Double flesh pink	.30	.25	.20
Dorothy Perkins. Pink	.30	.25	.20
DOUBLOONS. Plant Patent No. 152. (Retails \$1.50 each; \$15.00 per dozen)			
Double cupped, rich gold	1.00	.90	.75
ELEGANCE. Pat. applied for.	1.00		.10
Spectrum yellow with recurring pe-			
tals	.60	.55	.50
FLASH. Pat. applied for.	•		
Everblooming. Luminous orange scar-			
let	.65	.55	.45
GOLDEN GLOW. Plant Patent No. 263.			
Golden yellow. Very profuse and hardy	.65	.60	.50
Jacotte. Coppery yellow tinted coppery red	.35	.30	.25
MME. GREGOIRE STAECHELIN.	.00	.00	.20
Crimson buds; pale pink flowers	.35	.30	.25
Max Graf. Trailing Rugosa. Large waxy			
single pink flowers. Glossy foliage	.30	.25	.20
Pauls Scarlet Climber	.30	.25	.20
PRINCESS VAN ORANGE. Plant Patent N		6.	
(Retails \$1.00 each; \$10.00 per dozen). Salmon-red	.65	.55	.50
Prosperity. Everblooming. White	.35	.30	.25
Reveil Dijonnais. Light yellow edged car-	.00	•00	.40
mine, crimson and scarlet	.60	.55	.50
Silver Moon. Large single white	.30	.26	.22
THE NEW DAWN. Plant Patent No. 1			
(Retails \$1.50 each; \$15.00 per dozen)			
New. Everblooming Dr. Van Fleet	1.00	.85	.75
HYBRID RUGOSA 1	Each	5 Each	25 Each
C. F. Meyer. Double velvety pink\$.30	\$.25	\$.20
F. J. Grootendorst. Crimson	.30	.25	.20
Hansa. Dark wine-red	.30	.25	.22

•			
ROSES—HYBRID RUGOSA—Continued Max Graf. See Ramblers.	1 Each	5 Each	25 Each
Mme. Georges Bruant. Double white\$ Pink Grootendorst. Double pink Rosa Rugosa. See Rose Species.		\$.30	\$.25 .22
Sir Thos. Lipton. Snowy white	.32	.27	.22
AUSTRIAN BRIER	25	90	05
Persian Yellow	.35	.30	.25
Rose Species			
ROSA blanda. Meadow Rose—4'			25 Each
1½ to 2'\$.30	\$.25	\$.20
cinnamomea. Cinnamon Rose—5' 2 years	.50	.45	.40
hugonis. Golden Rose of China—6'	20	೧೯	90
1½ to 2′	.30 .40	.25 .35	
humilis. Pasture Rose—5'	• • • •	.00	
1½ to 2'	.28	.23	.18
2 to 3'	.35	.30	
3 to 4'	.45	.40	.35
lucida. Virginia Rose. Light pink flowers—		01	177
12 to 18"1½ to 2'	.25 .30	.21 .25	
2 to 3'	.40	.35	.30
multiflora japonica. Japanese Rose. Single rose-pink—8'			
2 to 3'			
3 to 4'	.30	.26	.22
4 to 5' 5 to 6'	.40 .45	.35	.30 .35
nitida. Bristly Rose—4'	.40	.40	.00
1½ to 2'	.30	.26	.22
2 to 3'	.40	.35	.30
palustris. (Carolina). Swamp Rose—5'			
12 to 18"	.25	.21	.17
1 ½ to 2'	.30 .35	.25	.20 .25
rouletti-New Swiss Rock Garden	.00	.00	.20
Rose—8". Small double rose-pink			
flowers in profusion all year; small	٥٢	90	0=
dense foliage; 3" pots	.35	.30	.25
rubiginosa. Sweetbriar—6' 2 to 3'6'	.30	.25	.22
3 to 4'	.40	.32	.27
4 to 5'	.45	.40	.35
rubrifolia. Redleaf Rose—5'			
2 to 3'	.35	.30	.25
3 to 4'	.45	.40	.35
4 to 5'	.50	.45	.40
rugosa. Rugosa Rose—5' 12 to 18"	.25	.21	.17
1½ to 2′	.30	.25	.20
2 to 3'	.40	.35	.30

TODE DI BOLED—Continuca	Each	5 Each	25 Each
setigera. Prairie Rose. Deep pink—6' 12 to 18"\$.20	\$.16	\$.12
1½ to 2'	.25	.20	.15
2 to 3'	.28	.23	.18
3 to 4'	.30	.25	.20
4 to 5'	.40	.35	.30
wichuriana—Memorial Rose. Trailing			
2 years, Medium	.22	.18	.14
2 years, No. 1	.25	.21	.17
. 3 years, No. 1	.35	.30	.25

Peonies

Price	s for strong 3-5 eye divisions. 3 yr. undivided clumps at t	wice the	se prices
Ratin	g Variety Description	5 Each	25 Each
8.4	Chestine Gowdy. Large, light rose, creamy white collar. Late	.\$.20	\$.16
8.1	Couronne d'Or. White, light yellow center; mid-		
	season	20	.15
8.4	Felix Crousse. Brilliant crimson; late midseason	.17	.12
8.9	Georgiana Shaylor. Very large. Light rose pink;		
	late midseason		.45
8.5	Germaine Bigot. Light rose-pink; midseason	.17	.12
8.8	Karl Rosenfield. Bright crimson; midseason		.22
8.8	Kelway's Queen. Large, bright rose-pink; late mid-		•
	season	75	.65
9.2	La Fee. Very large, light old-rose-pink; early mid-		
	season		.30
8.1	Livingstone. Large old-rose pink; late		,16
7.8	Lord Kitchener. Red	25	.20
8.6	Marchioness of Landsdowne. Large, brilliant, rose-		20
0.0	pink; midseasonMarie Crousse. Pale pink, shaded rose; midseason	25	.20
8.9	Marte Crousse. Pale pink, snaded rose; midseason	.22	.17
7.8	Marquis C. Lagergrin. Red	25	.20
7.9 8.5	Mme. Ducel. Pale rose, silvery sheen; midseason		.15 .15
9.2	Mme. Emile Galle. Rose-pink; late Mons. Jules Elie. Light rose-pink; early	20	.13
8.5	Octavie de May. Light rose-pink; early midseason		.15
8.6	Primevere. Sulphur yellow; midseason		.25.
8.7	Reine Hortense (President Taft). Rose-pink; mid-	00	•20
···	season	0.0	.25
7.2	Rubra Superba. Bright crimson; very late		.20
9.0	Sarah Bernhardt. Rose-pink; late		.25
7.9	Simonne Chevalier. Pink; midseason		.16
9.3	Walter Faxon. Vivid shell-pink; midseason		.35
	Red, pink, white or mixed	15	.10

Single and Japanese Peonies

	Fusyama. Flesh-pink\$.85	\$.75
8.6	Mikado. Dark, dull crimson; midseason	.75	.65
7.5	Mistral. Carmine; midseason	.75	.65

Perennial Plants

Items starred (*) are useful for rock garden planting.

ACHILLEA—	5 Each	25 Each
Cerise Queen. Cherry red. June—2'	\$ 09	§ .07
*The Pearl. White. June to August—2'	09	.07
ACONITUM—		•••
fischeri. Dwarf. Dark-blue. August—2½'	.20	.15
Spark's Variety. Violet-blue; July and August	.25	.20
wilsoni. Wilson Monkshood. Mauve. Fall-Flowering	r S	
-6'	.20	.15
*AJUGA—reptans. Carpet Bugle. Blue. May—4"	$.12\frac{1}{2}$.10
ALTHAEA—rosea. Hollyhock—6'	0.0	0.5
Double pink, red, white, yellow, salmon—6'		.07
Imperator. Double, fringed, mixed colors—6'*ALYSSUM—	.12½	.10
*argentum. Silver Alyssum. Yellow. Summer—15"	.09	.07
*rostratum. Yellowhead Alyssum. Yellow. June,		
July—12"	09	.07
saxatile compactum. Yellow. May—1'	09	.07
serpyllifolium. Dwarf Pale yellow. May—6"	$12\frac{1}{2}$.10
ANCHUSA—italica. Blue. June to Sept.—3'		.10
*mysotidiflora. Bright Blue. May—1'	15	.12
ANEMONE— *hupehensis. Early Anemone. Dwarf. Mauve rose		
Sept. 1'	101/	.10
japonica alba. Large white. Fall—2½′		.10
" Queen Charlotte. Rose. Fall—2½'	.15	.12
" Rubra. Red. Fall—2½′		.10
" Whirlwind. Pure white. Fall—2½'	.15	.12
*pulsatilla Lilac. Pasqueflower. April, May—1'		.10
*pulsatilla rubra. Red Pasqueflower. April, May—1		.10
ANTHEMIS—	1.0	00
*montana. White $-1'$ AQUILEGIA $-(Columbine)$	10	.08
chrysantha. Yellow. June $2\frac{1}{2}$ '	09	.07
chrysantha. Silver Queen. White. June—2½'		.10
Crimson Star. Crimson. May, June—2'	$\frac{12}{2}$.12
*coerulea. Blue. June—1½′	.121/2	.10
Dobbies Imperial Hybrids. Mixed colors. May		· · · ·
June—1'	$-12\frac{1}{2}$.10
Farquhar's Pink—2½′	$12\frac{1}{2}$.10
Long Spurred Blue. May, June—2'	10	.07
Mrs. Scott Elliott. Long-spurred hybrids—3'	$-12\frac{1}{2}$.10
*ARABIS—alpina white. April and May—6"		.07
alpina rosea. Pink. April—6"ARMERIA—	.12½	.10
formosa hybrids. Large flowered mixed—15"	09	.07
ARTEMESIA—lactiflora. White. August—4'		.07
Silver King. (New). Silvery foliage—3'		.09
ASCLEPIAS—tuberosa. Butterflyweed—2'		.07
ASTER—	0.0	0.5
nova anglae. Purple. Sept. and Oct.—4'		.07
*Star of Wartburg. Lilac blue with orange centers.		15
SpringSunset. Fine pink. September—1½'	20 $12\frac{1}{2}$.15 .10
Sunset. I me pink. September—1 72	1472	.10

ASTERS—Continued nova belgii, Beechwood Challenger. Sept 1—4'	5 Each	25 Each
The best of the red asters. 2¼" pot plants_ Strawberries and Cream. Sept.—4'	_\$.15	\$.12
Deep pink fading to soft pink. 24" pot plant	s .20	.15
Harringtons Pink. Sept.—3'	25	.20
*AUBRETIA—deltoidia gracea. Violet. May—4" BAPTISIA—australis. False Indigo. Dark blue.	12	½ .10
June—2' BOLTONIA—asteroides. White. September—6'	09	.07
latisquama. Pink. August—5'	08	.06 .06
*CALAMINTHA—alpina. Purple. Summer—6"	09	.07
CAMPANULA medium. Blue, rose, or white. June and July—2½'.	09	.07
medium calycanthema. Blue, rose, or white—2½'		.07
Telham Pride. China-blue	20	.15
*CENTAUREA-montana. Mountain Bluet. Blue.		
June and July—1½'*CERASTIUM—tomentosum. White—6"	09	.07
*CERASTIUM—tomentosum. White—6" *CERATOSTIGMA—plumbaginoides. Dwarf, deep blu		.07
September and October—6"		½ .10
CHELONE—lyoni. Rosy purple. August—2'	11	.09
CHRYSANTHEMUM—	_	
coccineaum. Jas. Kelway Hybrids. Painted Daisy	10	10
Velvety red shades. June—12"coccineum. Pyrethrum roseum. Painted Daisy. Pin	12 k	.10
to red. May and June—2½'	12	.10
maximum. Shasta Daisy. White. July to Oct.—2'_	09	.07
maximum. Mrs.C. Lothian Bell. Very Large. White		07
June to August—20"CHRYSANTHEMUM— Following varieties	09	.07 .07
Adironda. Bronze and yellow. Pompom. Early.		
Capt. R. H. Cook. Clear deep rose. Midseason—3'		
Champagne. Ruby red—2½' Grenadier. Crimson red with bronze sheen. Mid	_	
season—2 $\frac{1}{2}$		
Harvest Home. Golden-yellow. Midseason. Large-	–2 ′	
Irene. White pompom. 15" Metzi. Golden-yellow. Pompom—2'		
Murillo. Beautiful shade of pink. Early—2'		
Mrs. J. W. Martin. New striking orange-rose. Lan		
Peggy Ann Hoover. Quilled lavender pink. Lat	e	
midseason—2½' White Doty. Pure white. Large. Midseason—3'		
Yellow Normandie. Cream-yellow. Early—18"		
NEW AND KOREAN CHRYSANTHEMU		1 11
Without question the greatest new creation in the p		
Korean Chrysanthemums are perfectly hardy—a required faction lacking in the old types; they are easier to grow		
profuse in blooming. The lovely pastel shades defy de		
derful for table decorations and compelling for colo	r effec	t in the
garden.		25 Each
AGNES SELKIRK CLARK. Mammoth single shading from bronzy pink to salmon—2'	_\$.10	\$.08
ASTRID. Single shell-pink. Early	12	½ .10
BURGUNDY. Rich cerise-crimson. Double. Early mid	l-	
season—2½′CALIPH. Rich velvety, oxblood red—2½′	20	.15
CALIFII. Kich vervety, oxblood red—2 /2	15	.12

5	Each 2	25 Each
		io mach
NEW AND KOREAN CHRYSANTHEMUMS—Continu		
COUNTRY GIRL. Glistening pink; soft lilac tones\$	5 .10	80.
DAPHNE. Lovely Daphne-pinkDIANA. Rose pink shaded salmon—2½'	.10	.08
DIANA. Rose pink shaded salmon—2½'	.10	.08
EMBER. Brilliant bronze—2½'	$.12\frac{1}{2}$.10
HEBE. Lovely, luminous pink, maturing to soft laven-	· /2	
der-pink. A 1935 introduction. Very early.		
	10	00
Single—2½′	.10	.08
INDIAN SUMMER. Vivid orange. Very hardy—2½'	.12	.10
JUDITH ANDERSON. Clear butter-yellow pompom—		
15"	$.12\frac{1}{2}$.10
KING MIDAS. Soft yellow shaded bronze—2½'	$.12\frac{1}{2}$.10
LAVENDER LADY—Large, double. Silvery-lavender.	.14 /2	•10
	90	45
Early midseason—2½′ LOUISE SCHLING. Glowing coppery red—2½′	.20	.15
LOUISE SCHLING. Glowing coppery red—2½'	$.12\frac{1}{2}$.10
MANDARIN. Coral, salmon, copper, and bronzy-gold		
blended—2'	.15	.12
MARS Deen amaranth-red	.09	.07
MARS. Deep amaranth-redNANCY COPELAND. Spectrum red—2'	$.12\frac{1}{2}$.10
OF COCKED TO Spectrum red—2	.1472	•10
OLD ORCHARD. Light pink, yellow center. Midsea-		
son. Large pompom_3'	$.12\frac{1}{2}$.10
PALE MOON. Fluffy loosely-double sulphur-yellow		
flowers Early midseason —2'	.20	.15
flowers. Early midseason.—2'PINK LUSTRE. Single. Orchid-pink—2½'	.12 ½	.10
DVCMV COLD Call Il 10"		
PYGMY GOLD. Golden yellow pompom—12"	.20	.15
ROBERTA COPELAND. Semi-double medium sized		
flowers of rosy red shading to rose and salmon		
gold. Blooms from September 15 throughout the		
season. Dwarf.	.20	.15
ROMANY. Carmine with bronze tone—2½'	.10	.08
	.10	.00
ROSE GLOW. Large semi-double flowers of raspberry		
rose shading to opalescent rose are borne in		
	.20	.15
profusion. Early midseason—1½'		
profusion. Early midseason—1½′SALADIN. Oriental red shading to coral red—2½′	.20 .15	.15 .12
profusion. Early midseason—1½′SALADIN. Oriental red shading to coral red—2½′SUN GOLD. Very large double, beautiful clear yellow.		
profusion. Early midseason—1½′SALADIN. Oriental red shading to coral red—2½′SUN GOLD. Very large double, beautiful clear yellow. Undoubtedly the finest of the yellow "Mums."	.15	.12
profusion. Early midseason—1½′	.15	.12
profusion. Early midseason—1½′SALADIN. Oriental red shading to coral red—2½′SUN GOLD. Very large double, beautiful clear yellow. Undoubtedly the finest of the yellow "Mums."	.15	.12
profusion. Early midseason—1½′	.15	.12
profusion. Early midseason—1½'	.15 .25 .10	.12
profusion. Early midseason—1½'	.15 .25 .10	.12 .20 .08
profusion. Early midseason—1½'	.15 .25 .10	.12
profusion. Early midseason—1½'	.15 .25 .10	.12 .20 .08
profusion. Early midseason—1½'	.15 .25 .10	.12 .20 .08
profusion. Early midseason—1½'	.15 .25 .10 .15 .12½	.12 .20 .08
profusion. Early midseason—1½'	.15 .25 .10 .15 .12½	.12 .20 .08
profusion. Early midseason—1½'	.15 .25 .10 .15 .12 ½	.12 .20 .08 .12 .10
profusion. Early midseason—1½'	.15 .25 .10 .15 .12 ½	.12 .20 .08 .12 .10
profusion. Early midseason—1½'	.15 .25 .10 .15 .12 ½	.12 .20 .08 .12 .10
profusion. Early midseason—1½′	.15 .25 .10 .15 .12 ½	.12 .20 .08 .12 .10
profusion. Early midseason—1½′	.15 .25 .10 .15 .12½ ke	.12 .20 .08 .12 .10
profusion. Early midseason—1½'	.15 .25 .10 .15 .12½ ke 2½ \$.1	.12 .20 .08 .12 .10
profusion. Early midseason—1½′	.15 .25 .10 .15 .12½ ke	.12 .20 .08 .12 .10
profusion. Early midseason—1½′	.15 .25 .10 .15 .12½ ke 2½ \$.1	.12 .20 .08 .12 .10
profusion. Early midseason—1½'	.15 .25 .10 .15 .12½ ke 2½ \$.1	.12 .20 .08 .12 .10
profusion. Early midseason—1½′	.15 .25 .10 .15 .12½ ke 2½ \$.1	.12 .20 .08 .12 .10
SALADIN. Oriental red shading to coral red—2½' SUN GOLD. Very large double, beautiful clear yellow. Undoubtedly the finest of the yellow "Mums." Late midseason—3' SATURN. Sparkling orange-bronze SYMPHONY. Mauve-rose overcast soft coppery rose— 2½' THE MOOR. Port wine red—2' CUSHION "MUMS" Compact little plants bearing myriads of Azalea li flowers throughout October. Your choice of colors: Bronze, Pink, Red, White and Yellow_\$.15 *CONVALLARIA majalis. Lily of the Valley 2 year plants COREOPSIS lanceolata. Golden yellow. Summer—2' Mayfield Giants. A vigorous, improved strain—3' DELPHINIUM— bellamosa. Dark blue. June to Sept.—4'	.15 .25 .10 .15 .12½ ke 2½ \$.1	.12 .20 .08 .12 .10
SALADIN. Oriental red shading to coral red—2½' SUN GOLD. Very large double, beautiful clear yellow. Undoubtedly the finest of the yellow "Mums." Late midseason—3' SATURN. Sparkling orange-bronze SYMPHONY. Mauve-rose overcast soft coppery rose— 2½' THE MOOR. Port wine red—2' CUSHION "MUMS" Compact little plants bearing myriads of Azalea li flowers throughout October. Your choice of colors: Bronze, Pink, Red, White and Yellow_\$.15 *CONVALLARIA majalis. Lily of the Valley 2 year plants ————————————————————————————————————	.15 .25 .10 .15 .12½ ke 2½ \$.1 .12½ .09 .09	.12 .20 .08 .12 .10
profusion. Early midseason—1½′	.15 .25 .10 .15 .12½ ke 2½ \$.1 .12½ .09 .09 .09	.12 .20 .08 .12 .10
SALADIN. Oriental red shading to coral red—2½' SUN GOLD. Very large double, beautiful clear yellow. Undoubtedly the finest of the yellow "Mums." Late midseason—3' SATURN. Sparkling orange-bronze SYMPHONY. Mauve-rose overcast soft coppery rose— 2½' THE MOOR. Port wine red—2' CUSHION "MUMS" Compact little plants bearing myriads of Azalea li flowers throughout October. Your choice of colors: Bronze, Pink, Red, White and Yellow_\$.15 *CONVALLARIA majalis. Lily of the Valley 2 year plants COREOPSIS lanceolata. Golden yellow. Summer—2' Mayfield Giants. A vigorous, improved strain—3' DELPHINIUM— bellamosa. Dark blue. June to Sept.—4' Blackmore & Langdon's hybrids. Various colors.	.15 .25 .10 .15 .12½ ke 2½ \$.1 .12½ .09 .09	.12 .20 .08 .12 .10

DELPHINIUM—Continued	5 Each	25 Eacl
Giant Pacific Hybrids. Strong wiry stems support spikes of mammoth flowers in all shades of		
blue, mainly doubles. Fine for both the hardy border and for cutting—5'		\$.15
DIANTHUS—		ψ .10
barbatus. Sweet William. Separate colors. Red, white and pink: May and June—1½'		.07
*plumarius semperflorens. Scotch Pink. Mixed. June		
and July—9" DIANTHUS GRENADIN—	.09	.07
*King of the Blacks. Velvety maroon. All summer		.08
*Rose Queen. Clear deep rose. All summer—12" Scarlet. Large flowering. All summer—12"		.08
*DICENTRA—eximea. Fringed Bleeding Heart. All		2 .10
summer—12"spectabilis. Bleeding Heart. May, June—2'	$.12\frac{1}{2}$.10
DIGITALIS—gloxinaeflora. Foxglove. Rose, white a	.22 nd	.11
purple; separate colors. June, July—2½′	.09	.07
Giant Shirley. A recent introduction far surpassing the older types. June, July—3½′		.08
DORONICUM—caucasicum. Leopardbane. Yellow	•••	•••
flowers 2½" across. May, June—2' ECHINACEA—purpurea. Rudbeckia purpurea. Purple	.20	.15
cone flower. July, Aug.—3'	.09	.07
ECHINOPS RITRO—Thistle. Steel blue—————EULALIA—(See Micanthus).	.09	.07
*EUPATORIUM—coelestinum. Blue. September		
October—2'FUNKIA—(See Hosta).	.09	.07
GAILLARDIA—Blanket Flower.		
Burgundy. Wine red. All summer—2' Goblin. Yellow to red. All summer—12"	$.12\frac{1}{2}$	
Portola hybrids. New Mammoth The Dazzler. Brilliant red, all summer—2'		.07
The Dazzler. Brilliant red, all summer—2'GERANIUM—sanguineum. Bloodred Cranesbill. All		2 .10
summer—1½′*GEUM—Lady Stratheden. Orange, all summer—15″_		
*GEUM—Lady Stratheden. Orange, all summer—15"_ Mrs. Bradshaw. Ruffled scarlet flowers. All sum-	.12	.10
mer—15"	$.12\frac{1}{2}$.10
Orange Queen. Large double flowers in a striking shade of deep orange. Summer—1½'		.10
GYPSOPHILA—	122 /2	
paniculata. Baby's Breath. White. June and July—2'	.09	.07
paniculata Bristol Fairy. Fine double white Baby		
Breath. June and July—30"HELIOPSIS scabra zinniaeflora. Large double yellow,		.18
zinniae-like flowers. Summer—3 to 4'HEMEROCALLIS—Yellow Day Lily.		.10
aurantiaca. Orange shaded brown. July—2½'		.06
Bay State. Deep yellow. August—1½'	.20	.15
flava. Lemon yellow. June—2½' Goldeni. Golden orange. July—3'	.08 .20	.06 .15
Kwanso fl. pl. Double-flowered golden bronze. July,		
August—4'Lemona. Pale lemon-vellow. June—1 1/2'	.09	.07

Each	25 Each
3 08	\$.06
.00	φ .00
20	.15
	.15
	.07
•00	•••
09	.07
.00	.01
20	.15
	.15
.20	.10
10	00
	.08
	.06
	.08
.08	.06
1/71/	1.4
.17/2	.14
10	.07
	.12
.10	.08
.11	.09
.11	.09
$.12\frac{1}{2}$.10
.09	.07
.11	.09
	.07
.09	.07
.09	.07
0.0	0.55
	.07
.09	.07
.20	.15
	.20
.25	.20
.20	.15
.25	.20
.25	.20
.25	.20
.20	.15
.10	.08
	.20 .20 .09 .09 .20 .20 .20 .10 .08 .17½ .10 .15 .12½ .10 .11 .12½ .09 .11 .09 .09 .09 .09 .25 .25 .25 .25

5]	Each	25 Each
*IRIS—pumila. Sambo Miniature Flag. Dark violet-		
blue—4"\$ *pumila aurea. Yellow—4"	.07	\$.05
*pumila aurea. Yellow—4"	.09	.07
IRIS—sibirica	00	0.0
Purple blue. June—3'Snow Queen. White. June—3'	.08	.06 .06
KNIPHOFIA—uvaria grandis. Tritoma pfitzeri. Red	.00	.00
Hot Poker. July to Sept.—3'	.121/2	.10
Perry's Hardy Hybrids. Yellow to red. July to	.14 /2	• 1.0
Sept.—3'	$.12\frac{1}{2}$.10
Tower of Gold. Vigorous, free flowering, rich gol-		
den yellow—2½′	.20	.15
*LAVANDULA—officinalis. True Sweet Lavender.		
July and August— $1\frac{1}{2}$ '	.09	.07
LIATRIS—pynostachya. Gayfeather. Aug. Sept.—4'	.09	.07
LIMONIUM—		
latifolium. Sea Lavender. Blue. July and Aug.—2'	.10	.07
		•••
LOBELIA—cardinalis. Cardinal flower. Scarlet. August and September—2½'	.121/2	.10
•		
LYCHNIS—chalcedonica. Vermilion. Midsummer—2½'	.09	.07
LILIUM—auratum. Gold Band Lily—3'	.20	.15
canadense. Yellow to red. June to August—4'	.14	.11
candidum. White. June—3'henryi. Apricot yellow—4'	.20	.15
regale. White. August—5'	.15	.121/2
4 to 5" circumference	.09	.07
5 to 6" circumference	.10	.08
6 to 7" circumference	$.12\frac{1}{2}$.10
speciosum rubrum magnificum. Rich carmine.	10	
Aug. 4'superbum. Orange. July and August—6'	.18 .10	.15 .08
tenuifolium. Coral Lily. June—1½', Tiny scarlet	.10	.00
flowers	.09	.07
tigrinum fl. pl. Double Tiger Lily. Orange spotted.		
August—4'	$.12\frac{1}{2}$.10
umbellatum grandiflorum. June—2'. Orange	.15	.12
MISCANTHUS—		
sinensis gracillimus. Hardy plume grass. Green—6'	$.12\frac{1}{2}$.10
sinensis variegatus. White striped plume grass—5'	.09	.07
sinensis zebrinus. Zebra striped plume grass—5'	.15	.12
*MITCHELLA—repens. Partridgeberry. White, shad-	00	07
ed pink. March—4"	.09	.07
MONARDA—2½'.	101/	10
didyma. Cambridge Scarlet. August to Sept	.121/2	.10
MYOSOTIS— *palustris. Forget-Me-Not. Blue. April and May—8"	.09	.07
*NEPETA—mussini. Blue. June, July—1'	.121/2	
OENOTHERA—	•1472	•10
*missouriensis. Ozark Sundrops. Large yellow. June		
to August—10"	.121/2	.10
youngi. Evening Primrose Yellow, June, July,		
Angust 116'	121/2	.10

PACHYSANDRA. (See page 56)			
PAPAVER—Poppy	5 E	Each	25 Each
*nudicale. Mixed colors. All summer—1'	\$.10	\$.08
orientale. Orange scarlet. June—2½'	_	.09	.07
orientale. Beauty of Levermere. Deep red	-	.121/2	.10
orientale. Fairy. Pure pale pink	-	.121/2	.10
orientale. Lulu A. Neeley. Brilliant ox-blood red			.15
orientale. May Sadler. Salmon pink, black marking	gs	$.12\frac{1}{2}$.10
orientale. Mrs. Perry. Orange-apricot	. –	.121/2	.10
orientale. Olympia. Flame and salmon	_	.121/2	.10
orientale. Wurtembergia. Glowing rose-red	_	$.12\frac{1}{2}$.10
PENTSTEMON—barbatus torreyi. Coral red. July an August—3'		.09	.07
PEONIES—(See Page 64.)			
PHLOX—Columbia Plant	Pat	ent 1	No. 118
Soft cameo pink.			
Prices, 3 for 75c; 12 for \$2.25\$ 12.00 per 10	00		
Retails at 50c each; 3 for \$1.25; \$4.00 per 12;	; \$3	80.00	per 100
PHLOX-paniculata. Aug., Sept.			
	5 E	lach	25 Each

	Each	25 Each
Africa. Carmine-red— 2½'\$	$.12\frac{1}{2}$	\$.10
Baron von Heeckeren. Delicate salmon pink21/2'	.10	.08
B. Compte. Deep rich oxblood-red. Fine—2½'	.10	.08
Beacon. Bright cherry red-3'	.10	.08
Border Queen. Beautiful new pink. Dwarf—11/2'	$.12\frac{1}{2}$.10
Bridesmaid. Pure white, crimson eye—2 1/2'	.09	.07
Daily Sketch. Soft salmon-pink. Carmine eye2\\\'2'	.121/2	.10
Dr. Chas. Mayo. White, red eye—2½'	.10	.08
Eclaireur. Brilliant rosy magenta. White eye-21/2'	.09	.07
E. I. Farrington. Pleasing salmon, violet eye-3'	.10	.08
Enchantress. Salmon pink; dark eye-3'	.12½	.10
Ethel Pritchard. French mauve—2'	$.12\frac{1}{2}$.10
Europe. White, crimson eye—2½′	.10	.08
Fuerbrand. Brilliant orange-scarlet. Free bloom- ing—2'	.12½	.10
Jules Sandeau. Pure pink. Dwarf. Mammoth flow-	.14 /2	•10
ers-2'	.10	.08
ers—2'Lassburg. Extra fine white—3'	.10	.08
Leo Schlageter. Scarlet. One of the best reds—2½'	.121/2	.10
Lillian. Pure pink—2' Miss Lingard. Early waxy white—3'	.15	.12
Miss Lingard. Early waxy white-3'	$.12\frac{1}{2}$.10
Mrs. Jenkins. White. Late—18"	.09	.07
Mrs. Milly von Hoboken. New. Most beautiful soft	10	00
pink. Very large flower heads—2½'	.10	.08

PHLOX—Continued	5 E	Each	25	Each
Mrs. W. Van Bennigen. Salmon-red—2'	_\$.20	\$.15
Painted Lady. Tall, delicate silver pink,				
cherry-red eye		.10		.08
P. D. Williams. Large soft applebossom pink—2½		.121/2	3	.10
Rheinlander. Salmon-pink, claret eye. Fine—2'		.09		.07
Rynstrom. Pink; very large—2½′		.09		.07
Special French. Large glowing pink—3'		.10	,	.08
Widar. light reddish violet. White eye—2½′	-	.121/2	2	.10
UNNAMED—Ten distinctive varieties, specify				
color wanted	-	.08		.06
*PHLOX—divaricata. Lavender. April, May—12"	_	.09		.07
PHLOX—Creeping Varieties.				
atropurpurea. Wine red with dark eye—4"	_	.10		.08
*subulata rosea and alba. Ground cover—4"	_	.09		.07
subulata lilacina. Pale blue. April—6"	_	.09		.07
subulata Vivid. Bright pink, red eye. April—4"_	-	$.12\frac{1}{2}$	2	.10
PHYSALIS—francheti. Chinese Lantern Plant. Red lanterns. October—2'	_	.09		.07
PHYSOSTEGIA—virginiana. False dragonhead. Rose June and July—3'		.10		.07
PLATYCODON—Balloon flower. grandiflorum. Blue. July to October—2'		10		.08
	_	.10		.00
PLUMBAGO—larpentae. (See Ceratostigma).				
*PRIMULA— Munstead. Red, Yellow, Cream. Separate colors	c c			
Late Spring—9"		.15		.12
veris. Yellow. June and July—6"		.15		.12
RANUNCULUS—repens fl. pl. Creeping Double Bu tercup. May and June—10"		.09		.07
SALVIA—				
azurea grandiflora—pitcheri. Rich gentian blu August and September—4'		.09		.07
"SAPONARIA—				
ocymoides splendens. Rosy pink. May to July	_	.09		.07
SCABIOSA—caucasica. Pincushion Flower. Lavende June to September—1½′		.121/	⁄ ₂	.10
Isaac House Hybrids. A giant strain of new shade of blue—2'		.15		.12

SEDUM—	5 Each	25 Each
*acre. Yellow. June and July—3"	\$.09	\$.07
*album. White. July—4"	09	.07
*glaucum. Blue foliage—2"kamschaticum. Yellow. July—6"	09 09	.07 .07
*sieboldi. Pink. Round blue foliage. August and September—8"		
*spectabile. Rose colored. August and September—	-	.08
*spectabile Brilliant. Crimson. August and September—1½'	12½ 12½	
*stoloniferum coccineaum. Crimson. July and August—6"	-	
SIDALCEA—Rosy Gem. Rose pink. July and August	5	.10
STATICE—latifolia. (See Limonium).	•	
STOKESIA—laevis—Cyanea. Blue. August and Sept- tember—3'	.09	.07
*THALICTRUM-adiantifolium. White. June-2'	.121/2	.10
aquilegifolium. White. June—5'glaucum. Golden yellow. June—4'	$.12\frac{1}{2}$.10
THYMUS—azoricus. Beautiful new variety*serpyllum coccineum. Crimson Thyme—4'	.10	
TRITOMA—pfitzeri. (See Kniphofia).		
TROLLIUS—Golden Queen. Yellow orange. Summer—	.20	.15
TUNICA—saxifraga. Light pink. June, July—6"	.10	.08
*VERONICA—amethystina. Gentian Blue. June, July—12" Blue Spire. Deep Blue. All summer—18". 2 1/4 " pot	.121/2	.10
plants*incana. White foliage. Blue flowers.July and Au-	$12\frac{1}{2}$.10
gust—1'	.121/3	.10
*longifolia subsessilis. Blue. Aug. to Oct.—2'	.121/2	
*teucrium. Gentian blue. June—12"	.121/2	.10
VINCA— (See page 58)		
VIOLA—cornuta. Tufted Pansy. May to October—6" Jersey Gem. Rich violet. All summer—8"	.121/2	.10
Lavender Glory. Mammoth lavender. June to Sept.—1'Purple Glory. Mammoth royal purple. June to	.20	.15
Sept.—1'odorata Princess of Wales. Sweet-scented English	20	.15
violet—8"		.10
YUCCA—filamentosa. White. June and July—7'	10	07
2 years3 years		.07 .10
variegata. 2 years	20	.15

Collected Native Plants

Owing to the increasing demand for wild flowers for naturalization purposes we are listing a number of the most popular varieties. All plants are collected by an expert and will be as fine as can be found in this part of the country.

ACTAEA alba. White Baneberry. May and June—3'\$ ARISAEMA triphyllum. Jack-in-the-Pulpit. Purple.	ach	25 Each \$.08
April—1'ASARUM canadense. Canada Wildginger. Chocolate. May	.07	.05
—6"	.09	.07
CALTHA palustris. Marsh Marigold. Yellow. Apr. May, 1'	.10	.07
CAULOPHYLLUM thalictroides. Blue Cohosh—2'CHELONE glabra. White Turtlehead. White tinged rose.	.10	.07
July—2'	.10	.07
CIMICIFUGA racemosa. Black Cohosh. White. July—5'_ EUPATORIUM agateroides. White Snakeroot. August,	.08	.06
September—3'	.10	.08
purpureum. Joe Pye Weed. Purple. Aug., Sept.—5' GAULTHERIA procumbens. Wintergreen—6"	.10	.08 .07
GENTIANA andrewsi. Closed Gentian. Blue. August—2'	.10	.08
GERANIUM maculatum. Wild Geranium. Pink. May,		
June—1'HEPATICA triloba. Roundlobe Hepatica. Light blue.	.10	.07
April—4"HEUCHERA americana. American Alumroot. Greenish	.07	.05
white—3'	.10	.08
IRIS versicolor. Blue Flag. Blue. June—2'	.10	.08
LOBELIA siphilitica. Large Blue Lobelia. September—3' LYSIMACHIA nummularia. Moneywort. Yellow. June,	.10	.08
July—6" MERTENSIA virginica. Blue Bells. Purplish blue. March,	.10	.08
April—2'POLYGONATUM biflorum. Solomonseal. Greenish white.	.10	.07
April to June—2'	.10	.08
SANGUINARIA canadensis. Bloodroot. White. April—6" SMILACINA racemosa. False Solomonseal. White. April	.07	.05
2½'SEDUM ternatum. Mountain Stonecrop. White. May, June	.10	.08
4"THALICTRUM polygamum. Tall Meadowrue. White.	.10	.07
June to Sept.—6'TIARELLA cordifolia. Allegheny Foamflower. White.	.07	.05
June—8"	.07	.05
June—8"TRILLIUM erectum. Purple Trillium. Purple. May—1' TRILLIUM grandiflorum. Large flowered Trillium. White.	.07	.05
May—1'	.07	.05
Hardy Ferns		
ADIANTUM pedatum. Maidenhair Fern	.10	.07
ATHYRIUM filixfemina. Lady Fern	.10	.08
DICKSONIA punctiloba. Hay Scented Fern	.08	.06
DRYOPTERIS marginalis. Leather-Woodfern	.07	.05
spinulosa. Toothed Woodfern	.07	.05
ONOCLEA sensibilis. Sensitive Fern	.10	.07
OSMUNDA cinnamomea. Cinnamon Fern	.10	.08
regalis. Royal FernPOLYSTICHUM acrostichoides. Christmas Fern	.07	.05
POLYSTICHUM acrostichoides. Christmas Fern PTERETIS nodulosa. Ostrich Fern	.09	.07

Fruit Department

	ADDIES S	landa				
	APPLES, St	1 Each		25 Eac	ch 25	0 Each
4½ to 5½', ½ to ½', ½ to ½'. 4 to 5', ½ to ½ to ½ '. 3 to 4', ¼ to ½ '. 2 to 3', whips Bearing Age, 1 to 1 Bearing Age, 1¼ to		25 20 18	.1) 3 3	.20 .16 .12 .09 .10	\$.18 .14 .11 .08
Astrachan Baldwin Cortland Delicious Dolgo Crab Duchess Grimes Golden Harvest Hyslop	Northern Spy Red Delicious		Red R R. I. C Rome Stark Staym Sweet Turley Wealt Yellov Yellov	Freening Beaut an Bougl Hy Delic	ng y h	
	APRICO	OTS	1 Each	S Toro	ah (25 Each
$3\frac{1}{2}$ to $4\frac{1}{2}'$, $\frac{9}{16}''$ and 3 to $4'$, $\frac{7}{16}$ to $\frac{9}{16}''$ 2 to $3'$, $\frac{5}{16}$ to $\frac{7}{16}''$			\$.3 3	5 \$ 0	.30 .23 .18	\$.25
Hungarian				Mo	oorpa	rk
	CHERRIES	S, Sour		, 5 TC:	ach '	25 Each
4 to 5', $\frac{11}{16}$ " and up $3\frac{1}{2}$ to 4', $\frac{9}{16}$ to $\frac{11}{16}$ " Montmorency			\$.3	5 \$ 0	.28	\$.23 .18
	CHERRIES	, Swee	t			
5 to 7', 11' and up 4 to 5', 16 to 11'			_\$.55	\$.		25 Each \$.40 .35
Black Tartarian Schmidt	Govern	nor Wood	d Yellow	N Span	apole ish	on
	NECTAR	RINES	1 770 - 01		n o.b	or The ch
$3\frac{1}{2}$ to $4\frac{1}{2}', \frac{9}{16}$ " and 3 to 4', $\frac{7}{13}$ to $\frac{9}{16}$ "	up	· 				25 Each \$.30 .22
	Gold M	ine				
	QUING					25 Each
3½ to 4½', 5%" and 3 to 4', ½ to 5%" 2 to 3', % to ½"	up		\$.5 4 5	0 \$.0 .0	.40 .30 .20	\$.35 .25 .15
	pion					

PEACHES

3½ to 5′, ½ to ¾″ 3 to 4′, ¼ to ½ ″ 2 to 3′, ½ to ¼ ″ Belle of Georgia Buttercup Carmen Champion Crawford's Early Crawford's Late Cumberland Eclipse Elberta	Early Elberta Golden Jubilee Hale, J. H. Halehaven Heidelburg Hope Farm Late Elberta Lemon Free Marigold	.22 .17 .12 .10 .18 .13 .08 .07 Mikado Radiance Rochester Salberta Shippers Big Red South Haven Valiant Vedette Veteran Wilma
	PEARS, Stand	ard
6 to 7', 7%" and up 5 to 7', ½ and up 4 to 5', ½ to ½ 3 to 4', ½ to ½ Bearing Age, 6 to 8', Anjou Bartlett Buerre Bosc Cayuga		40
1 1½ to 2". 8 to 10		1 Each 5 Each 25 Each \$ 1.90 \$ 1.65 \$ 1.50 2.50 2.25 2.00
	PEARS, Dwa	arf
3 to 4', $\frac{1}{2}$ to $\frac{5}{8}$ " Bearing Age, 5 to 6',	9	1 Each 5 Each 25 Each \$.35 \$.25 \$.20 .30 .20 .15 * 1.35 1.10 1.00 * 1.90 1.65 1.50 Seckel Flemish Beauty
	PLUMS	
5 to 6', \$\frac{11}{16}"\$ and up 4 to 5', \$\frac{9}{16}\$ to \$\frac{11}{16}" Abundance Bradshaw German Prune	Fellenburg (Italian Prune)	40 .32 .27 Lombard

(See Page 79 for costs of balling bearing age trees)

RASPBERRIES			
Spring Only I	Per 10	Per 100	Per 1000
Chief Suckers No. 1\$ Cumberland (Black) Tips\$.35	\$ 2.25	\$ 18.00
Cumberland (Black) Tips	.35	2.00	16.00
Indian Summer (New Red Everbearing).			
Superior variety; large berries of excellent	40	0.00	05.00
quality. Suckers No. 1 Latham (Red) Suckers No. 1	$.40 \\ .35$	$\frac{3.00}{2.25}$	25.00
Madison No. 1 (Black) Tips	.35	$\frac{2.25}{2.25}$	18.00 18.00
Newburg (Red) Suckers No. 1	.35	2.50	20.00
New Logan (Black) Tips	.35	2.25	18.00
Sodus (Purple) New, productive	.40	2.70	22.00
Taylor (Red) Suckers	.40	3.00	25.00
GRAPE VINES	Each	25 Each	950 Frach
		\$.06½	
Agawam, 2 years, No. 1\$ 1 year, No. 1\$	$.06\frac{7}{2}$	•	$03\frac{1}{2}$
Brighton, 2 years, No. 1	.00 /2	.07	.06
1 year, No. 1	.061/2	.05	.04
Caco, 2 years, No. 1	.18	.14	
1 year, No. 1	.14		
Catawba, 2 years, No. 1	.08	.06	
1 year, No. 1Concord, 2 years, No. 1	$.06\frac{1}{2}$	$.04\frac{1}{2}$	
1 year, No. 1	.04		-
Delaware, 2 years, No. 1	.10		
1 year, No. 1	.08		
Fredonia, 2 years, No. 1	.12		· · · · · · · · · · · · · · · · · · ·
1 year, No. 1	$.10$ $.07\frac{1}{2}$		
Niagara, 2 years, No. 1 1 year, No. 1	.0772	.0372	.031/4
Ontario, 2 years, No. 1	.15	.12	
1 year, No. 1	.12	.09	
Portland, 2 years, No. 1	.13		.10
1 year, No. 1	.10		
Worden, 2 years, No. 1	$.08$ $.06\frac{1}{2}$		$.05$ $.03\frac{1}{2}$
	.00 /2	.01/2	.00 /2
RHUBARB	Each	25 Each	250 Each
Linneus or Victoria			
Strong roots\$	$.04\frac{1}{2}$	\$.03	\$.021/2
BLACKBERRIES			
	Each	25 Each	250 Each
Blowers, No. 1\$.031/2	\$.02½	
Eldorado, No. 1 Lucretia (Dewberry). No.1	.03	.021/4	.01 3/4
Lucretia (Dewberry). No.1	.03	.021/4	.01 34
Snyder, No. 1	.03	.021/4	.01%
TRUE TO NAME			
We frequently secure the services of GO			
Experts to make thorough inspection of our F tions are made if found necessary.	ruits.	Proper	correc-
ASPARAGUS			
Washington, 2 years			\$ 2.25
MULBERRIES (See Morus Pa	age 1	1)	

PRICES FOR BOXING AND PACKING

Be sure to add these costs when paying cash before shipment.

Per foot over 6 feet 30 x 30\$.42 ½ 28 x 2840	\$.45	If Paper Lined, add 5c per ft. Small Boxes, 25c to 1.00 ac- cording to size.
24 x 2435	$.42\frac{72}{2}$ $.37\frac{1}{2}$	BALES
20 x 2030	. —	Minimum charge\$.35
16 x 1625	$.27\frac{1}{2}$	Up to 100 lbs., per lb01
14 x 14 22 ½	.25	Excess over 100 lbs.,
12 x 1220	$.22\frac{1}{2}$	per lb00 %

RESPONSIBILITY

We endeavor to send our patrons the grade and quality of stock ordered. We do not guarantee our products or assume any responsibility after they leave our nursery, as conditions always exist over which we have no control. It is understood, in case of error on our part, that we shall not be responsible for a greater amount than the price paid.

TERMS

5% OFF FOR CASH before shipment on purchases at prices listed herein. Be certain to add enough extra to cover packing. This will eliminate C. O. D. costs. Over-payments will be returned promptly.

To parties having satisfactory credit arrangement or account with us, 2% 10 days, 30 days net.

No claims for rejections or deficiencies will be entertained un-

less made within 10 days after arrival of goods.

5 to 25 of one variety and size will be furnished at the 10 rate, 25 to 250 at 100 rate; 250 or more at 1000 rate.

PRICES SUBJECT TO CHANGE WITHOUT NOTICE

SUPPLIES Burlap, new or used, price on application. 16.50 Per 10,000 Labels, Paper, per 1,000______ Per 10 lbs. Per 50 lbs. Twine, Java—1 Ply Fine (10 lb. Balls)_____\$.19 2, 3, or 6 Ply Medium (50 lb. Reels)______.20

TRUCK DELIVERIES

During planting season, we are making daily deliveries to Cleveland and vicinity, and frequent deliveries to other cities within two hundred miles of Painesville. Charges reasonable.

PLANT PATENT NOTICE — PROPAGATION RIGHTS RESERVED

The Truehedge Columberry is protected by Plant Patent No. 110
under the U. S. Patent Laws. Asexual reproduction or disposition by
sale, gift or otherwise, of scions, buds, or cuttings for such reproduction
is prohibited unless license is previously obtained from the patent owners. Unauthorized reproductions, sale, or distribution of propagation material of this plant will subject the one engaging in the same to prosecution for infringement. For resale at Retail Only except under license from the patent owners.

The above conditions also apply to all other patented plants which

THE COLE NURSERY COMPANY

PAINESVILLE, OHIO

TRUEHEDGE GUARANTEE

Cole guarantees that Truehedge Columnberry plants sold by Cole at prices listed herein will create a formal hedge of height desired at less cost and more quickly than plants of Japanese Barberry twice as large under same conditions (See note below).

To cover this guarantee we will supply sufficient plants (Absolutely Free) for a hedge of the same length, your selec-

tion from Japanese Barberry or 3 kinds of Privet.

THE COLE NURSERY COMPANY, PAINESVILLE, OHIO Note:—A fair comparison using transplanted stock would be—Truehedge 9 to 12" size with Japanese Barberry 18 to 24" Truehedge 12 to 15" size with Japanese Barberry 24 to 30" Labor to be figured at ordinary rates.

In this catalogue where ball sizes are shown, viz., (15" Ball) etc., this is the approximate size supplied. If larger or smaller balls are required charge will be adjusted in conformity with the following schedule.

Where balling is shown as "Extra" or where balls are required on shrubs, trees and plants not catalogued "Balled (B&B)" add to

listed price according to the following schedule.

			Weight	Shri							
	all S	Size	Pounds					1 Each		5 Each	25 Each
10	X	10"	32	1 1/2	to	2'	\$.35	\$.30	\$.25	\$.20
11	X	10	38					.40	.35	.27	.22
12	X	11	47	2	to	3'		.45	.40	.30	.25
13	X	11	55	3	to	4'		.50	.45	.35	.28
14	X	12	75					.60	.50	.40	.32
15	X	12	90	4	to	5'		.70	.60	.48	.40
16	X	13	110	5	to	6'		.90	.75	.60	.50
17	X	13	130					1.20	1.00	.80	.65
18	X	14	160	6	to	7'		1.65	1.35	1.10	.90
20	X	15	210	7	to	8'		2.50	2.00	1.60	1.30
22	X	16	270	8	to	10'		3.25	2.65	2.10	1.75
					SF	IADE	TI	REES			
20	X	15	210	11/4	to	11/2"		2.50	2.00	1.60	1.30
22	x	16	270	1 1/2	to	1 3/4"		3.25	2.65	2.10	1.75
24	X	17	340	1 3/4	to	2"		4.10	3.25	2.50	2.15
26	X	18	410	2	to	21/2"		5.00	4.00	3.00	2.50
30	X	20	640	2 1/2	to	3"		7.50	5.75	4.10	3.50
33	X	22	850	3	to	3 1/2"		9.00	7.00	5.10	4.25
36	X	23	1050	3 1/2	to	4"		10.50	8.25	6.25	5.00
40	X	25	1400	4	to	4 1/2"		12.00	9.75	7.50	6.10
44	x	27	1950	4 1/2				13.50	11.25	8.75	7.25
48	X	29	2600	5	to	5 1/2"		15.25	12.75	10.00	8.25
52	X	30	3250	5 1/2	to	6"		17.50	14.50	11.50	9.50
56	X	31	3900	6	to	6 1/2"		20.50	16.75	13.25	11.00
60	X	32	4600	6 1/2	to			23.50	19.20	15.25	12.50
64	X	33	5400	7	to	71/2"	1	27.00	22.25	17.75	14.50
68	X	34	6400	7 1/2	to	8"	- 1	33.00	27.25	21.75	17.75
_				and the same						761 . 6. 1	

Ball sizes, weights, etc., are only approximate as varieties and soil causes them to vary.

Prices include loading on trucks.

Car loading on "Tree" sizes entails extra costs.

Platforms, if required, will be charged extra. Charge rebated if returned prepaid.

On New Introductions

• The period of time which has elapsed since the restriction of the importation of nursery stock from Europe has been especially rich in the origination and introduction of new varieties of plants. In the main, these were but passing fancies and have failed to withstand the test of time and only a few are known to the public today.

Of These Few,

The most outstanding and worthy of all has been Cole's 1934 introduction "TRUEHEDGE COL-UMNBERRY," which, through merit alone, is increasing in popularity every year.

For a Hardy, instantly finished hedge,

• Use "TRUEHEDGE COLUMNBERRY" — the hedge which is the model of thriftiness, hardiness, and adaptability.

See Prices on the Next Page

INDEX -	and the second second
HUDEN	
	Page
Balling Schedule	79
Evergreens	43 to 54
Fruits	
Perennials	
Roses	58 to 64
Vines	56 to 58
Terms and Conditions	
Deciduous Shrubs	
Evergreen Shrubs Ornamental Trees	1 to 19
Peonies	
Truehedge Columnberry	
Native Plants	
Supplies	



Ordinary Japanese Barberry

New Truehedge Columnberry

COLE'S New Truehedge Columnberry BERBERIS THUNBERGI ERECTA (PLANT PAT. No. 110)

NEW REDUCED PRICES!

	5 Each	25 Each	250 Each
9 to 12 inch	$.\$0.12\frac{1}{2}$	$\$0.09\frac{1}{2}$	
12 to 15 inch	15	$.11\frac{1}{2}$.10
15 to 18 inch	$17\frac{1}{2}$	$.13\frac{1}{2}$	
1½ to 2 feet	21	.17	.15
2 to $2\frac{1}{2}$ feet	$27\frac{1}{2}$	$.22\frac{1}{2}$.20
$2\frac{1}{2}$ to $\overline{3}$ feet	40	.33	.30

Extra Fine Trimmed Specimens

Furnished in Ovals, Globes, Boxes,	Bare	Root	5 Each	& B
Fans and Spires.	5 Each	25 Each	5 Each	25 Each
12 to 15 inch	. \$0.371/2	\$0.30	\$0.65	\$0.50
15 to 18 inch	$. 47\frac{1}{2}$	$.37\frac{1}{2}$.75	.60
$1\frac{1}{2}$ to 2 feet	55	.45	.85	.70
$2 \text{ to } 2\frac{1}{2} \text{ feet}$	70	.60	1.10	.90

MINIMUM RETAIL PRICES

	1 Each	5 Each	25 Each	100 Each	250 Each
9 to 12 inch	.\$0.25	\$0.20	\$0.16	\$0.14	$\$0.12\frac{1}{2}$
12 to 15 inch					
15 to 18 inch					
$1\frac{1}{2}$ to 2 feet					
$2 \text{ to } 2\frac{1}{2} \text{ feet.}$					
$2\frac{1}{2}$ to 3 feet	75	.60	.55	.50	.45

Trimmed Specimens

Furnished in Ovals, Globes, Boxes	Bare Root		В & В	
Fans and Spires	1 Each	5 Each	1 Each	5 Each
12 to 15 inch	.\$0.75	\$0.60	\$1.25	\$1.00
15 to 18 inch	90	.75	1.50	1.25
$1\frac{1}{2}$ to 2 feet	. 1.15	1.00	1.75	1.50
$2 \text{ to } 2\frac{1}{2} \text{ feet.}$. 1.50	1.25	2.25	2.00

Complete Descriptive Folder on Request

SEE OUR GUARANTEE ON PAGE 79

